

प्रति,

समन्वयक,
Mediwheel (Arcofemi Healthcare Limited)
हेल्पलाइन नंबर: 011-41195959

महोदय/ महोदया,

विषय: बैंक ऑफ़ बड़ौदा के कर्मचारियों के लिए वार्षिक स्वास्थ्य जांच।

हम आपको सूचित करना चाहते हैं कि हमारे कर्मचारी की पत्नी/पति जिनके विवरण निम्नानुसार हैं हमारे करार के अनुसार आपके द्वारा उपलब्ध कराई गई कैशलेस वार्षिक स्वास्थ्य जांच सुविधा का लाभ लेना चाहते हैं।

स्वास्थ्य जांच लाभार्थी के विवरण	
नाम	SONAM KUMARI
जन्म की तारीख	03-02-1996
कर्मचारी की पत्नी/पति के स्वास्थ्य जांच की प्रस्तावित तारीख	25-09-2023
बुकिंग संदर्भ सं.	23S162538100070210S
पत्नी/पति के विवरण	
कर्मचारी का नाम	MR. KUMAR RANDHIR
कर्मचारी की क.कु.संख्या	162538
कर्मचारी का पद	HEAD CASHIER "E" _II
कर्मचारी के कार्यालय का स्थान	CHAS
कर्मचारी के जन्म की तारीख	25-01-1982

यह अनुमोदन/ संस्तुति पत्र तभी वैध माना जाएगा जब इसे बैंक ऑफ़ बड़ौदा के कर्मचारी आईडी कार्ड की प्रति के साथ प्रस्तुत किया जाएगा। यह अनुमोदन पत्र दिनांक 22-09-2023 से 31-03-2024 तक मान्य है। इस पत्र के साथ किए जाने वाले चिकित्सा जांच की सूची अनुलग्नक के रूप में दी गई है। कृपया नोट करें कि उक्त स्वास्थ्य जांच हमारी टाई-अप व्यवस्था के अनुसार कैशलेस सुविधा है। हम अनुरोध करते हैं कि आप हमारे कर्मचारी के पत्नी/पति की स्वास्थ्य जांच संबंधी आवश्यकताओं पर उचित कार्रवाई करें तथा इस संबंध में अपनी सर्वोच्च प्राथमिकता तथा सर्वोत्तम संसाधन उपलब्ध कराएं। उपर्युक्त सारणी में दी गई कर्मचारी कूट संख्या एवं बुकिंग संदर्भ संख्या का उल्लेख अनिवार्य रूप से इनवॉइस में किया जाना चाहिए।

हम इस संबंध में आपके सहयोग की अपेक्षा करते हैं।

भवदीय,

हस्ता/-

(मुख्य महाप्रबंधक)

मानव संसाधन प्रबंधन विभाग

बैंक ऑफ़ बड़ौदा



(नोट: यह कंप्यूटर द्वारा जनरेट किया गया पत्र है। हस्ताक्षर की आवश्यकता नहीं है। कृपया किसी भी स्पष्टीकरण के लिए Mediwheel (Arcofemi Healthcare Limited) से संपर्क करें।)

भारत सरकार
Government of India

सौरभ कुमारी
Sourabh Kumari
जन्म तिथि/DOB: 03/02/1996
लिंग/GEN: FEMALE

4591 3575 8564
VID: 9181.0854.2144.6167

मेरी आस्था, मेरी पहचान

भारतीय विशिष्ट पहचान प्राधिकरण
Unique Identification Authority of India

नाम: सौरभ कुमारी, फ्लॉट नं.-105, शिव मंदिर के सामने,
पुस्तकालय, चिरा-चास, थरना-चास, चिरा-
चास, झारखंड
पिनकोड - 827013

Address:
C/O: Sourabh Kumar, Flat No.-105, In Front
of Shiv Mandir, Chira Chas, Rashuknath
Apartment, Post-Chas, Thana-Chas, Chas,
Bokaro,
Jharkhand - 827013

4591 3575 8564
VID: 9181.0854.2144.6167

1987 | help@uidai.gov.in | www.uidai.gov.in





बैंक ऑफ बड़ोदा
Bank of Baroda



नाम : रणधीर कुमार
Name : RANDHIR KUMAR

अकाउंट नंबर : 162538
E.C. No : 162538

बैंक ऑफ बड़ोदा, ए. ए. ए. बिल्डिंग, 101
Muzaffarpur, Bihar - 800 001

Randhir Kumar
Signature

If found, please return to:
Dy General Manager
Bank of Baroda, Baroda Surya Bhawan, Main Road Bistapur
Jamshedpur-831001, Jharkhand
Phone +91 957 3248410

PERMANENT ADDRESS: Vill-post - Jagdishpur Baghnageri, Thana-Sakra
Dist- Muzaffarpur, State- Bihar

EMERGENCY CONTACT NO: 9430114851, 8202436853

रक्त समूह / Blood Group : B+

चिह्न / Identification Mark : A Mole Below Right Eye





असर्फी हॉस्पिटल

सबके लिए स्वास्थ्य

OUT PATIENT DEPARTMENT

Department of General Medicine

Regd. No. : SEP23-66128 Visit : OPD/250923/151864
 Patient Name : MRS. SONAM KUMARI Mobile : 7488701465
 Age/Sex : 27 Y 7 M 22 D / Female Date : 25-Sep-2023 2:16 pm
 Address : BASHUKINATH APPARTMENT, CHAS, BOKARO - 827013, Jharkhand, INDIA
 Doctor : Dr. Uday Shankar MBBS, MD, D. Cardio., FCCS OPD Timing : MON-SAT (10AM - 2PM)
 Referred By :

Allergies : Height : Ft In Temp. : C SPO2 : 99 %
 Weight : 89.4 Kg Pulse : 88 BPM B.P. : 140/90 mm/Hg

History and complaints :
 10 fold intermittent chest pain

Examination:

Diagnosis:

Investigations:

Medicines Prescribed:

T. Febuxate 40mg OD 0-10/11/2023
 T. A do 2 fold OD 0-10/11/2023

Follow up: Days | Advice (Diet/ Lifestyle / Rehab)
 Date :
 Time :

Signature of Doctor


*This document is not valid for Medico-Legal purposes.

RADIOLOGY REPORT

Patient Name :	MRS. SONAM KUMARI	Patient ID :	66128
Modality :	DX	Sex :	F
Age :	27Y	Study :	CHEST PA
Ref. Dr. :	DR.SELF	Study Date :	25-09-2023

X-RAY CHEST PA VIEW

Few tiny calcified nodules seen in bilateral parahilar region
Bilateral bronchovascular markings are prominent
Bilateral costophrenic angles are unremarkable
Bilateral hila are unremarkable.
Domes of diaphragm are normal in morphology and contour.
Cardiac size is within normal limits.
Bony thoracic cage appears normal.



Dr. Manish Kumar Jha

MBBS, MD (Radio-diagnosis)

Registration No. 77237 (WBMC)

Date 25-09-2023 Time 11-03-55



Disclaimer: - It is an online interpretation of medical imaging based on clinical data. All modern machines/ procedures have their own limitation. If there is any clinical discrepancy, this investigation may be repeated or reassessed by other tests. Patient's identification in online reporting is not established, so in no way can this report be utilized for any medico legal purpose.



24 HOUR EMERGENCY

©AHL/D/0070/2226/APR/22

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"

27 years

MRS SONAM KUMARI
Female

25-Sep-23 12:26:43

AGARTI INST. OF CARDIAC SCIENCES

Rate 87 Sinus rhythm.....normal P axis, V-rate 50-99


PR 140
QRSD 90
QT 365
QTc 439

--AXIS--
P 54
QRS 14
T 2

12 Lead: Standard Placement

- NORMAL ECG -

Unconfirmed Diagnosis



Devices:

Speed: 25 mm/sec

Temp: 10 mm/mV

Chart: 10.0 mm/mV

P 50 - 0.50-100 Hz W

PH100B CL

P2



REPORT

ECHOCARDIOGRAPHY REPORT

Name: MRS SONAM KUKARI

Age: 27

Sex: Female

Date: 25/09/2023

2D & M-MODE MEASUREMENTS

LA Diam	2.9 cm
Ao Diam	3.0 cm
IVSd	1.0 cm
LVIDd	4.9 cm
LVPWd	1.1 cm
IVSs	1.6 cm
LVIDs	3.3 cm

2D & M-MODE CALCULATIONS

EDV(Teich)	113 ml
ESV(Teich)	43 ml
EF(Teich)	62 %
%FS	34 %
SV(Teich)	70 ml
LVd Mass	233.54 g
RWT	0.47

MITRAL VALVE

MV E Vel	0.61 m/s
MV DecT	145 ms
MV Dec Slope	4.2 m/s ²
MV A Vel	0.72 m/s
MV E/A Ratio	0.84
E'	0.03 m/s
E/E'	22.40

AORTIC VALVE

AV Vmax	1.01 m/s
AV maxPG	4.04 mmHg

TRICUSPID VALVE

PV Vmax	1.05 m/s
PV maxPG	4.44 mmHg

PULMONARY VALVE

COMMENTS:

- NORMAL SIZE CARDIAC CHAMBERS
- NO LVRWMA
- GOOD LV SYSTOLIC FUNCTION (EF-63%)
- GRADE I DIASTOLIC DYSFUNCTION
- NO MR, AR, NO TR
- IAS, IVS INTACT
- NO CLOT, PE
- IVC NORMAL

IMPRESSION:

- NORMAL SIZE CARDIAC CHAMBERS
- NO LVRWMA
- GOOD LV SYSTOLIC FUNCTION (EF-63%)
- GRADE I DIASTOLIC DYSFUNCTION

DR. UDAY SHANKAR
(NON-INVASIVE CARDIOLOGIST)

TECH. SIG



FINAL REPORT

Name : MRS. SONAM KUMARI
Reg. No. : SEP23-66128
Age / Sex : 27 Yrs / Female
Doctor :
Pat. Type : Mediwheel



Collection Time : 25-09-2023 10:30:03
Receiving Time : 25-09-2023 10:31:38
Reporting Time : 25-09-2023 15:19:21
Publish Time : 25-09-2023 3:39 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

Biochemistry

Creatinine, Serum

Method: Enzymatic

Creatinine, Serum

0.8

Machine Name: XL640

mg/dl 0.6-1.4

Uric Acid, Serum

Method: Enzymatic

Uric Acid, Serum

14.0

H

Machine Name: XL640

mg/dl 3.4-7.0

Blood Urea Nitrogen (BUN)

Method: Calculated

Blood Urea Nitrogen (BUN)

6.5

L

Machine Name: XL640

mg/dl 07-21

LIPID PROFILE, SERUM

Method: Spectrophotometry

Triglycerides (Enzymatic)

125.0

Machine Name: XL640

mg/dl
Normal: <150
Borderline-high:
150-199 High risk
200-499
Very high risk >500
<200 No risk 200-239
Moderate
risk >240 High risk
0-30

Cholesterol, Total (CHOD/PAP)

152.0

mg/dl

VLDL Cholesterol (Calculated)

25

mg/dl

HDL Cholesterol (Enzymatic)

48.0

L

mg/dl

LDL Cholesterol (Calculated)

79

mg/dl

<40 High Risk ; >60 No
Risk
Optimum:<100 Above
optimum:
<130; Moderate
risk:130-159;
High risk:>160



DR N N SINGH
MD (PATHOLOGY)

*This Document is not valid for Medico-Legal purposes.

Page 1 of 8

Caution of Laboratory Testing & Reporting

(1) It is presumed that the tests performed are on the specimens (Samples) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen. (2) Sample 1, 2 Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason, (a) Specimen received is insufficient or inappropriate. (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from to to and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unavailability of results please call in +91 9297862282. E-mail- lab.asarfi@gmail.com

24 HOUR EMERGENCY

© ANL D:\11116-4-13-1-17-23

KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL

FINAL REPORT

Name : MRS. SONAM KUMARI
Reg. No. : SEP23-66128
Age / Sex : 27 Yrs / Female
Doctor :
Pat. Type : Mediwheel




Collection Time : 25-09-2023 10:30:03
Receiving Time : 25-09-2023 10:31:38
Reporting Time : 25-09-2023 15:19:21
Publish Time : 25-09-2023 8:35 pm

Test Name	Result	Flag	Unit	Reference Range
Cholesterol Total : HDL Ratio (Calculated)	3.17		mg/dl	1.2-6.0
GLYCOCYLATED HEMOGLOBIN (HbA1C), BLOOD				
Method : HPLC / Nephelometry				
HbA1C	5.7		%	4.4-6.2
Estimated average glucose (eAG)	116.89		mg/dl	

Machine Name: BIO-RAD, D 10 / MTPA
%




DR N N SINGH
MD (PATHOLOGY)

*This Document is not valid for Medico-Legal purposes.

Page 2 of 8

Conditions of Laboratory Testing & Reporting
1. All specimens for testing are performed on the specimens as submitted. Samples belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the test specimens. 2. Samples for Laboratory investigations are only for diagnostic purposes and should be clinically considered. 3. Test results are not valid for medico-legal purposes if they are requested for a purpose other than that for which they were requested. 4. Test results might not be performed due to following reasons: (a) Specimen received is insufficient or inappropriate. (b) Specimen received is not of the type requested. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the name on the test requisition form. (e) The results of the Test May vary from lab to lab from time to time for the same patient. (f) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (g) In case of queries or unexplained test results please call at +91 9297962282. E-mail: lab@asarfi@gmail.com

24 HOUR EMERGENCY

© Asarfi, D:\2006-4\11-3-2023-23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



असर्फी हॉस्पिटल
 सबके लिए स्वास्थ्य

ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)
 Baramuni, Bishnupur Polytechnic, Dhanbad 828 130
 Ph. No.: 7808368886 9297862282 9234681514



FINAL REPORT

Name : MRS. SONAM KUMARI
 Reg. No. : SEP23-66128
 Age / Sex : 27 Yrs / Female
 Doctor :
 Pat. Type : Mediwheel



Collection Time : 25-09-2023 10:30:03
 Receiving Time : 25-09-2023 10:31:38
 Reporting Time : 25-09-2023 15:19:21
 Publish Time : 25-09-2023 1:39 pm

Test Name	Result	Flag	Unit	Reference Range
Liver Function Test (LFT)				
Method: Spectrophotometry				
Bilirubin Total (Diazo)	1.4	H	mg/dl	0.3-1.2
Bilirubin Direct (Diazo)	0.5	H	mg/dl	0.00-0.2
Bilirubin Indirect (Calculated)	0.9		mg/dl	0.00-1.0
SGPT (IFCC without PDP)	33.7		U/L	7-50
SGOT (IFCC without PDP)	25.3		U/L	5-45
Alkaline Phosphate (PNP AMP Kinetic)	167.5		U/L	70-306
GGT (Enzymatic)	25.1		U/L	0-55
Protein Total (Biuret)	7.6		g/dl	6.4-8.3
Albumin (BCG)	4.1		g/dl	3.5-5.2
Globulin (Calculated)	3.5		g/dl	2.3-3.5
A : G Ratio (Calculated)	1.17			0.8-2.0

Machine Name: XL-640



DR N N SINGH
 MD (PATHOLOGY)

*This Document is not valid for Medico-Legal purposes.

Conditions of Laboratory Testing & Reporting
 (1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s). Samples & L.R. laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (2) Tests results are not valid for medico-legal purposes. (3) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (b) Hemolyzed/clotted specimen etc. (c) Incorrect specimen type for requested test. (d) Specimen quality is unsatisfactory. (e) There is a discrepancy between the label on the specimen container and the Name on the test request form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email- lab@asarfi@gmail.com

24 HOUR EMERGENCY

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL."

FINAL REPORT


Name : MRS. SONAM KUMARI
Op. No. : SEP23-66128
Age / Sex : 27 Yrs / Female
Ref. Doctor :
Test Type : Mediwheel



Collection Time : 25-09-2023 10:30:03
Receiving Time : 25-09-2023 10:31:38
Reporting Time : 25-09-2023 15:19:21
Publish Time : 25-09-2023 3:39 pm

Test Name	Result	Flag	Unit	Reference Range
Routine Urine Examination; Urine				
Method: Microscopic				
Appearance	SLIGHTLY HAZY	.		
Colour	PALE YELLOW	.		
Volume	20		ml.	
Protiens	TRACE	.		
Glucose	NEGATIVE	.		
PH	6.0	.		
Specific Gravity	1.020	.		
Bilirubin	NEGATIVE	.		
Ketone Bodies	NEGATIVE	.		
Bile Salts	XX	.		
Bile Pigments	XX	.		
Pus Cells	1-2		/hpf.	
Epithelial Cells	1-2		/hpf.	
R.B.C.	NIL		/hpf.	
Casts	NOT SEEN		/hpf.	
Crystals	NOT SEEN		/hpf.	




DR N N SINGH
MD (PATHOLOGY)

*This Document is not valid for Medico-Legal purposes.

Page 5 of 8

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) / Sample(s). (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (b) Hemolyzed/clotted/serum etc. (c) Incorrect specimen type for requested test. (d) Specimen quality is unsatisfactory. (e) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from test and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email- labasa@asarfi.com

24 HOUR EMERGENCY

© AHL/D/0086/4313/July /23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishnupur Polytechnic, Dhanbad 828 130

Ph. No.: 7808368888, 9297862282, 9234681514



MC-8929

FINAL REPORT

Name : MRS. SONAM KUMARI
 Reg. No. : SEP23-66128
 Age / Sex : 27 Yrs / Female
 Doctor :
 Pat. Type : Mediwheel



Collection Time : 25-09-2023 10:30:03
 Receiving Time : 25-09-2023 10:31:38
 Reporting Time : 25-09-2023 15:19:21
 Publish Time : 25-09-2023 3:39 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

Haematology

BLOOD GROUP, ABO & RH TYPING

Method: Agglutination

ABO GROUP	A	.		0-0
RH TYPING	POSITIVE	.		0-0

ESR (Erythrocyte Sedimentation Rate)

Method: Westergren

ESR	20	H	mm/hr	0-10
-----	----	---	-------	------

Machine Name: VES-MATIC 20



DR N N SINGH
 MD (PATHOLOGY)

*This Document is not valid for Medico-Legal purposes.

Page 6 of 8

Conditions of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) / Sample(s). (2) Laboratory Investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico-legal purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolyzed/clotted/spenic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email: lab@asarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4313/July/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"

FINAL REPORT

Name : MRS. SONAM KUMARI
Reg. No. : SEP23-66128
Age / Sex : 27 Yrs / Female
Doctor :
Pat. Type : Mediwheel



Collection Time : 25-09-2023 10:30:03
Receiving Time : 25-09-2023 10:31:38
Reporting Time : 25-09-2023 15:19:21
Publish Time : 25-09-2023 3:39 pm

Test Name	Result	Flag	Unit	Reference Range
Nature of Material: EDTA Blood Sample				
Complete Blood Count (CBC)				
Method: Electrical Impedance		Machine Name: Sysmex 6 part		
Hemoglobin (Photometry)	12.8	L	g/dl	13-18
PCV (Calculated)	40.6		%	40-50
MCH (Calculated)	27.6		Pg	27-31
MCHC (Calculated)	31.5		g/dl	31.5-35.5
Red Cell Distribution Width (RDW) (Electrical Impedance)	13.7		%	11.6-14
Total Leukocyte Count (TLC) (Electrical Impedance)	5,500		/cu-mm	4000-11000
RBC Count (Electrical Impedance)	4.64		million/mm ³	4.5-5.5
Mean Corpuscular Volume (MCV) (Electrical Impedance)	87.5		fL	83-101
Platelet Count (Electrical Impedance)	3.25		lakhs/cumm	1.5-4.5
Neutrophils (NCI Technology)	56		%	55-75
Lymphocytes (NCI Technology)	37	H	%	15-30
Eosinophils (NCI Technology)	03		%	1-6
Monocytes (NCI Technology)	04		%	2-10
Basophils (NCI Technology)	00		%	0-1




DR N N SINGH
MD (PATHOLOGY)

*This Document is not valid for medico-legal purposes.

Page 7 of 8

Location of Laboratory Testing & Reporting
(1) The government of India has notified all public laboratories (Samples belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the test specimens). Laboratory Test results are only valid for the use in arriving at diagnosis and should be clinically correlated. (2) Test results are not valid for medico-legal purposes. (3) Test results might not be performed due to following reason: (a) Specimen received is insufficient or inappropriate. (b) Sample is not within expiry date. (c) Incorrect specimen handling requirements. (d) Inadequate quality of reagents. (4) There is a responsibility on the patient to provide the correct information on the test requisition form. (5) The Results of the Test/Study/Examination are provided to you for the sake of patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or discrepancies, please contact at 91 9297862282. E-mail: asarfi@asarfi.com

24 HOUR EMERGENCY

© All Rights Reserved. 11 July 2023

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL."

FINAL REPORT

Name : MRS. SONAM KUMARI
Reg. No. : SEP23-66128
Age / Sex : 27 Yrs / Female
Doctor :
Pat. Type : Mediwheel



Collection Time : 25-09-2023 10:30:08
Receiving Time : 25-09-2023 10:31:38
Reporting Time : 25-09-2023 15:29:21
Publish Time : 25-09-2023 3:39 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

Immunology and Serology

THYROID PROFILE, TOTAL, SERUM

Method: ECLIA

Test Name	Result	Reference Range	Reference Range
T3, Total	1.51	ng/ml	0.8-2.0
T4, Total	11.5	µg/dL	5.10-14.10
TSH (Ultrasensitive)	1.48	mIU/mL	0.27-4.2



DR N N SINGH
MO (PATHOLOGY)

*This Document is not valid for Medico-Legal purposes.

Page 8 of 8

Disclaimer of Laboratory Testing & Reporting

(1) It is presumed that the tests performed are on the specimens (Samples) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimens. (2) Subject to (1), the above investigations are only to be taken as an aid in diagnosis and should be clinically correlated. (3) Tests results are not valid for making legal purposes. (4) Test requested might not be performed due to following Reasons: (a) Specimen received is insufficient or inappropriate. (b) Specimen(s) damaged/leaked etc. (5) Documented specimen type is requested test. (6) Specimen quality is unsatisfactory. (7) There is a discrepancy between the label of the specimen container and the Name on the test requisition form. (8) The Results of the Test may vary from lab and also from time to time for the same patient. (9) The results of a serology test are dependent on the quality of the sample as well as the assay technology. (10) In case of queries or unexpected test results please call at +91 9237962292. E-mail: asarfi@asarf.com

RADIOLOGY REPORT

Reg. No.	66128	Ref. Dr.	SELF
Name	MRS. SONAM KUMARI	Study	USG WHOLE ABDOMEN
Age & Sex	27Y /F	Reporting Date	25.09.2023

USG WHOLE ABDOMEN

- LIVER** : Liver is enlarged in size and measures 15.6cm. It appears bright in echotexture. No obvious focal lesion is seen. IHBR are not dilated.
- GALL BLADDER** : GB is well distended. No obvious calculus or mass lesion is seen. The wall thickness is normal.
- CBD** : CBD is normal in course & caliber.
- PV** : PV is normal in course & caliber.
- PANCREAS** : Pancreas is normal in size, shape & echotexture. Peripancreatic soft tissues appear normal. MPD is not dilated.
- SPLEEN** : Spleen is normal in shape, size & echotexture. It measures 9.7cm in size.
- KIDNEYS** : The right kidney measures 8.8 x 3.9cm. The left kidney measures 11.1 x 4.5cm. Both kidneys are normal in shape, size & position. The pelvicalyceal system is normal. Corticomedullary differentiation is maintained. No focal lesion is seen.
- URINARY BLADDER** : Urinary bladder is well distended. No obvious calculus or mass lesion is seen. The wall thickness is normal.
- UTERUS** : Uterus is normal in size, shape & echotexture. It measures 7.5 x 2.6 x 4.5cm. Endometrium is central and measures 7.4 mm.
- OVARIES** : The right ovary measures 1.9 x 1.5cm. The left ovary measures 2.4 x 1.5cm. Both ovaries are normal in shape, size & position.
- OTHERS** : No ascites or retroperitoneal lymphadenopathy is seen.

- IMPRESSION** :
 - **Hepatomegaly with grade II diffuse fatty infiltration of liver.**



Dr. VAISHALI PATEL
MBBS, DNB (Radio-diagnosis)
Consultant Radiologist



नयनश्री नेत्रालय PNC

(A Unit of Anarfi Hospital Limited)

Maraghat, Bishnupur Polytechnic, Dhanbad - 828 130 (Jharkhand)
7707043096, 7800368008 | www.anarfihospital.com, info@anarfihospital.com

PRESCRIPTION FOR GLASS

Reg No 6623

Date 25/08/23

Name MR. ANANDA KUMAR

Age 48 Gender M F

	RIGHT EYE				LEFT EYE			
	D (PH)	D (CYL)	AXIS	VISION	D (PH)	D (CYL)	AXIS	VISION
FOR THE TABLE VISION	<u>Plano</u>	<u>---</u>	<u>---</u>	<u>6/6</u>	<u>Plano</u>	<u>---</u>	<u>---</u>	<u>6/6</u>
ADD FOR NEAR VISION	<u>+ 1.00</u>	<u>---</u>	<u>---</u>	<u>Nc</u>	<u>+ 1.00</u>	<u>---</u>	<u>---</u>	<u>Nc</u>

Lens: White / Photo Chromic / Tinted / Sph/ok / Escorted / Bilocal / GIT 20

P.D.

mm. For DV

mm. For NV

(Signature)

Remarks: Contact use / Distance use / Near use

Refractionist

(Signature)

ATL/097913/August/23

C/O - D/V at New x 1 year

No H/O - Any Rx

P/H/O - Celastrum

D.V/A G/G

E/G

NXNS
N8

Rx last Eye check
4 - 1.5 years ago

Pupil (ov) - R/R/R

FINAL REPORT

Name : MRS. SONAM KUMARI
Reg. No. : SEP23-66128
Age / Sex : 27 Yrs / Female
Doctor :
Pat. Type : Mediwheel



Collection Time : 25-09-2023 10:30:03
Receiving Time : 25-09-2023 10:31:36
Reporting Time : 26-09-2023 10:23:20
Publish Time : 26-09-2023 10:29 am

Test Name	Result	Flag	Unit	Reference Range
Protein:Creatinine Ratio; Urine				
<i>Method : Immunoturbidimetry, Spectrophotome</i>				
Protein	65.5		mg/L	
Creatinine	291.5		mg/dl	
PCR	0.22		mg/g	0-0.5



[Signature]
DR N N SINGH
MD (PATHOLOGY)

*This Document is not valid for Medico-Legal purposes.

Page 6 of 9

Condition of Laboratory Test(s) Reporting
(1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) / Sample(s). (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico-legal purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/serum etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test may vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9207862282. Email: labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0086/4313/July /23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"

FINAL REPORT

Name : MRS. SONAM KUMARI
Reg. No. : SEP23-66128
Age / Sex : 27 Yrs / Female
Doctor :
Pat. Type : Mediwheel



Collection Time : 25-09-2023 10:30:03
Receiving Time : 25-09-2023 10:31:36
Reporting Time : 27-09-2023 13:39:00
Publish Time : 28-09-2023 12:54 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

Culture & Sensitivity (Urine)

Method : vitek 2 compact

Machine Name: vitek 2 compact

Organism Isolated	Result	Flag	Unit	Reference Range
Klebsiella Species				
Amikacin	+++			
Amoxicillin	R			
Cefixime	++			
Colistin	++			
Ciprofloxacin	+++			
Ceftazidime	+++			
Chloramphenicol	++++			
Ceftriaxone	+++			
Co-Trimixazole	+++			
Cefepime	+++			
Cefoperazone/Sulbactam	+++			
Doxycycline	+++			
Fosfomycin	++++			
Imipenem	++++			
Levofloxacin	+++			
Meropenem	++++			



[Signature]
DR N N SINGH
MD (PATHOLOGY)

*This Document is not valid for Medico-Legal purposes.

Comments of Laboratory Tests & Reports

(1) It is presumed that the tests performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of this said specimen(s) / Sample(s). (2) Laboratory investigations are only used to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/serum etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test request form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email: labasarfi@gmail.com

24 HOUR EMERGENCY

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



FINAL REPORT

Name : MRS. SONAM KUMARI
Reg. No. : SEP23-66128
Age / Sex : 27 Yrs / Female
Doctor :
Pat. Type : Mediwheel



Collection Time : 25-09-2023 10:30:03
Receiving Time : 25-09-2023 10:31:36
Reporting Time : 27-09-2023 13:39:00
Publish Time : 28-09-2023 12:54 pm

Test Name	Result	Flag	Unit	Reference Range
Norfloxacin	++++		.	
Ofloxacin	++++		.	
Piperacillin/Tazobactam	+++		.	
Tetracycline	++		.	
Tigecycline	++		.	
Azithromycin	+++		.	

Note : Polymyxin B : R

Note:

In view of developing antibiotics resistance in india. It is advisable to use antibiotics belonging to Group B & C only if the patient is resistant to antibiotics.

* Instrument used Bact/Alert 3D 60 & vitek 2 compact.



DR N N SINGH
MD (PATHOLOGY)

*This Document is not valid for Medico-Legal purposes.

Page 12 of 12

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) / Sample(s). (2) Laboratory investigations are only to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (b) Hemolyzed/clotted/serum etc. (c) Incorrect specimen type for requested test. (d) Specimen quality is unsatisfactory. (e) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, E-mail- lab@asarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/13/August /23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"