		TEST REPORT				
Reg. No	: 2112101775		Reg. Date : 20-Dec-2021			
Name	: Vanita		Collected On : 20-Dec-2021 09:46			
Age/Sex	: 38 Years / Female		Approved On : 20-Dec-2021 11:51			
Ref. By	:		Printed On : 21-Dec-2021 19:28			
Client	: MEDIWHEEL WELLNESS					
<u>Paramet</u>	<u>er</u>	Result				
BLOOD GROUP & RH Specimen: EDTA and Serum; Method: Haemagglutination						
ABO		'O'				
Rh (D)		Positive				
		End Of Report				

Reg. No : 2112101775 Name : Vanita

Reg. Date : 20-Dec-2021 Collected On : 20-Dec-2021 09:46

: 38 Years / Female

Approved On : 20-Dec-2021 11:51

Age/Sex Ref. By

Printed On : 21-Dec-2021 19:28

Client : MEDIWHEEL WELLNESS

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval		
COMPLETE BLOOD COUNT (CBC)					
		EDTA BLOOD			
Hemoglobin	11.9	g/dL	12.0 - 15.0		
RBC Count	4.32	million/cmm	3.8 - 4.8		
Hematrocrit (PCV)	38.0	%	40 - 54		
MCH	27.5	Pg	27 - 32		
MCV	88.0	fL	83 - 101		
MCHC	31.3	%	31.5 - 34.5		
RDW	12.3	%	11.5 - 14.5		
WBC Count	5980	/cmm	4000 - 11000		
DIFFERENTIAL WBC COUNT (Flow	cytometry)				
Neutrophils (%)	51	%	38 - 70		
Lymphocytes (%)	40	%	20 - 40		
Monocytes (%)	07	%	2 - 8		
Eosinophils (%)	02	%	0 - 6		
Basophils (%)	00	%	0 - 2		
Neutrophils	3050	/cmm			
Lymphocytes	2392	/cmm			
Monocytes	419	/cmm			
Eosinophils	120	/cmm			
Basophils	0	/cmm			
Platelet Count (Flow cytometry)	316000	/cmm	150000 - 450000		
MPV	8.9	fL	7.5 - 11.5		
ERYTHROCYTE SEDIMENTATION F	RATE				
ESR (After 1 hour)	15	mm/hr	0 - 21		
Modified Westergren Method					

----- End Of Report -----



: 2112101775 Reg. No

Name : Vanita

Age/Sex 38 Years / Female

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date

: 20-Dec-2021

Collected On

: 20-Dec-2021 09:46

Approved On

: 20-Dec-2021 20:53

Printed On : 21-Dec-2021 19:28

<u>Unit</u> Reference Interval **Parameter** Result

PLASMA GLUCOSE

Fasting Blood Sugar (FBS) 108.2 mg/dL 70 - 110

Hexokinase Method

129.0 70 - 140 Post Prandial Blood Sugar (PPBS) mg/dL

Hexokinase Method

Criteria for the diagnosis of diabetes1. HbA1c >/= 6.5 *

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.

*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.

American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

----- End Of Report -----



Reg. No : 2112101775

Name : Vanita

Age/Sex : 38 Years / Female

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date : 20-Dec-2021

Collected On : 20-Dec-2021 09:46

Approved On : 20-Dec-2021 20:53

Printed On : 21-Dec-2021 19:28

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval
	LIF	PID PROFILE	
Cholesterol (Enzymatic colorimetric)	192.5	mg/dL	Desirable : < 200.0 Borderline High : 200-239 High : > 240.0
Triglyceride (Enzymatic colorimetric)	204.9	mg/dL	Normal : < 150.0 Borderline : 150-199 High : 200-499 Very High : > 500.0
VLDL	40.98	mg/dL	15 - 35
Calculated			
LDL CHOLESTEROL	115.52	mg/dL	Optimal: < 100.0 Near / above optimal: 100-129 Borderline High: 130-159 High: 160-189 Very High: >190.0
HDL Cholesterol Homogeneous enzymatic colorimetri	36	mg/dL	30 - 85
Cholesterol /HDL Ratio Calculated	5.35		0 - 5.0
LDL / HDL RATIO Calculated	3.21		0 - 3.5

Test done from collected sample

This is an electronically authenticated report.



2112101775 Reg. No

Name Vanita

Age/Sex 38 Years / Female

Ref. By

Client MEDIWHEEL WELLNESS Reg. Date : 20-Dec-2021

Collected On : 20-Dec-2021 09:46

Approved On : 20-Dec-2021 20:53

Printed On : 21-Dec-2021 19:28

Parameter Result <u>Unit</u> Reference Interval

NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP<?xml:namespace prefix = "o" ns = "urn:schemasmicrosoft-com:office:office" />

> LDL CHOLESTEROL **CHOLESTEROL HDL CHOLESTEROL TRIGLYCERIDES**

Optimal<100 Desirable<200 Low<40 Normal<150 Near Optimal 100-129 Border Line 200-239 High >60 Border High 150-199 Borderline 130-159 High >240

High 200-499 High 160-189

- LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment
- For LDL Cholesterol level Please consider direct LDL value

Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.

- Detail test interpreation available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.
- LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment

For test performed on specimens received or collected from non-KSHIPRA locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender.

KSHIPRA will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

. All other responsibility will be of referring Laboratory.

----- End Of Report -----

This is an electronically authenticated report.

Page 5 of 11

TEST REPORT

Reg. No : 2112101775

Name : Vanita

Age/Sex : 38 Years / Female

Ref. By

Parameter

Client: MEDIWHEEL WELLNESS

Reg. Date :

: 20-Dec-2021

Collected On :

: 20-Dec-2021 09:46

Approved On

Printed On

: 20-Dec-2021 20:53 : 21-Dec-2021 19:28

Reference Interval

HEMOGLOBIN A1 C ESTIMATION

Specimen: Blood EDTA

Hb A1C

Boronate Affinity with Fluorescent Quenching

5.9 % of Total Hb

Poor Control: > 7.0 % Good Control: 6.2-7.0 % Non-diabetic Level: 4.3-6.2 %

Mean Blood Glucose

132.74

Result

mg/dL

Unit

Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

- * High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.
- * Some danger of hypoglycemic reaction in Type I diabetics.
- * Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION:-

*Total haemoglobin A1 c is continuously symthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose oncentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

----- End Of Report -----

Page 6 of 11

This is an electronically authenticated report.

Approved by: DR PS RAO MD Pathologist



Reg. No : 2112101775

Name : Vanita

Age/Sex : 38 Years / Female

Ref. By

Client : MEDIWHEEL WELLNESS

Reg. Date : 20-Dec-2021

Collected On : 20-Dec-2021 09:46

Approved On : 20-Dec-2021 20:53

Printed On : 21-Dec-2021 19:28

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval		
LIVER FUNCTION TEST WITH GGT					
Total Bilirubin	0.36	mg/dL	0.20 - 1.0		
Colorimetric diazo method					
Conjugated Bilirubin	0.15	mg/dL	0.0 - 0.3		
Sulph acid dpl/caff-benz					
Unconjugated Bilirubin	0.21	mg/dL	0.0 - 1.1		
Sulph acid dpl/caff-benz					
SGOT	30.5	U/L	0 - 31		
(Enzymatic)					
SGPT	28.5	U/L	0 - 31		
(Enzymatic)					
GGT	28.7	U/L	7 - 32		
(Enzymatic colorimetric)					
Alakaline Phosphatase	83.8	U/L	42 - 141		
(Colorimetric standardized method)					
Protien with ratio					
Total Protein	8.0	g/dL	6.5 - 8.7		
(Colorimetric standardized method)					
Albumin	4.8	mg/dL	3.5 - 4.94		
(Colorimetric standardized method)					
Globulin	3.20	g/dL	2.3 - 3.5		
Calculated					
A/G Ratio	1.50		0.8 - 2.0		
Calculated					

----- End Of Report -----

DR PS RAO MD Pathologist

TEST REPORT

Reg. No : 2112101775

Name : Vanita Age/Sex : 38 Yea

: 38 Years / Female

Ref. By

Client: MEDIWHEEL WELLNESS

Reg. Date : 20-Dec-2021

Collected On : 20-Dec-2021 09:46 **Approved On** : 20-Dec-2021 20:53

Printed On : 21-Dec-2021 19:28

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval

BUN 9.29 mg/dL 5 - 24

Uric Acid **2.0** mg/dL 2.5 - 7.0 (Enzymatic colorimetric)

----- End Of Report -----



Reg. No : 2112101775 **Name** : Vanita

Age/Sex : 38 Years / Female

Ref. By

Client: MEDIWHEEL WELLNESS

Reg. Date : 20-Dec-2021

Collected On : 20-Dec-2021 09:46 **Approved On** : 20-Dec-2021 12:41

Printed On : 21-Dec-2021 19:28

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval		
THYROID FUNCTION TEST					
T3 (Triiodothyronine)	1.88	ng/mL	0.87 - 1.78		
Chemiluminescence					
T4 (Thyroxine)	9.42	μg/dL	5.89 - 14.9		
Chemiluminescence					
TSH (ultra sensitive)	1.569	μIU/ml	0.34 - 5.6		
Chemiluminescence					

SUMMARY The hypophyseal release of TSH (thyrotropic hormone) is the central regulating mechanism for the biological action of thyroid hormones. TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. LIMITATION Presence of autoantibodies may cause unexpected high value of TSH

----- End Of Report -----

MD Pathologist

: 2112101775 Reg. No Name Vanita

Age/Sex 38 Years / Female

Ref. By

<u>Parameter</u>

Client MEDIWHEEL WELLNESS Reg. Date : 20-Dec-2021

Collected On : 20-Dec-2021 09:46 Approved On : 21-Dec-2021 12:59

Printed On : 21-Dec-2021 19:28

<u>Unit</u> Reference Interval

STOOL EXAMINATION

Colour Yellow Semi Solid Consistency

Result

CHEMICAL EXAMINATION

Occult Blood Negative

Peroxidase Reaction with o-

Dianisidine

Acidic Reaction

pH Strip Method

Reducing Substance Absent

Benedict's Method

MICROSCOPIC EXAMINATION

Mucus Nil

Pus Cells 1 - 2/hpf

Red Cells Nil **Epithelial Cells** Nil Vegetable Cells Nil **Trophozoites** Nil Cysts Nil Ova Nil **Neutral Fat** Nil Nil Monilia

Note: Stool occult blood test is highly sensitive to peroxidase like activity of free hemoglobin.

False negative: False negative occult blood test may be observed in case of excess (>250mg/day) Vitamin C intake and in case of occassinal unruptured RBCs.

False positive: False positive occult blood test may be observed in stool samples containing vegetable peroxidase (turnips, horseradish, cauliflower, brocoli, cantaloupe, parsnips) and myoglobin from food (meat diet) intake.

----- End Of Report -----

Page 10 of 11

Test done from collected sample

This is an electronically authenticated report.

Approved by: DR KHYATI SHAH MD. **PATHOLOGY**

URINE ROUTINE EXAMINATION

Reg. No : 2112101775 Name Vanita

Reg. Date : 20-Dec-2021

Collected On : 20-Dec-2021 09:46

Age/Sex : 38 Years / Female

Approved On : 21-Dec-2021 12:59

Ref. By

Client

Parameter

: MEDIWHEEL WELLNESS

Printed On : 21-Dec-2021 19:28

Result <u>Unit</u> Reference Interval

PHYSICAL EXAMINATION

Quantity 20 cc

Pale Yellow Colour

Clear **Appearance**

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC METHOD)

5.0 - 8.0рΗ 7.0 1.020 1.002 - 1.03 Sp. Gravity

Nil Protein Glucose Nil **Ketone Bodies** Nil Urine Bile salt and Bile Pigment Nil Urine Bilirubin Nil Nitrite Nil Leucocytes Nil Blood Nil

MICROSCOPIC EXAMINATION (MANUAL BY MCIROSCOPY)

Nil

Leucocytes (Pus Cells) Nil Erythrocytes (Red Cells) Nil **Epithelial Cells** 1-2/hpf **Amorphous Material** Nil Casts Nil Nil Crystals **Bacteria** Nil

----- End Of Report -----

Page 11 of 11

Monilia

This is an electronically authenticated report.

Approved by: DR KHYATI SHAH MD. **PATHOLOGY**