

[BOB]

5

भारत सरकार
Government of India

अजीत कुमार
Ajeel Kumar
जन्म तारीख / DOB 05/02 1993
पुरुष / Male



Ajeel K

9406 4970 3178

आधार - सामान्य माणसाचा अधिकार

Cherghat Branch Gaya
91690 71403

08-10-2022 10:27:29 AM

ID: 163

AJEET KUMAR

Male 39Years

Diagnosis Information:

Sinus Bradycardia
Slight ST Elevation(V4,V5)

HR : 56 bpm

P : 87 ms

PR : 141 ms

QRS : 96 ms


QT/QTc : 402/391 ms

P/QRS/T : -23/55/29 °

RV5/SV1 : 2.378/0.566 mV

Ref-Phys. :

Report Confirmed by:





Name :- Ajeet Kumar
Refd by :- BoB

Age/Sex:-39Yrs/M
Date :-08/10/22

Thanks for referral.

REPORT OF USG OF WHOLE ABDOMEN

- Liver** :- Enlarged in size (16.5cm) with raised echotexture. No focal or diffuse lesion is seen. IHBR are not dilated. PV is normal in course and calibre with echofree lumen.
- G. Bladder** :- It is normal in shape, size & position. It is echofree & shows no evidence of calculus, mass or sludge.
- CBD** :- It is normal in calibre & is echofree.
- Pancreas** :- Normal in shape, size & echotexture. No evidence of parenchymal / ductal calcification is seen. No definite peripancreatic collection is seen.
- Spleen** :- Normal in size(10.9cm) with normal echotexture. No focal lesion is seen. No evidence of varices is noticed.
- Kidneys** :- Both kidneys are normal in shape, size & position. Sinus as well as cortical echoes are normal. No evidence of hydronephrosis is seen. **There is small cortical cyst measuring size (2.1cm x 1.7cm) seen in lower pole of Rt. kidney. No calculus in Lt. kidney.**
Right Kidney measures 10.3cm and Left Kidney measures 10.3cm.
- U. Bladder**:- It is echofree. No evidence of calculus, mass or diverticulum is seen.
- Prostate** :- Normal in size(12.6cc) & normal echotexture.
- Others** :- No ascites. No free subphrenic / basal pleural space collection is seen.
No free subphrenic / basal pleural space collection is seen.
Excessive Bowel Gas.

IMPRESSION:- *Hepatomegaly with Grade I fatty Liver.
Rt. Renal small cortical Cyst.
Excessive Bowel Gas.*

Dr. U. Kumar
MBBS, MD(Radio-Diagnosis)
Consultant Radiologist

Aarogyam Diagnostics**PATNA****1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg Date: 08-Oct-2022 Technician : ARUN****Report****(GEM212170906)(R)Kardic by Allengers**

Stage	Time	Duration	Belt Speed (mph)	Elevation	METs	Rate	% THR Achieved	BP	RPP	PVC	Comments
Supine	00:03	0:01	00.0	00.0	01.0	68	38 %	130/85	088	00	
Standing	00:13	0:01	00.0	00.0	01.0	73	40 %	130/85	094	00	
HV	00:20	0:01	00.0	00.0	01.0	064	35 %	130/85	083	00	
Warm Up	00:28	0:01	01.0	00.0	01.0	067	37 %	130/85	087	00	
ExStart	01:11	0:06	01.7	10.0	01.1	091	50 %	130/85	118	00	
BRUCE/ Stage 1	04:11	3:00	01.7	10.0	04.7	113	62 %	130/85	146	00	
BRUCE/ Stage 2	07:11	3:00	02.5	12.0	07.1	134	74 %	135/90	180	00	
BRUCE/ Stage 3	10:11	3:00	03.4	14.0	10.2	152	84 %	140/90	212	00	
PeakEx	10:21	0:10	04.2	16.0	10.4	155	86 %	140/90	217	00	
Recovery	11:20	1:00	01.1	00.0	04.3	140	77 %	140/90	196	00	
Recovery	12:20	2:00	01.1	00.0	01.0	125	69 %	140/90	175	00	
Recovery	13:39	3:18	01.1	00.0	01.0	116	64 %	135/85	156	00	

Findings :

Exercise Time : 09:11
Max HR Attained : 188 bpm 104% of Target 181
Max BP Attained : (Sys) 140/90
Max WorkLoad Attained : 10.4 Good response to induced stress
Max ST Dep Lead & Value : II & -6.8 mm in ExStart mm
Test End Reasons : Test Complete

Report :

Aarogam Diagnostics


1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 68

Supine



Date: 08-Oct-2022 01:38:21 PM METS: 1.0/ 68 bpm 37% of THR BP: 130/85 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExTime: 00:03 0.0 mph, 0.0%



(GEM212170906)(R)Kardic by Allengers

Aarogyam Diagnostics

1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 73

Standing



Date: 08-Oct-2022 01:38:21 PM METS: 1.0/ 73 bpm 40% of THR BP: 130/85 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExTime: 00:13 0.0 mph, 0.0%



(GEM212170906)(R)Kardic by Allengers

Aarogyam Diagnostics


1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 64

HV



Date: 08-Oct-2022 01:38:21 PM METS: 1.0/ 64 bpm 35% of THR BP: 130/85 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExTime: 00:20 0.0 mph, 0.0%



(GEM212170906)(R)Kardic by Allengers

Aarogam Diagnostics


Warm Up



1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 67

Date: 08-Oct-2022 01:38:21 PM METS: 1.0/ 67 bpm 37% of THR BP: 130/85 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExTime: 00:28 1.0 mph, 0.0%



(GEM212170906)(R)Kardic by Allengers

Aarogyam Diagnostics


ExStart



1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 91

Date: 08-Oct-2022 01:38:21 PM METS: 1.1/ 91 bpm 50% of THR BP: 130/85 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExTime: 00:06 1.7 mph, 10.0%



(GEM212170906)(R)Kardic by Allengers


Aarogyan Diagnostics

1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 113

BRUCE: Stage 1(3:00)



Date: 08-Oct-2022 01:38:21 PM METS: 4.7/ 113 bpm 62% of THR BP: 130/85 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz ExTime: 03:00 1.7 mph, 10.0%



(GEM212170906)(R)Kardic by Allengers


Aarogyan Diagnostics

1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 134

BRUCE: Stage 2(3:00)



Date: 08-Oct-2022 01:38:21 PM METS: 7.1/ 134 bpm 74% of THR BP: 135/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz ExTime: 06:00 2.5 mph, 12.0%



(GEM212170906)(R)Kardic by Allengers

Aarogyan Diagnostics

BRUCE: Stage 3(3:00)



1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 152

Date: 08-Oct-2022 01:38:21 PM METS: 10.2/ 152 bpm 83% of THR BP: 140/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz ExTime: 09:00 3.4 mph, 14.0%



(GEM212170906)(R)Kardic by Allengers

Aarogam Diagnostics



1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 155

Date: 08-Oct-2022 01:38:21 PM METS: 10.4/ 155 bpm 85% of THR BP: 140/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz ExTime: 09:10 4.2 mph, 16.0%



(GEM212170906)(R)Kardic by Allengers

Aarogam Diagnostics


1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 140

Recovery(1:00)



Date: 08-Oct-2022 01:38:21 PM METS: 4.3/ 140 bpm 77% of THR BP: 140/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExTime: 09:11 1.1 mph, 0.0%



(GEM212170906)(R)Kardic by Allengers

Aarogyan Diagnostics


1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 125

Recovery(2:00)



Date: 08-Oct-2022 01:38:21 PM METS: 1.0/ 125 bpm 69% of THR BP: 140/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExTime: 09:11 1.1 mph, 0.0%



(GEM212170906)(R)Kardic by Allengers

Aarogyam Diagnostics

1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 116

Recovery(3:18)



Date: 08-Oct-2022 01:38:21 PM METS: 1.0/ 116 bpm 64% of THR BP: 135/85 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExTime: 09:11 1.1 mph, 0.0%



(GEM212170906)(R)Kardic by Allengers

Aarogyam Diagnostics

ST Measurements



1539 / AJEET KUMAR / 39 Yrs / M / 166 Cms / 73 Kg / HR : 73

Date: 08-Oct-2022 01:38:21 PM

Protocol : BRUCE/

	I	II	III	avR	avL	avF	V1	V2	V3	V4	V5	V6	I	II	III	avR	avL	avF	V1	V2	V3	V4	V5	V6	STS(mv/sec)
STL(mm)Supine	0.7	1.3	0.6	-1.0	0.0	0.9	-0.1	1.6	2.4	2.7	2.4	1.6	0.6	1.1	0.5	-0.9	0.1	0.8	-0.5	1.0	1.4	1.9	1.8	1.4	
80 @mS Standing	0.7	1.3	0.6	-1.0	0.0	0.9	-0.1	1.6	2.4	2.7	2.4	1.6	0.6	1.1	0.5	-0.9	0.1	0.8	-0.5	1.0	1.4	1.9	1.8	1.4	
HV	0.7	1.3	0.6	-1.0	0.0	0.9	-0.1	1.6	2.4	2.7	2.4	1.6	0.6	1.1	0.5	-0.9	0.1	0.8	-0.5	1.0	1.4	1.9	1.8	1.4	
Warm Up	1.0	1.7	0.7	-1.3	0.1	1.2	0.0	1.6	2.3	2.6	2.3	1.6	0.8	1.4	0.5	-1.1	0.1	1.0	-0.3	0.8	1.3	1.9	1.7	1.3	
ExStart	-2.8	-6.8	4.7	7.4	1.1	-4.8	4.8	-1.0	0.1	1.1	0.6	0.8	-0.8	-0.9	-1.0	0.8	0.0	-0.5	-1.0	0.7	0.2	-0.1	0.0	-0.4	
Stage 1	0.7	1.9	0.8	-1.7	-0.5	-1.3	-0.8	0.5	1.9	2.9	2.6	2.1	0.9	1.5	0.6	-1.3	0.0	0.1	-1.0	0.7	2.2	3.6	3.7	2.8	
Stage 2	0.2	1.1	0.1	0.4	-0.6	0.5	-2.7	-0.2	-1.7	-1.2	-0.5	-1.3	2.3	4.6	1.8	-4.1	0.4	5.0	0.2	0.8	3.2	4.6	4.6	4.4	
Stage 3	-0.8	0.1	0.5	-0.5	0.2	0.2	0.0	0.3	0.7	0.4	0.3	0.4	-0.5	4.3	2.6	-3.5	-0.2	3.4	-1.1	0.3	2.2	3.7	3.6	3.1	
PeakEx	-0.3	1.3	2.4	-0.6	-0.2	-0.4	-0.6	-0.2	0.8	-0.2	-0.5	-0.1	-3.1	4.0	2.9	-3.0	-0.2	2.0	-0.8	-0.8	2.4	2.9	2.7	2.5	
Recovery	0.4	2.0	1.5	-1.2	-0.4	1.7	-1.4	0.7	2.8	2.4	1.9	1.4	0.5	3.0	2.7	-1.5	-0.6	3.1	-2.8	1.1	4.4	5.3	4.7	3.5	
Recovery	0.5	2.5	2.1	-1.6	-0.8	2.4	-1.4	0.8	3.2	2.8	2.3	1.9	1.3	3.8	2.5	-2.5	-0.8	3.2	-2.5	1.2	4.1	4.9	4.3	3.2	
Recovery	0.1	2.7	2.4	-1.4	-1.1	2.5	-2.1	0.6	1.5	2.3	2.0	1.6	1.5	4.1	2.7	-2.9	-0.6	3.5	-1.7	0.6	2.4	3.7	3.6	3.0	

		I	II	III	avR	avL	avF	V1	V2	V3	V4	V5	V6
STI(μ Vs)	Supine	9.2	14.8	5.7	-11.9	1.7	10.2	-3.1	16.4	21.3	27.0	26.0	19.0
	Standing	9.2	14.8	5.7	-11.9	1.7	10.2	-3.1	16.4	21.3	27.0	26.0	19.0
	HV	9.2	14.8	5.7	-11.9	1.7	10.2	-3.1	16.4	21.3	27.0	26.0	19.0
	Warm Up	10.3	16.4	5.9	-13.3	2.2	11.2	-2.6	16.7	19.9	25.3	24.0	17.9
	ExStart	-12.0	-31.1	22.9	33.7	5.1	-22.3	23.4	-5.1	0.8	6.0	3.6	5.1
	Stage 1	3.3	12.7	5.5	-10.9	-4.5	-9.5	-5.0	1.8	9.4	15.1	12.8	10.9
	Stage 2	-2.0	0.0	-2.3	8.7	-4.5	-2.9	-16.3	-3.0	-16.3	-15.4	-11.0	-15.4
	Stage 3	-6.3	-9.5	-1.4	5.0	0.6	-6.1	1.4	1.3	-1.8	-7.0	-6.9	-4.6
	PeakEx	-1.4	-2.5	0.7	3.8	-0.2	-8.2	-2.7	-0.2	0.3	-6.8	-8.2	-6.0
	Recovery	2.3	8.1	4.0	-5.5	-1.0	5.6	-3.1	1.1	8.8	4.9	3.2	2.8
	Recovery	3.2	10.5	8.6	-7.5	-3.4	10.3	-4.3	2.2	13.1	9.2	7.8	6.8
	Recovery	-2.4	12.1	12.0	-4.6	-6.8	11.2	-13.5	3.0	5.8	10.0	8.2	6.8



PATNA

1539 / AJEET KUMAR / 39 Yrs / Male / 166 Cm / 73 Kg

Time	HR	PR Int	QRS Wid	QRS Axis	QTC	P(μV)	R(μV)	S(μV)	T(μV)	Min. J Leads for	Min. Post RR Var	VEB	Missed Beats
(Min.)	(bpm)	(mS)	(mS)	(Deg.)	(mS)	(Max)	(Max)	(Min)	(Max)	(μV) (J & PJ)	(μV) (%)	(Counts)	(Counts)
00:30	91	240	60	233	539	-3907	2796	-3746	-3997	-3822 II	-3902	0.00	0
01:00	98	154	62	4	349	-3907	1705	-3746	-3997	-3997 II	-3958	0.00	0
01:30	108	186	74	6	222	-435	1610	-982	-1022	-991 II	-1038	0.00	0
02:00	114	166	74	-10	228	-435	1522	-982	-1022	-991 II	-1024	0.00	0
02:30	118	174	78	32	218	-435	1689	-982	-1056	-991 II	-1024	0.00	0
03:00	116	104	70	26	436	404	1686	-896	-1056	-366 avF	-254	0.00	0
03:30	114	174	72	10	311	409	1576	-663	804	-167 avF	-184	0.00	0
04:00	120	160	72	17	465	241	1591	-718	431	-169 V3	-79	0.00	0
04:30	125	144	72	14	458	258	1579	-615	347	-18 V1	-74	0.00	0
05:00	129	98	70	20	398	333	1582	-716	363	26 avL	-17	0.00	0
05:30	134	130	84	31	449	1501	1978	-706	1450	-769 V5	-782	0.00	0
06:00	134	130	84	-24	449	-2597	1553	-2649	-3228	-662 II	-639	0.00	0
06:30	137	136	72	10	376	475	1703	-798	408	9 V2	-126	0.00	0
07:00	137	128	72	-15	171	-621	1700	-765	639	-271 avF	-214	0.00	0
07:30	144	104	70	16	374	331	1690	-767	373	-198 III	-212	0.00	0
08:00	147	114	72	6	421	359	1572	-697	300	-199 avF	-116	0.00	0
08:30	150	116	72	17	252	556	1694	-792	816	-598 II	-251	0.00	0
09:00	152	112	70	11	439	-305	1484	-771	305	-229 V4	-146	0.00	0
09:30	152	88	68	248	310	416	1554	-930	-767	-288 V4	-150	0.00	0
10:00	154	118	80	18	377	361	1603	-724	389	-76 III	-231	0.00	0
10:30	144	96	70	-15	405	282	1494	-768	390	79 V2	-78	0.00	0
11:00	138	98	70	-2	326	242	1579	-780	417	-21 V1	-82	0.00	0
11:30	130	98	70	10	409	217	1664	-780	462	7 V1	-128	0.00	0
12:00	122	96	70	15	427	227	1801	-748	500	77 V1	-85	0.00	0
12:30	123	150	70	12	388	259	1747	-758	498	83 avL	-1	0.00	0

Aarogyam Diagnostics

PATNA

1539 / AJEET KUMAR / 39 Yrs / Male / 166 Cm / 73 Kg

Median Measurement Summary



Time	HR	PR Int	QRS Wid	QRS Axis	QTC	P(μV)	R(μV)	S(μV)	T(μV)	Min. J Leads for	Min. Post RR Var	VEB	Missed Beats
(Min)	(bpm)	(mS)	(mS)	(Deg)	(mS)	(Max)	(Max)	(Min)	(Max)	(μV) (J & PJ)	(μV)	(%)	(Counts)
13:00	117	150	60	11	444	258	1717	-761	472	-67 V1	-151	0.00	0