PID No.
 : MED120924653
 Register On
 : 26/03/2022 9:24 AM

 SID No.
 : 522212703
 Collection On
 : 26/03/2022 10:52 AM

 Age / Sex
 : 31 Year(s) / Male
 Report On
 : 27/03/2022 10:28 AM



Type : OP

Printed On : 06/04/2022 6:41 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	14.3	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	43.1	%	42 - 52
RBC Count (EDTA Blood/Impedance Variation)	4.93	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	87.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	29.0	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	33.2	g/dL	32 - 36
RDW-CV (Derived from Impedance)	13.6	%	11.5 - 16.0
RDW-SD (Derived from Impedance)	41.6	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	8000	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	61.7	%	40 - 75
Lymphocytes (Blood/Impedance Variation & Flow Cytometry)	27.3	%	20 - 45
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	3.1	%	01 - 06



PID No. : MED120924653 **Register On** : 26/03/2022 9:24 AM : 522212703 **Collection On** : 26/03/2022 10:52 AM SID No. Age / Sex : 31 Year(s) / Male Report On



Type : OP

: 06/04/2022 6:41 PM **Printed On**

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes	7.3	%	01 - 10
(Blood/Impedance Variation & Flow Cytometry)			
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.6	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	4.94	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.18	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.25	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.58	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.05	10^3 / μl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	313	10^3 / μl	150 - 450
MPV (Blood/Derived from Impedance)	7.9	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.249	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Modified Westergren)	13	mm/hr	< 15

: 27/03/2022 10:28 AM



 PID No.
 : MED120924653
 Register On
 : 26/03/2022 9:24 AM

 SID No.
 : 522212703
 Collection On
 : 26/03/2022 10:52 AM

 Age / Sex
 : 31 Year(s) / Male
 Report On
 : 27/03/2022 10:28 AM



Type : OP

: OP **Printed On** : 06/04/2022 6:41 PM

Ref. Dr : MediWheel

<u>Investigation</u>	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.8	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.3	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.5	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.6	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.7	gm/dL	3.5 - 5.2
Globulin (Serum/ <i>Derived</i>)	2.9	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.6		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	20	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	31	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	97	U/L	53 - 128
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	29	U/L	< 55



VERIFIED BY



PID No. : MED120924653 Register On : 26/03/2022 9:24 AM : 522212703 SID No. Collection On : 26/03/2022 10:52 AM Age / Sex : 31 Year(s) / Male Report On : 27/03/2022 10:28 AM

Printed On



Type : OP

Ref. Dr : MediWheel

: 06/04/2022 6:41 PM

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	182	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	202	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

r			
HDL Cholesterol (Serum/Immunoinhibition)	32	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	109.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	40.4	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	150.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



VERIFIED BY



PID No. : MED120924653 Register On : 26/03/2022 9:24 AM : 522212703 SID No. Collection On : 26/03/2022 10:52 AM Age / Sex : 31 Year(s) / Male Report On 27/03/2022 10:28 AM



Type : OP

(Serum/Calculated)

: 06/04/2022 6:41 PM **Printed On**

Ref. Dr : MediWheel

Investigation <u>Observed</u> **Unit Biological Value** Reference Interval

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio 5.7 (Serum/Calculated)

Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Optimal: < 3.3

Triglyceride/HDL Cholesterol Ratio Optimal: < 2.56.3

Mild to moderate risk: 2.5 - 5.0 (TG/HDL) High Risk: > 5.0

LDL/HDL Cholesterol Ratio 3.4 Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 (Serum/Calculated) High Risk: > 6.0



VERIFIED BY



Ref. Dr : MediWheel



<u>Investigation</u>	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	5.9	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 122.63 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.



VERIFIED BY



PID No. : MED120924653 Register On : 26/03/2022 9:24 AM

SID No. : 522212703 Collection On : 26/03/2022 10:52 AM

Type : OP

Printed On : 06/04/2022 6:41 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.31 ng/mL 0.7 - 2.04

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is

Metabolically active.

T4 (Thyroxine) - Total 9.08 μg/dL 4.2 - 12.0

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 4.02 µIU/mL 0.35 - 5.50

(Serum/Chemiluminescent Microparticle

Immunoassay(CMIA))

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED120924653
 Register On
 : 26/03/2022 9:24 AM

 SID No.
 : 522212703
 Collection On
 : 26/03/2022 10:52 AM

 Age / Sex
 : 31 Year(s) / Male
 Report On
 : 27/03/2022 10:28 AM



Type : OP

Printed On : 06/04/2022 6:41 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

Pale Yellow

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

(Urine)			
Appearance (Urine)	Clear		Clear
Volume	20	mL	
(Urine)			

CHEMICAL EXAMINATION(Automated-

<u>Urineanalyser)</u>

Colour

pH (Urine/AUTOMATED URINANALYSER)	6.0	4.5 - 8.0
Specific Gravity (Urine)	1.020	1.002 - 1.035
Ketones (Urine)	Negative	Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2	0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative	Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative	Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative	Negative
Protein (Urine)	Negative	Negative



VERIFIED BY



 PID No.
 : MED120924653
 Register On
 : 26/03/2022 9:24 AM

 SID No.
 : 522212703
 Collection On
 : 26/03/2022 10:52 AM

 Age / Sex
 : 31 Year(s) / Male
 Report On
 : 27/03/2022 10:28 AM



Type : OP

Printed On : 06/04/2022 6:41 PM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose	Negative		Negative
(Urine)			
Leukocytes (Urine)	Negative	leuco/uL	Negative
MICROSCOPY(URINE DEPOSITS)			
Pus Cells (Urine/Flow cytometry)	3-5	/hpf	3-5
Epithelial Cells (Urine)	0-1	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil







: MediWheel

PID No. : MED120924653 **Register On** : 26/03/2022 9:24 AM

: 522212703 SID No. Collection On : 26/03/2022 10:52 AM

Age / Sex : 31 Year(s) / Male Report On : 27/03/2022 10:28 AM

Type : OP

Ref. Dr

: 06/04/2022 6:41 PM **Printed On**



Investigation <u>Observed</u> <u>Unit</u> **Biological** Reference Interval **Value**

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'O' 'Positive'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.



VERIFIED BY



PID No. Register On : MED120924653 : 26/03/2022 9:24 AM : 522212703 Collection On : 26/03/2022 10:52 AM SID No. Age / Sex : 31 Year(s) / Male

Report On



Type : OP

Ref. Dr : MediWheel **Printed On** : 06/04/2022 6:41 PM

27/03/2022 10:28 AM

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	10		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	90	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	119	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	8	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.8	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists, N-acetylcyteine , chemotherapeutic agent such as flucytosine

Uric Acid 5.2 3.5 - 7.2mg/dL

(Serum/Uricase/Peroxidase)



VERIFIED BY



APPROVED BY

-- End of Report --

Name	PENTAPATI BHARGAVA	ID	MED120924653
Age & Gender	31/Male	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size (12.9 cms) and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size (9.6 cms) and echopattern.

No demonstrable Para-aortic lymphadenopathy.

KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cm)	Parenchymal thickness (cm)
Right Kidney	11.2	1.9
Left Kidney	11.0	1.9

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 3.8 x 2.7 x 2.9cm, volume: 15.6cc.

No evidence of ascites.

IMPRESSION:

• No significant abnormality detected.

DR. H.K. ANAND DR. C.R RAMACHANDRA DR. LOHITH H.P DR. VARSHA KALE CONSULTANT RADIOLOGISTS

Lh/Ss

Name	PENTAPATI BHARGAVA	ID	MED120924653
Age & Gender	31/Male		26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

Name	PENTAPATI BHARGAVA	ID	MED120924653
Age & Gender	31/Male	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHIC STUDY

M-mode measurement:

AORTA 2.78 cms. LEFT ATRIUM 2.93 cms. AVS 1.48 cms. LEFT VENTRICLE (DIASTOLE) 4.51 cms. (SYSTOLE) 2.86 cms. **VENTRICULAR SEPTUM** (DIASTOLE) 1.08 cms. (SYSTOLE) 1.47 cms.

POSTERIOR WALL :

1.20 (DIASTOLE) cms. (SYSTOLE) 1.48 cms. **EDV** 93 ml. **ESV** 31 ml. FRACTIONAL SHORTENING 30 % **EJECTION FRACTION** % 60 **EPSS** cms. **RVID** 1.80 cms.

DOPPLER MEASUREMENTS:

MITRAL VALVE: E - 0.7 m/s A - 0.6 m/s NO MR.

AORTIC VALVE: 1.1m/s NO AR.

TRICUSPID VALVE: E - 0.4 m/s A - 0.3 m/s NO TR.

PULMONARY VALVE: 0.8 m/s NO PR.

Name	PENTAPATI BHARGAVA	ID	MED120924653
Age & Gender	31/Male	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle : Normal size, Normal systolic function.

: No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral Valve : Normal. No mitral valve prolapsed.

Aortic Valve : Normal.Trileaflet.

Tricuspid Valve : Normal.

Pulmonary Valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

Name	PENTAPATI BHARGAVA	ID	MED120924653
Age & Gender	31/Male	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

DR. ANAND KUMAR M MD DM CONSULTANT INTERVENTIONAL CARDIOLOGIST

Name	PENTAPATI BHARGAVA	Customer ID	MED120924653
Age & Gender	31Y/M	Visit Date	Mar 26 2022 9:23AM
Ref Doctor	MediWheel	-	

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

• No significant abnormality detected.

DR. H.K. ANAND

DR. C.R. RAMACHANDRA

CONSULTANT RADIOLOGISTS

DR. VARSHA KALE

DR. LOHITH H.P

Name	PENTAPATI BHARGAVA	ID	MED120924653
Age & Gender	31/Male	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

TEST COMPLETED