

Name	MR.BHUSHAN ARORA	ID	MED111966859
Age & Gender	45Y/MALE	Visit Date	25/11/2023
Ref Doctor	MediWheel		

2D ECHOCARDIOGRAPHY

Chambers

- Left ventricle : normal in size, No RWMA at Rest.
- Left Atrium : Normal
- Right Ventricle : Normal
- Right Atrium : Normal

Septa

- IVS : Intact
- IAS : Intact

Valves

- Mitral Valve : Normal.
- Tricuspid Valve : Normal, trace TR, No PAH
- Aortic valve : Tricuspid, Normal Mobility
- Pulmonary Valve : Normal

Great Vessels

- Aorta : Normal
- Pulmonary Artery : Normal

Pericardium : Normal


Doppler Echocardiography

Mitral valve	E	0.65	m/sec	A	0.71	m/sec	E/a: 0.92
Aortic Valve	V max	1.26	m/sec	PG	6.4	mm	
Diastolic Dysfunction				NONE			



45 Years Male

QRS : 84 ms
QT / QTcBaz : 414 / 406 ms
PR : 116 ms
P : 110 ms
RR / PP : 1030 / 1034 ms
P / QRS / T : 33 / 41 / 9 degrees




Technician: MEGHA
Ordering Ph:
Referring Ph: MEDIWHEEL
Attending Ph:

(Needs Clinical Correlation
for further Management)

Hans
Sinus Bradycardia

Hans
Dr. Ramnaresh Soudri
MD, DM (Cardiology) FSCAI
Interventional Cardiologist
KMC Reg. No: 81603



Name	MR.BHUSHAN ARORA	ID	MED111966859
Age & Gender	45Y/MALE	Visit Date	25/11/2023
Ref Doctor	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is mildly enlarged in size and has increased echopattern.

A cyst measuring 4.2 x 3.9 x 3.5cms is noted in the liver with no internal septations. no significant vascularity

No evidence of focal lesion or intrahepatic biliary ductal dilatation.

Hepatic and portal vein radicals are normal.

GALL BLADDER is partially distended.

Echogenic focus measuring 4.8mm noted adherent to gall bladder wall.

Gall bladder wall is of normal thickness.

CBD is of normal calibre.

PANCREAS visualized portion of head and body appear normal.

Tail is obscured by bowel gas.

SPLEEN show normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and mildly increased cortical echopattern.

Cortico- medullary differentiations are well madeout.

Right kidney shows a cortical cyst measuring 16 x 13mm in the upper pole

No evidence of calculus or hydronephrosis.

The kidney measures as follows

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	8.7	1.1
Left Kidney	10.1	1.5

URINARY BLADDER show normal shape and wall thickness. It has clear contents.

Prevoid: 250cc.

Postvoid: 50cc.

PROSTATE is enlarged in size and measures 4.2 x 3.5 x 4.2cms, wt-34.0gms.

No evidence of ascites.



Name	MR.BHUSHAN ARORA	ID	MED111966859
Age & Gender	45Y/MALE	Visit Date	25/11/2023
Ref Doctor	MediWheel		

Impression:

- *Hepatomegaly with cyst as described above.*
- *Echogenic focus in gall bladder wall as described above - ? adherent calculus / ? polyp.*
- *Mildly increased cortical echopattern in both kidneys.
Sugg: RFT correlation.*
- *Right renal cortical cyst.*
- *Grade I prostatomegaly with significant postvoid residue.*




Sugg: Clinical correlation and further evaluation.



DR. HITHISHINI H
CONSULTANT RADIOLOGIST
Hh/d



Name	MR.BHUSHAN ARORA	ID	MED111966859
Age & Gender	45Y/MALE	Visit Date	25/11/2023
Ref Doctor	MediWheel		








You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

Name	MR.BHUSHAN ARORA	ID	MED111966859
Age & Gender	45Y/MALE	Visit Date	25/11/2023
Ref Doctor	MediWheel		




You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

Name	MR.BHUSHAN ARORA	ID	MED111966859
Age & Gender	45Y/MALE	Visit Date	25/11/2023
Ref Doctor	MediWheel		



You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

Name : Mr. BHUSHAN ARORA
PID No. : MED111966859 **Register On** : 25/11/2023 8:16 AM
SID No. : 923040665 **Collection On** : 25/11/2023 8:39 AM
Age / Sex : 45 Year(s) / Male **Report On** : 25/11/2023 4:24 PM
Type : OP **Printed On** : 28/11/2023 7:53 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	16.2	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	49.1	%	42 - 52
RBC Count (EDTA Blood)	5.74	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	85.7	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	28.2	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.9	g/dL	32 - 36
RDW-CV (EDTA Blood)	14.3	%	11.5 - 16.0
RDW-SD (EDTA Blood)	42.89	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	7200	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	53.2	%	40 - 75
Lymphocytes (EDTA Blood)	31.4	%	20 - 45
Eosinophils (EDTA Blood)	5.4	%	01 - 06
Monocytes (EDTA Blood)	9.4	%	01 - 10



APPROVED BY

Name : Mr. BHUSHAN ARORA
PID No. : MED111966859 **Register On** : 25/11/2023 8:16 AM
SID No. : 923040665 **Collection On** : 25/11/2023 8:39 AM
Age / Sex : 45 Year(s) / Male **Report On** : 25/11/2023 4:24 PM
Type : OP **Printed On** : 28/11/2023 7:53 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Basophils (EDTA Blood)	0.6	%	00 - 02
INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically.			
Absolute Neutrophil count (EDTA Blood)	3.83	10 ³ / μ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.26	10 ³ / μ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.39	10 ³ / μ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.68	10 ³ / μ l	< 1.0
Absolute Basophil count (EDTA Blood)	0.04	10 ³ / μ l	< 0.2
Platelet Count (EDTA Blood)	349	10 ³ / μ l	150 - 450
MPV (EDTA Blood)	8.6	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.30	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (EDTA Blood)	5	mm/hr	< 15



APPROVED BY

Name : Mr. BHUSHAN ARORA
PID No. : MED111966859 **Register On** : 25/11/2023 8:16 AM
SID No. : 923040665 **Collection On** : 25/11/2023 8:39 AM
Age / Sex : 45 Year(s) / Male **Report On** : 25/11/2023 4:24 PM
Type : OP **Printed On** : 28/11/2023 7:53 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BIOCHEMISTRY</u>			
<u>Liver Function Test</u>			
Bilirubin(Total) (Serum/DCA with ATCS)	0.83	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.23	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.60	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	16.26	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	18.13	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	33.13	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	107.7	U/L	53 - 128
Total Protein (Serum/Biuret)	6.95	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.27	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.68	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.59		1.1 - 2.2



APPROVED BY

Name : Mr. BHUSHAN ARORA
PID No. : MED111966859 **Register On** : 25/11/2023 8:16 AM
SID No. : 923040665 **Collection On** : 25/11/2023 8:39 AM
Age / Sex : 45 Year(s) / Male **Report On** : 25/11/2023 4:24 PM
Type : OP **Printed On** : 28/11/2023 7:53 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	158.37	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	140.08	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the 'usual' circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	35.23	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	95.1	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	28	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	123.1	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.



APPROVED BY

Name : Mr. BHUSHAN ARORA
PID No. : MED111966859 Register On : 25/11/2023 8:16 AM
SID No. : 923040665 Collection On : 25/11/2023 8:39 AM
Age / Sex : 45 Year(s) / Male Report On : 25/11/2023 4:24 PM
Type : OP Printed On : 28/11/2023 7:53 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.5		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	4		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.7		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



APPROVED BY

Name : Mr. BHUSHAN ARORA
PID No. : MED111966859 **Register On** : 25/11/2023 8:16 AM
SID No. : 923040665 **Collection On** : 25/11/2023 8:39 AM
Age / Sex : 45 Year(s) / Male **Report On** : 25/11/2023 4:24 PM
Type : OP **Printed On** : 28/11/2023 7:53 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	5.5	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %

Estimated Average Glucose 111.15 mg/dL
(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glyemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



APPROVED BY

Name : Mr. BHUSHAN ARORA
PID No. : MED111966859 Register On : 25/11/2023 8:16 AM
SID No. : 923040665 Collection On : 25/11/2023 8:39 AM
Age / Sex : 45 Year(s) / Male Report On : 25/11/2023 4:24 PM
Type : OP Printed On : 28/11/2023 7:53 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/ECLIA)	0.807	ng/ml	0.7 - 2.04
--	-------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total (Serum/ECLIA)	6.18	µg/dl	4.2 - 12.0
--	------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	1.24	µIU/mL	0.35 - 5.50
--	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



Anusha
Dr Anusha.K.S
Sr.Consultant Pathologist
Reg No : 100674

APPROVED BY

Name : Mr. BHUSHAN ARORA
PID No. : MED111966859 **Register On** : 25/11/2023 8:16 AM
SID No. : 923040665 **Collection On** : 25/11/2023 8:39 AM
Age / Sex : 45 Year(s) / Male **Report On** : 25/11/2023 4:24 PM
Type : OP **Printed On** : 28/11/2023 7:53 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

CLINICAL PATHOLOGY


PHYSICAL EXAMINATION (URINE COMPLETE)

Colour (Urine)	Pale yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	20		

CHEMICAL EXAMINATION (URINE COMPLETE)

pH (Urine)	7		4.5 - 8.0
Specific Gravity (Urine)	1.002		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative




Dr Anusha.K.S
 Sr.Consultant Pathologist
 Reg No : 100674

APPROVED BY


Name : Mr. BHUSHAN ARORA
PID No. : MED111966859 **Register On** : 25/11/2023 8:16 AM
SID No. : 923040665 **Collection On** : 25/11/2023 8:39 AM
Age / Sex : 45 Year(s) / Male **Report On** : 25/11/2023 4:24 PM
Type : OP **Printed On** : 28/11/2023 7:53 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Leukocytes(CP) (Urine)	Negative		
<u>MICROSCOPIC EXAMINATION</u> <u>(URINE COMPLETE)</u>			
Pus Cells (Urine)	0-2	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	NIL		

INTERPRETATION:Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL




Dr Anusha.K.S
 Sr.Consultant Pathologist
 Reg No : 100674

APPROVED BY

Name : Mr. BHUSHAN ARORA
PID No. : MED111966859 **Register On** : 25/11/2023 8:16 AM
SID No. : 923040665 **Collection On** : 25/11/2023 8:39 AM
Age / Sex : 45 Year(s) / Male **Report On** : 25/11/2023 4:24 PM
Type : OP **Printed On** : 28/11/2023 7:53 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY

BUN / Creatinine Ratio	11.1		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	80.18	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	108.71	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	9.9	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.89	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Enzymatic)	5.67	mg/dL	3.5 - 7.2
--------------------------------	------	-------	-----------



APPROVED BY

Name : Mr. BHUSHAN ARORA
PID No. : MED111966859 Register On : 25/11/2023 8:16 AM
SID No. : 923040665 Collection On : 25/11/2023 8:39 AM
Age / Sex : 45 Year(s) / Male Report On : 25/11/2023 4:24 PM
Type : OP Printed On : 28/11/2023 7:53 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>IMMUNOASSAY</u>			
Prostate specific antigen - Total(PSA) (Serum/Manometric method)	0.904	ng/ml	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0

INTERPRETATION: Analytical sensitivity: 0.008 - 100 ng/mL

PSA is a tumor marker for screening of prostate cancer. Increased levels of PSA are associated with prostate cancer and benign conditions like bacterial infection, inflammation of prostate gland and benign hypertrophy of prostate/ benign prostatic hyperplasia (BPH).

Transient elevation of PSA levels are seen following digital rectal examination, rigorous physical activity like bicycle riding, ejaculation within 24 hours.

PSA levels tend to increase in all men as they age.

Clinical Utility of PSA:

• In the early detection of Prostate cancer.

• As an aid in discriminating between Prostate cancer and Benign Prostatic disease.

• To detect cancer recurrence or disease progression.



Anusha
Dr Anusha.K.S
Sr.Consultant Pathologist
Reg No : 100674

APPROVED BY

Name : Mr. BHUSHAN ARORA
PID No. : MED111966859 Register On : 25/11/2023 8:16 AM
SID No. : 923040665 Collection On : 25/11/2023 8:39 AM
Age / Sex : 45 Year(s) / Male Report On : 25/11/2023 4:24 PM
Type : OP Printed On : 28/11/2023 7:53 AM
Ref. Dr : MediWheel

Investigation

Observed
Value

Unit

Biological
Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING
(EDTA Blood/Agglutination)

'O' 'Positive'



Anusha
Dr Anusha.K.S
Sr.Consultant Pathologist
Reg No : 100674

APPROVED BY

-- End of Report --