

CID : 2135940301

Name : MRS.BENGALI NETRA SWAPNIL

:33 Years / Female Age / Gender

Consulting Dr. Collected

Reported :25-Dec-2021 / 12:49 Reg. Location : J B Nagar, Andheri East (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:25-Dec-2021 / 09:41

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood					
<u>PARAMETER</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>			
RBC PARAMETERS					
Haemoglobin	8.8	12.0-15.0 g/dL	Spectrophotometric		
RBC	4.16	3.8-4.8 mil/cmm	Elect. Impedance		
PCV	28.5	36-46 %	Measured		
MCV	68.5	80-100 fl	Calculated		
MCH	21.1	27-32 pg	Calculated		
MCHC	30.8	31.5-34.5 g/dL	Calculated		
RDW	19.8	11.6-14.0 %	Calculated		
WBC PARAMETERS					
WBC Total Count	6520	4000-10000 /cmm	Elect. Impedance		
WBC DIFFERENTIAL AND ABSO	LUTE COUNTS				
Lymphocytes	22.1	20-40 %			
Absolute Lymphocytes	1440.9	1000-3000 /cmm	Calculated		
Monocytes	6.3	2-10 %			
Absolute Monocytes	410.8	200-1000 /cmm	Calculated		
Neutrophils	69.7	40-80 %			
Absolute Neutrophils	4544.4	2000-7000 /cmm	Calculated		
Eosinophils	1.5	1-6 %			
Absolute Eosinophils	97.8	20-500 /cmm	Calculated		
Basophils	0.4	0.1-2 %			
Absolute Basophils	26.1	20-100 /cmm	Calculated		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	377000	150000-400000 /cmm	Elect. Impedance
MPV	8.8	6-11 fl	Calculated
PDW	16.2	11-18 %	Calculated

RBC MORPHOLOGY

Immature Leukocytes

Hypochromia	+
Microcytosis	+

Page 1 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.BENGALI NETRA SWAPNIL

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected : 25-Dec-2021 / 09:41

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :25-Dec-2021 / 12:27

Macrocytosis -

Anisocytosis +

Poikilocytosis Mild Polychromasia Mild

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Elliptocytes-occasional

WBC MORPHOLOGY PLATELET MORPHOLOGY -

COMMENT -

Note: Features are suggestive of iron deficiency anemia. Advice: Reticulocyte count, Iron studies & ferritin.

Result rechecked.

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 15 2-20 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr. AMAR DASGUPTA, MD, PhD
Consultant Hematopathologist
Director - Medical Services

Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 2 of 10



BUN, Serum

eGFR, Serum

CREATININE, Serum

URIC ACID, Serum

CID : 2135940301

Name : MRS.BENGALI NETRA SWAPNIL

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected
Reg. Location : J B Nagar, Andheri East (Main Centre) Reported

7.3

0.73

98

4.6

ere e

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

: 25-Dec-2021 / 09:41 : 25-Dec-2021 / 12:54

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	84.1	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	138.2	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.44	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.19	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.25	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.4	1 - 2	Calculated
SGOT (AST), Serum	11.6	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	16.2	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	19.0	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	138.4	35-105 U/L	Colorimetric
BLOOD UREA, Serum	15.7	12.8-42.8 mg/dl	Kinetic
D. II. 0			

Page 3 of 10

Calculated

Enzymatic

Calculated

Enzymatic

6-20 mg/dl

0.51-0.95 mg/dl

2.4-5.7 mg/dl

>60 ml/min/1.73sqm



Name : MRS.BENGALI NETRA SWAPNIL

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected : 25-Dec-2021 / 13:04

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :25-Dec-2021 / 15:20

Urine Sugar (Fasting)AbsentAbsentUrine Ketones (Fasting)AbsentAbsent


Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***









Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 10



Name : MRS.BENGALI NETRA SWAPNIL

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected : 25-Dec-2021 / 09:41

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :25-Dec-2021 / 13:35

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

Glycosylated Hemoglobin 5.5 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Estimated Average Glucose 111.2 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

• In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

• In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

• For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

• HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

• The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)



ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 10



PARAMFTFR

Volume (ml)

CID : 2135940301

Name : MRS.BENGALI NETRA SWAPNIL

: 33 Years / Female Age / Gender

Consulting Dr. Collected : 25-Dec-2021 / 09:41

Reported :25-Dec-2021 / 16:02 : J B Nagar, Andheri East (Main Centre) Reg. Location



Use a OR Code Scanner

Application To Scan the Code

MFTHOD

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

BIOLOGICAL REF RANGE

I AIVAMETER	KESOLIS	DIOLOGICAL REI TRANGE	METHOD	
PHYSICAL EXAMINATION				
Color	Pale yellow	Pale Yellow	-	
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator	
Specific Gravity	1.005	1.001-1.030	Chemical Indicator	
Transparency	Slight hazy	Clear	-	

CHEMICAL EXAMINATION

CHEMICAL EXAMINATION	<u> </u>		
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test

Absent

MICROSCOPIC EXAMINATION

Leukocytes(Pus cells)/hpf	0-1	0-5/hpf
Red Blood Cells / hpf	Absent	0-2/hpf

50

RESULTS

Epithelial Cells / hpf 1-2 Casts Absent Crystals **Absent**

Absent Amorphous debris Absent Absent Bacteria / hpf +(>20/hpf) Less than 20/hpf

Others

Kindly rule out contamination.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***











ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 6 of 10



Name : MRS.BENGALI NETRA SWAPNIL

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected : 25-Dec-2021 / 09:41

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :25-Dec-2021 / 12:51

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u> <u>RESULTS</u>

ABO GROUP 0

Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:


- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***









Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



CID : 2135940301

Name : MRS.BENGALI NETRA SWAPNIL

:33 Years / Female Age / Gender

Consulting Dr. Collected

Reported :25-Dec-2021 / 13:39 Reg. Location : J B Nagar, Andheri East (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:25-Dec-2021 / 09:41

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	180.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	65.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	58.1	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	122	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	109.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	13.0	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO,	1.9	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***











ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



CID : 2135940301

Name : MRS.BENGALI NETRA SWAPNIL

:33 Years / Female Age / Gender

Consulting Dr. Collected Reported

Reg. Location : J B Nagar, Andheri East (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:25-Dec-2021 / 09:41

:25-Dec-2021 / 13:39

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	3.1	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	13.0	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	1.32	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



Name : MRS.BENGALI NETRA SWAPNIL

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected :25-Dec-2021 / 09:41

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :25-Dec-2021 / 13:39



A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation	
High	Normal	Normal	ubclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- pyroidal illness, TSH Resistance.	
High	Low	Low	rpothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyronase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.	
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)	
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroida illness.	
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.	
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.	

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)









Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 10 of 10

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***



Preventive Health Check-up | Pathology | Digital X-Ray | Sonography | Colour Doppler | Mammography | BMD (DXA Scan) | OPG | ECG | 2D Echo Stress Test/TMT | Spirometry | Eye Examination | Dental Examination | Diet Consultation | Audiometry | OT Sterility | Water Sterility | Clinical Research

CID : **2135940301** SID : 177804650703

 Name
 : MRS.BENGALI NETRA SWAPNIL
 Registered
 : 25-Dec-2021 / 09:41

 Age / Gender
 : 33 Years/Female
 Collected
 : 25-Dec-2021 / 09:41

 Ref. Dr
 : Reported
 : 25-Dec-2021 / 11:36

 Reg.Location
 : J B Nagar, Andheri East (Main Centre)
 Printed
 : 25-Dec-2021 / 11:56

USG WHOLE ABDOMEN

LIVER:

Liver is normal in size,(15.0 cm) shape and **bright echotexture**. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER:

Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN:

Portal vein is normal.

CBD:

CBD is normal.

PANCREAS:

Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS:

Right kidney measures 10.7 x 4.3 cm. Left kidney measures 11.7 x 4.4 cm.

Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus

SPLEEN:

Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER:

Urinary bladder is distended and normal. Wall thickness is within normal limits.

<u>UTERUS</u> :

Uterus is anteverted, normal and measures 9.1x4.5x3.5cm. Uterine myometrium shows homogenous echotexture. Endometrial echo is in midline and measures 8mm. Cervix appears normal.

OVARIES:



Preventive Health Check-up | Pathology | Digital X-Ray | Sonography | Colour Doppler | Mammography | BMD (DXA Scan) | OPG | ECG | 2D Echo Stress Test/TMT | Spirometry | Eye Examination | Dental Examination | Diet Consultation | Audiometry | OT Sterility | Water Sterility | Clinical Research

CID : **2135940301** SID : 177804650703

 Name
 : MRS.BENGALI NETRA SWAPNIL
 Registered
 : 25-Dec-2021 / 09:41

 Age / Gender
 : 33 Years/Female
 Collected
 : 25-Dec-2021 / 09:41

 Ref. Dr
 : Reported
 : 25-Dec-2021 / 11:36

 Reg.Location
 : J B Nagar, Andheri East (Main Centre)
 Printed
 : 25-Dec-2021 / 11:56

Both ovaries are normal.

The right ovary measures 3.3 x 2.7cm.

The left ovary measures 3.3 x 2.2cm.

No free fluid or significant lymphadenopathy is seen.

IMPRESSION:

• Normal sized liver with fatty changes.GRADE I

Dr.TEJAL MISTRY MBBS , DMRE CONSULTANT

RADIOLOGIST



Preventive Health Check-up | Pathology | Digital X-Ray | Sonography | Colour Doppler | Mammography | BMD (DXA Scan) | OPG | ECG | 2D Echo Stress Test/TMT | Spirometry | Eye Examination | Dental Examination | Diet Consultation | Audiometry | OT Sterility | Water Sterility | Clinical Research

CID : **2135940301** SID : 177804650703

 Name
 : MRS.BENGALI NETRA SWAPNIL
 Registered
 : 25-Dec-2021 / 09:41

 Age / Gender
 : 33 Years/Female
 Collected
 : 25-Dec-2021 / 09:41

 Ref. Dr
 : Reported
 : 25-Dec-2021 / 11:28

 Reg.Location
 : J B Nagar, Andheri East (Main Centre)
 Printed
 : 25-Dec-2021 / 11:56

X-RAY CHEST PA VIEW

X-RAY CHEST PA VIEW

The lung fields are clear with no parenchymal lesion.

The cardiothoracic ratio is maintained and the cardiac outline is normal

The domes of the diaphragm are normal.

The cardio and costophrenic angles are clear.

Bony thorax is normal.

IMPRESSION:

No significant abnormality detected.						

Dr.TEJAL MISTRY
MBBS , DMRE
CONSULTANT
RADIOLOGIST