

R E P

T

Date:-28/03/2023.

Name:-Mr. Bhagate Sangay
Sifaram.

E

CID:2308601410

Sex/Age: / 88975 Male

EYE CHECK UP

Chief complaints:

Systemic Diseases: Mi

Past history:

Unaided Vision: N.V Programmed Als

D.V W | 8/6.

Aided Vision:

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	СуІ	Axis	Vn
Distance				66				616
Near				N5				MS

Colour Vision: Normal / Abnormal

Remark: W Nu

Suburban Diagnostics (I) Pvt. Ltd. 1st Floor, Harbhajan, Above HDFC Bank, Opp. Nafa Petrol Pump, Kalina, CST Road, Santacruz (East), Tel. No. 022-61700000



Joseph



Suburban Diagnostics (I) Pvt. Ltd. Pvt. Sank, Opp. Nafa Petrol Pump, Kalina, CST Road, Santacruz (East), Tel. No. 022-61700000

8898404647



Name : MR.BHAGATE SANJAY SITARAM

Age / Gender : 38 Years / Male

Consulting Dr. : -

Reg. Location: Kalina, Santacruz East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 27-Mar-2023 / 10:32 : 27-Mar-2023 / 15:36 R

E

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

Collected

Reported

CBC	(Comp	olete	Blood	Count),	Blood

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	15.7	13.0-17.0 g/dL	Spectrophotometric
RBC	6.20	4.5-5.5 mil/cmm	Elect. Impedance
PCV	49.2	40-50 %	Calculated
MCV	79.3	80-100 fl	Measured
MCH	25.4	27-32 pg	Calculated
MCHC	32.0	31.5-34.5 g/dL	Calculated
RDW	13.7	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	9470	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABS	SOLUTE COUNTS		
Lymphocytes	33.2	20-40 %	
Absolute Lymphocytes	3140	1000-3000 /cmm	Calculated
Monocytes	6.8	2-10 %	
Absolute Monocytes	650	200-1000 /cmm	Calculated
Neutrophils	56.5	40-80 %	
Absolute Neutrophils	5350	2000-7000 /cmm	Calculated
Eosinophils	2.9	1-6 %	
Absolute Eosinophils	270	20-500 /cmm	Calculated
Basophils	0.6	0.1-2 %	
Absolute Basophils	60	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	302000	150000-400000 /cmm	Elect. Impedance
MPV	9.3	6-11 fl	Measured
PDW	16.4	11-18 %	Calculated

RBC MORPHOLOGY



Name : MR.BHAGATE SANJAY SITARAM

: 38 Years / Male Age / Gender

Consulting Dr. Collected :27-Mar-2023 / 10:32 Reported :27-Mar-2023 / 15:12 : Kalina, Santacruz East (Main Centre) Reg. Location

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 6 2-15 mm at 1 hr. Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







M. Jain **Dr.MILLU JAIN** M.D.(PATH) **Pathologist**

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 2 of 11



Name : MR.BHAGATE SANJAY SITARAM

Age / Gender : 38 Years / Male

Consulting Dr. :

Reg. Location

: Kalina, Santacruz East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:27-Mar-2023 / 10:32 :27-Mar-2023 / 15:50

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

Collected

Reported

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	214.2	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	330.6	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.40	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.14	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.26	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	8.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.3	1 - 2	Calculated
SGOT (AST), Serum	25.9	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	45.0	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	39.7	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	92.0	40-130 U/L	Colorimetric
BLOOD UREA, Serum	12.6	12.8-42.8 mg/dl	Kinetic
BUN, Serum	5.9	6-20 mg/dl	Calculated
CREATININE, Serum	0.70	0.67-1.17 mg/dl	Enzymatic



Name : MR.BHAGATE SANJAY SITARAM

Age / Gender : 38 Years / Male

Consulting Dr. : -

Reg. Location

: Kalina, Santacruz East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 27-Mar-2023 / 16:52 : 27-Mar-2023 / 20:11

eGFR, Serum 134 >60 ml/min/1.73sqm Calculated

Note: eGFR estimation is calculated using MDRD (Modification of diet in renal disease study group) equation

URIC ACID, Serum 4.0

3.5-7.2 mg/dl

Collected

Reported

Enzymatic

Urine Sugar (Fasting)+++AbsentUrine Ketones (Fasting)AbsentAbsent

Urine Sugar (PP)+++AbsentUrine Ketones (PP)AbsentAbsent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

Page 4 of 11



Name : MR.BHAGATE SANJAY SITARAM

Age / Gender : 38 Years / Male

Consulting Dr. : - Collected : 27-Mar-2

Reg. Location: Kalina, Santacruz East (Main Centre) Reported: 27-Mar-2023 / 15:50



Use a QR Code Scanner Application To Scan the Code

: 27-Mar-2023 / 10:32

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETERRESULTSBIOLOGICAL REF RANGEMETHODGlycosylated Hemoglobin
(HbA1c), EDTA WB - CC11.9Non-Diabetic Level: < 5.7 %
Prediabetic Level: 5.7-6.4 %
Diabetic Level: >/= 6.5 %Estimated Average Glucose294.8mg/dlCalculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- · In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

(eAG), EDTA WB - CC

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.JYOT THAKKER M.D. (PATH), DPB

Pathologist & AVP(Medical Services)

Page 5 of 11



Name : MR.BHAGATE SANJAY SITARAM

Age / Gender :38 Years / Male

Collected Consulting Dr. : -:27-Mar-2023 / 10:32 :27-Mar-2023 / 15:55 : Kalina, Santacruz East (Main Centre) Reported Reg. Location



Use a OR Code Scanner

Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Yellow	Pale Yellow	-
Reaction (pH)	6.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	30	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	3+	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Trace	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	6-8	0-5/hpf	
Red Blood Cells / hpf	Occasional	0-2/hpf	
Epithelial Cells / hpf	8-10		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	+(>20/hpf)	Less than 20/hpf	

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein: (1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)
- Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl)
- Ketone: (1 + ~5 mg/dl, 2 + ~15 mg/dl, 3 + ~50 mg/dl, 4 + ~150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab





Others



Dr.VRUSHALI SHROFF M.D.(PATH) **Pathologist**

Page 6 of 11



Name : MR.BHAGATE SANJAY SITARAM

Age / Gender : 38 Years / Male

Consulting Dr. : - Collected
Reg. Location : Kalina, Santacruz East (Main Centre) Reported

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

*** End Of Report ***



Name : MR.BHAGATE SANJAY SITARAM

Age / Gender : 38 Years / Male

Consulting Dr. : - Collected : 27-Mar-2023 / 10:32
Reg. Location : Kalina, Santacruz East (Main Centre) Reported : 27-Mar-2023 / 15:18

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP AB

Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- · Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.MILLU JAIN M.D.(PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 8 of 11



Name : MR.BHAGATE SANJAY SITARAM

Age / Gender : 38 Years / Male

Consulting Dr. :

Reg. Location

: Kalina, Santacruz East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:27-Mar-2023 / 10:32 :27-Mar-2023 / 15:50

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

Collected

Reported

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	203.5	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	150.1	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	41.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	162.0	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	132.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	30.0	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.9	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.2	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.JYOT THAKKER

M.D. (PATH), DPB
Pathologist & AVP(Medical Services)

Page 9 of 11



Name : MR.BHAGATE SANJAY SITARAM

Age / Gender : 38 Years / Male

Consulting Dr. : -

Reg. Location : Kalina, Santacruz East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:27-Mar-2023 / 10:32

R

E

:27-Mar-2023 / 15:26

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

Collected

Reported

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.6	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.0	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.28	0.35-5.5 microIU/ml	ECLIA



Name : MR.BHAGATE SANJAY SITARAM

Age / Gender : 38 Years / Male

Consulting Dr.: - Collected: 27-Mar-2023 / 10:32

Reg. Location: Kalina, Santacruz East (Main Centre): Reported: 27-Mar-2023 / 15:26

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microlU/ml should be correlated clinically or repeat the test with new sample as physiological factors
 - can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT M.D.(PATH)

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Consultant Pathologist & Lab Director

Page 11 of 11


SUBURBAN DIAGNOSTICS - KALINA, SANTACRUZ EAST



Patient Name: BHAGATE SANJAY SITARAM

Date and Time: 27th Mar 23 12:55 PM

Patient ID: 2308601410



months days

Gender Male

Heart Rate 94bpm

120/80 mmHg

85 kg

175 cm

NA

NA

Measurements

86ms

344ms

430ms

132ms

47° 58° 18°

Sinus Rhythm. LVH by voltage criteria, ST T changes noted in inferior lateral leads Adv 2decho, Cardiology opinion. Please correlate clinically.

REPORTED BY

Dr Naveed Sheikh PGDCC 2016/11/4694

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Name : Mr BHAGATE SANJAY SITARAM

Age / Sex : 38 Years/Male

Ref. Dr : Reg. Date : 27-Mar-2023

Reg. Location : Kalina, Santacruz East Main Centre Reported : 27-Mar-2023/12:44



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

K T

R

 \mathbf{E}

USG OF WHOLE ABDOMEN

<u>Clinical profile</u>: for routine checkup. Patient denies any health related issues with no history of medical or surgical problems in the past. History of diabetes on treatment. No previous reports provided at the time of ultrasound study.

Real time ultrasonography of whole abdomen was performed using transabdominal approach.

Liver:

Liver is enlarged in size (17.4 cm) and shows bright echopattern. No focal mass lesion is seen. The intrahepatic biliary radicals are normal. Hepatic veins & IVC are normal in caliber. Portal vein is normal in caliber and measures 10.3 mm.

Gallbladder:

Gallbladder is well distended and reveals normal wall thickness. No evidence of calculus or mass lesion seen. No obvious pericholecystic collection visualized.

CBD is normal in caliber (5.4 mm).

Spleen:

Spleen is normal in size (8.7 cm), shape and echotexture. No focal lesions seen. Splenic vein appears normal in caliber.

Pancreas:

Pancreas is visualized and is normal in size shape and echopattern. No focal lesions seen. Part of pancreatic tail and adjacent retroperitoneum obscured due to bowel gases.

Kidneys:

Both kidneys are normal in size, shape and position. No evidence of hydronephrosis, calculi or scarring.

Right Kidney measures:11.1 x 4.4 cm.

Left Kidney measures:11.7 x 5.9 cm. It shows a 10 mm sized simple cortical cyst near mid part. Corticomedullary differentiation appears preserved.

No evidence of free fluid in abdomen and pelvis.

Visualized retroperitoneum appears unremarkable with no obvious lymphadenopathy.

Urinary bladder:

Urinary bladder is well distended and shows normal wall thickness. No evidence of any calculi or focal mass lesion is seen within it.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032710241912



Name : Mr BHAGATE SANJAY SITARAM

Age / Sex : 38 Years/Male

: 27-Mar-2023 Ref. Dr Reg. Date

: 27-Mar-2023/12:44 Reg. Location : Kalina, Santacruz East Main Centre Reported



Application To Scan the Code

R

Prostate:

Prostate is normal in size & measures 3.8 x 3.1 x 2.8 cm (volume ~ 18.3 cc)

IMPRESSION:

Mild hepatomegaly with fatty infiltration (grade II). Simple left renal cyst.

-----End of Report------

Dr Vaseem Anjum Ansari Radiologist (MBBS, DMRD) Reg No. 2003/06/2275

Investigations have their limitations. Solitary Pathological / Radiological and other investigations never confirm the final diagnosis of disease. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Please interpret accordingly.



Name : Mr BHAGATE SANJAY SITARAM

Age / Sex : 38 Years/Male

Reg. Date Ref. Dr : 27-Mar-2023

Reg. Location : Kalina, Santacruz East Main Centre Reported : 27-Mar-2023/12:44



Use a QR Code Scanner Application To Scan the Code

R



Name : Mr BHAGATE SANJAY SITARAM

Age / Sex : 38 Years/Male

Ref. Dr Reg. Date : 27-Mar-2023

: Kalina, Santacruz East Main Centre Reg. Location Reported

Authenticity Check

R

Application To Scan the Code

: 27-Mar-2023/14:30

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report------

Dr Vaseem Anjum Ansari Radiologist (MBBS, DMRD) Reg No. 2003/06/2275



Name : Mr BHAGATE SANJAY SITARAM

Age / Sex : 38 Years/Male

Reg. Date Ref. Dr : 27-Mar-2023

Reg. Location Reported : Kalina, Santacruz East Main Centre : 27-Mar-2023/14:30



Use a QR Code Scanner Application To Scan the Code

R