



CLIENT CODE: C000138376
CLIENT'S NAME AND ADDRESS:

**Test Report Status** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

**Final** 

SRL Ltd

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

**Biological Reference Interval Units** 

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956

CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

PATIENT NAME: MANISHA PATIENT ID: MANIF24119362

ACCESSION NO: **0062VJ001161** AGE: 28 Years SEX: Female ABHA NO:

DRAWN: RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59

**Results** 

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE					
BLOOD COUNTS,EDTA WHOLE BLOOD					
HEMOGLOBIN	11.7	Low	12.0 - 15.0	g/dL	
RED BLOOD CELL COUNT	4.04		3.8 - 4.8	mil/μL	
WHITE BLOOD CELL COUNT	5.75		4.0 - 10.0	thou/µL	
PLATELET COUNT	175		150 - 410	thou/µL	
RBC AND PLATELET INDICES					
HEMATOCRIT	36.6		36 - 46	%	
MEAN CORPUSCULAR VOL	90.7		83 - 101	fL	
MEAN CORPUSCULAR HGB.	28.9		27.0 - 32.0	pg	
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION	31.9		31.5 - 34.5	g/dL	
MENTZER INDEX	22.5				
RED CELL DISTRIBUTION WIDTH	15.7	High	11.6 - 14.0	%	
MEAN PLATELET VOLUME	11.0	High	6.8 - 10.9	fL	
WBC DIFFERENTIAL COUNT - NLR					
NEUTROPHILS	59		40 - 80	%	
ABSOLUTE NEUTROPHIL COUNT	3.39		2.0 - 7.0	thou/µL	
LYMPHOCYTES	36		20 - 40	%	
ABSOLUTE LYMPHOCYTE COUNT	2.07		1 - 3	thou/µL	
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.6				
EOSINOPHILS	1		1 - 6	%	
ABSOLUTE EOSINOPHIL COUNT	0.06		0.02 - 0.50	thou/µL	
MONOCYTES	4		2 - 10	%	
ABSOLUTE MONOCYTE COUNT	0.23		0.20 - 1.00	thou/µL	
BASOPHILS	0		0 - 2	%	
ABSOLUTE BASOPHIL COUNT	0.12	High	0.02 - 0.10	thou/µL	
DIFFERENTIAL COUNT PERFORMED ON:	EDTA SMEAR				
ERYTHROCYTE SEDIMENTATION RATE (ESR) BLOOD	,WHOLE				
E.S.R	10		0 - 20	mm at 1 hr	
METIOD WEST-ROBEN METIOD					



METHOD: WESTERGREN METHOD

Page 1 Of 14





**CLIENT CODE:** C000138376 CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI **NEW DELHI 110030** DELHI INDIA 8800465156

SRL Ltd

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956

Email: customercare.pitampura@srl.in

PATIENT ID: **PATIENT NAME: MANISHA** MANIF24119362

ACCESSION NO: 0062VJ001161 AGE: 28 Years SEX: Female ABHA NO:

26/10/2022 13:25:59 RECEIVED: 22/10/2022 10:28:29 DRAWN: REPORTED:

**REFERRING DOCTOR: SELF** CLIENT PATIENT ID:

Test Report Status	<u>Final</u>	Results	Biological Reference Interva	ıl Units
GLUCOSE FASTING,	LUORIDE PLASMA	•		
FBS (FASTING BLOOD	SUGAR)	91	74 - 99	mg/dL
METHOD : SPECTROPHOTOM	·			
GLYCOSYLATED HEM BLOOD	IOGLOBIN(HBA1C	), EDTA WHOLE		
HBA1C		4.9	Non-diabetic Adult < 5.7 Pre-diabetes 5.7 - 6.4 Diabetes diagnosis: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
ESTIMATED AVERAGE	GLUCOSE(EAG)	93.9	< 116.0	mg/dL
GLUCOSE, POST-PRA	ANDIAL, PLASMA			
PPBS(POST PRANDIAL	BLOOD SUGAR)	99	70 - 139	mg/dL
CORONARY RISK PR	OFILE, SERUM			
CHOLESTEROL, TOTAL		143	< 200 Desirable 200 - 239 Borderline High >/= 240 High	mg/dL
METHOD: CHOD-POD				
TRIGLYCERIDES		52	< 150 Normal 150 - 199 Borderline High 200 - 499 High >/=500 Very High	mg/dL
METHOD : LIPASE / GLUCOS	SE DEHYDROGENASE		,, 3	
HDL CHOLESTEROL		58	< 40 Low >/=60 High	mg/dL
CHOLESTEROL LDL		75	< 100 Optimal 100 - 129 Near optimal/ above optimal 130 - 159 Borderline High 160 - 189 High >/= 190 Very High	mg/dL
NON HDL CHOLESTER(	DL	85	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL









**CLIENT CODE:** C000138376 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956

CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

PATIENT NAME: MANISHA PATIENT ID: MANIF24119362

ACCESSION NO: **0062VJ001161** AGE: 28 Years SEX: Female ABHA NO:

DRAWN: RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results		Biological Reference Interv	al Units
CHOL/HDL RATIO	2.5	Low	3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk	
LDL/HDL RATIO	1.3		0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate >6.0 High Risk	Risk
VERY LOW DENSITY LIPOPROTEIN	10.4		= 30.0</td <td>mg/dL</td>	mg/dL
LIVER FUNCTION PROFILE, SEI	RUM			
BILIRUBIN, TOTAL	0.37		0.2 - 1.0	mg/dL
METHOD : SULPH ACID DPL/CAFF-BENZ				
BILIRUBIN, DIRECT	0.07		0.0 - 0.2	mg/dL
METHOD : SULPH ACID DPL/CAFF-BENZ				
BILIRUBIN, INDIRECT	0.30		0.1 - 1.0	mg/dL
	D DIAZO METHOD (JENDRASSIK AND GROF)			
TOTAL PROTEIN	7.3		6.4 - 8.2	g/dL
METHOD : SPECTROPHOTOMETRIC	2.7		24.50	
ALBUMIN	3.7		3.4 - 5.0	g/dL
METHOD: SPECTROPHOTOMETRIC GLOBULIN	3.6		2.0 - 4.1	g/dL
METHOD: CALCULATED PARAMETER	3.0		2.0 - 4.1	g/uL
ALBUMIN/GLOBULIN RATIO	1.0		1.0 - 2.1	RATIO
METHOD : CALCULATED PARAMETER	110		110 211	101110
ASPARTATE AMINOTRANSFERASE	(AST/SGOT) 22		15 - 37	U/L
METHOD: SPECTROPHOTOMETRIC-IFCC WI				·
ALANINE AMINOTRANSFERASE (A	LT/SGPT) <b>39</b>	High	< 34.0	U/L
METHOD: SPECTROPHOTOMETRIC-IFCC WI	TH UV WITH PYRIDOXAL-5-PHOSPHATE			
ALKALINE PHOSPHATASE	85		30 - 120	U/L
METHOD: SPECTROPHOTOMETRIC				
GAMMA GLUTAMYL TRANSFERASE	(GGT) 6		5 - 55	U/L
METHOD: SPECTROPHOTOMETRY, O-CRESO				
LACTATE DEHYDROGENASE	150		100 - 190	U/L
METHOD: SPECTROPHOTOMETRIC				



Page 3 Of 14





CLIENT CODE: C000138376
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956

CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

PATIENT NAME: MANISHA PATIENT ID: MANIF24119362

ACCESSION NO: **0062VJ001161** AGE: 28 Years SEX: Female ABHA NO:

DRAWN: RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status	<u>Final</u>	Results		Biological Reference	Interval Units
BLOOD UREA NITRO	GEN (BUN), SERI	UM			
BLOOD UREA NITROGE	EN	8		6 - 20	mg/dL
METHOD : UREASE KINETIC					
CREATININE, SERUM	1				
CREATININE		0.63		0.60 - 1.10	mg/dL
METHOD : SPECTROPHOTOM	1ETRY, O-CRESOLPHTHAL	EIN COMPLEXONE			
BUN/CREAT RATIO					
BUN/CREAT RATIO		12.70		5.00 - 15.00	
URIC ACID, SERUM					
URIC ACID		4.4		2.6 - 6.0	mg/dL
METHOD: URICASE/CATALA					
TOTAL PROTEIN, SEI	RUM				
TOTAL PROTEIN		7.3		6.4 - 8.2	g/dL
METHOD : BIURET					
ALBUMIN, SERUM					
ALBUMIN		3.7		3.4 - 5.0	g/dL
METHOD : SPECTROPHOTOM	1ETRY, O-CRESOLPHTHAL	EIN COMPLEXONE			
GLOBULIN					
GLOBULIN		3.6		2.0 - 4.1	g/dL
METHOD : SPECTROPHOTOM		EIN COMPLEXONE			
ELECTROLYTES (NA/	/K/CL), SERUM				
SODIUM		135	Low	136 - 145	mmol/L
METHOD : ISE INDIRECT					
POTASSIUM		4.34		3.50 - 5.10	mmol/L
CHLORIDE		101		98 - 107	mmol/L
METHOD : ISE INDIRECT					
PHYSICAL EXAMINA	TION, URINE				
COLOR		PALE YELLOW			
APPEARANCE		SLIGHTLY HAZY			
SPECIFIC GRAVITY		<=1.005		1.003 - 1.035	
CHEMICAL EXAMINA	TION, URINE				
PH		5.5		4.7 - 7.5	
PROTEIN		NOT DETECTED		NOT DETECTED	









CLIENT CODE: C000138376
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956

CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

PATIENT NAME: MANISHA PATIENT ID: MANIF24119362

ACCESSION NO: **0062VJ001161** AGE: 28 Years SEX: Female ABHA NO:

DRAWN: RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results	Biological Reference Interva	al Units
GLUCOSE	NOT DETECTED	NOT DETECTED	
KETONES	NOT DETECTED	NOT DETECTED	
BLOOD	NOT DETECTED	NOT DETECTED	
BILIRUBIN	NOT DETECTED	NOT DETECTED	
UROBILINOGEN	NORMAL	NORMAL	
NITRITE	NOT DETECTED	NOT DETECTED	
LEUKOCYTE ESTERASE	DETECTED (+)	NOT DETECTED	
MICROSCOPIC EXAMINATION, URINE			
PUS CELL (WBC'S)	5-7	0-5	/HPF
EPITHELIAL CELLS	10-15	0-5	/HPF
ERYTHROCYTES (RBC'S)	NOT DETECTED	NOT DETECTED	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	
YEAST	DETECTED (+)	NOT DETECTED	
REMARKS	NOTE:- MICROSCOPIC EX CENTRIFUGE URINARY SEDIMENT.	AMINATION OF URINE IS PERFOR	MED BY
THYROID PANEL, SERUM			
T3	97.84	80.00 - 200.00	ng/dL
T4	5.99	5.10 - 14.10	μg/dL
TSH 3RD GENERATION	2.050	0.270 - 4.200	μIU/mL
PAPANICOLAOU SMEAR			
TEST METHOD	SAMPLE NOT RECEIVED		
STOOL: OVA & PARASITE			
COLOUR	BROWN		
CONSISTENCY	SEMI FORMED		
ODOUR	FAECAL		
MUCUS	NOT DETECTED	NOT DETECTED	
VISIBLE BLOOD	ABSENT	ABSENT	
POLYMORPHONUCLEAR LEUKOCYTES	3 - 5	0 - 5	/HPF
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF









**CLIENT CODE:** C000138376 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 DELHI INDIA 8800465156 SRL Ltd

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956

CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

PATIENT NAME: MANISHA PATIENT ID: MANIF24119362

ACCESSION NO: **0062VJ001161** AGE: 28 Years SEX: Female ABHA NO:

DRAWN: RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status	<u>Final</u>	Results	Biological Reference Interval Units
MACROPHAGES		NOT DETECTED	NOT DETECTED
CHARCOT-LEYDEN CRY	STALS	NOT DETECTED	NOT DETECTED
TROPHOZOITES		NOT DETECTED	NOT DETECTED
CYSTS		NOT DETECTED	NOT DETECTED
OVA		NOT DETECTED	
LARVAE		NOT DETECTED	NOT DETECTED
ADULT PARASITE		NOT DETECTED	
OCCULT BLOOD		NOT DETECTED	NOT DETECTED
ABO GROUP & RH TY	PE, EDTA WHOLE BLOOD		
ABO GROUP		TYPE B	
METHOD: TUBE AGGLUTINA	ΠON		
RH TYPE		NEGATIVE	
METHOD: TUBE AGGLUTINA	ΠON		
XRAY-CHEST			
<b>**</b>		BOTH THE LUNG FIELDS A	RE CLEAR
<b>»</b> »			C AND CARIOPHRENIC ANGELS ARE CLEAR
<b>**</b>		BOTH THE HILA ARE NORM	1AL
<b>**</b>		CARDIAC AND AORTIC SH	ADOWS APPEAR NORMAL
<b>»»</b>		BOTH THE DOMES OF THE	DIAPHRAM ARE NORMAL
<b>»»</b>		VISUALIZED BONY THORA	X IS NORMAL
IMPRESSION		NORMAL	
TMT OR ECHO			
TMT OR ECHO		NEGATIVE	
ECG			
ECG		WITHIN NORMAL LIMITS	
MEDICAL HISTORY			
RELEVANT PRESENT HI	STORY	? Lt. OVARIAN CYST.	
RELEVANT PAST HISTO	PRY	NOT SIGNIFICANT	
RELEVANT PERSONAL H	HISTORY	MARRIED, 01 CHILD, VEG	
MENSTRUAL HISTORY	(FOR FEMALES)	NOT SIGNIFICANT	

08/10/2022



LMP (FOR FEMALES)







**CLIENT CODE:** C000138376 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

**NEW DELHI 110030 DELHI INDIA** 8800465156

SRL Ltd

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956 Email: customercare.pitampura@srl.in

**PATIENT NAME: MANISHA** PATIENT ID: MANIF24119362

ACCESSION NO: 0062VJ001161 AGE: 28 Years SEX: Female ABHA NO:

DRAWN: RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59

**REFERRING DOCTOR: SELF** CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
OBSTETRIC HISTORY (FOR FEMALES)	P1A0L1- N/D.	
LCB (FOR FEMALES)	2-1-2 YRS.	
RELEVANT FAMILY HISTORY	MOTHER- DIABETES.	
OCCUPATIONAL HISTORY	HOME MAKER.	

**NOT SIGNIFICANT** 

**ANTHROPOMETRIC DATA & BMI** 

HISTORY OF MEDICATIONS

HEIGHT IN METERS 1.47 mts WEIGHT IN KGS. 68.25 Kgs BMI 32 BMI & Weight Status as follows: kg/sqmts

> Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese

**GENERAL EXAMINATION** 

MENTAL / EMOTIONAL STATE **NORMAL** PHYSICAL ATTITUDE **NORMAL** GENERAL APPEARANCE / NUTRITIONAL STATUS **HEALTHY BUILT / SKELETAL FRAMEWORK AVERAGE** FACIAL APPEARANCE **NORMAL** SKIN NORMAL UPPER LIMB **NORMAL** LOWER LIMB NORMAL **NECK** NORMAL

NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER

**NOT ENLARGED** THYROID GLAND CAROTID PULSATION **NORMAL** 

BREAST (FOR FEMALES) **NORMAL TEMPERATURE NORMAL** 

**PULSE** 73/MIN REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID

BRUIT

NORMAL RESPIRATORY RATE

**CARDIOVASCULAR SYSTEM** 









CLIENT CODE: C000138376
CLIENT'S NAME AND ADDRESS:

8800465156

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA

SRL Ltd PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956

CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

PATIENT NAME: MANISHA PATIENT ID: MANIF24119362

ACCESSION NO: 0062VJ001161 AGE: 28 Years SEX: Female ABHA NO:

DRAWN: RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
BP	109/76 MM HG (SITTING)	mm/Hg
PERICARDIUM	NORMAL	
APEX BEAT	NORMAL	
HEART SOUNDS	S1, S2 HEARD NORMALLY	,
MURMURS	ABSENT	
RESPIRATORY SYSTEM		
SIZE AND SHAPE OF CHEST	NORMAL	
MOVEMENTS OF CHEST	SYMMETRICAL	
BREATH SOUNDS INTENSITY	NORMAL	
BREATH SOUNDS QUALITY	VESICULAR (NORMAL)	
ADDED SOUNDS	ABSENT	
PER ABDOMEN		
APPEARANCE	NORMAL	
VENOUS PROMINENCE	ABSENT	
LIVER	NOT PALPABLE	
SPLEEN	NOT PALPABLE	
HERNIA	ABSENT	
ANY OTHER COMMENTS	NIL	
CENTRAL NERVOUS SYSTEM		
HIGHER FUNCTIONS	NORMAL	
CRANIAL NERVES	NORMAL	
CEREBELLAR FUNCTIONS	NORMAL	
SENSORY SYSTEM	NORMAL	
MOTOR SYSTEM	NORMAL	
REFLEXES	NORMAL	
MUSCULOSKELETAL SYSTEM		
SPINE	NORMAL	
JOINTS	NORMAL	
BASIC EYE EXAMINATION		
CONJUNCTIVA	NORMAL	



Page 8 Of 14





**CLIENT CODE:** C000138376 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

**NEW DELHI 110030 DELHI INDIA** 8800465156

SRL Ltd

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956 Email: customercare.pitampura@srl.in

**PATIENT NAME: MANISHA** PATIENT ID: MANIF24119362

ACCESSION NO: 0062VJ001161 AGE: 28 Years SEX: Female ABHA NO:

DRAWN: RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59

**REFERRING DOCTOR: SELF** CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results	Biological Reference Interval	Units
EYELIDS	NORMAL		
EYE MOVEMENTS	NORMAL		
CORNEA	NORMAL		
DISTANT VISION RIGHT EYE WITHOUT GLASSES	6/18		
DISTANT VISION LEFT EYE WITHOUT GLASSES	6/12		
NEAR VISION RIGHT EYE WITHOUT GLASSES	N/6		
NEAR VISION LEFT EYE WITHOUT GLASSES	N/6		
COLOUR VISION	NORMAL		
BASIC ENT EXAMINATION			
EXTERNAL EAR CANAL	NORMAL		
TYMPANIC MEMBRANE	NORMAL		
NOSE	NO ABNORMALITY DETECTE	ED	
SINUSES	NORMAL		
THROAT	NORMAL		
TONSILS	NOT ENLARGED		
BASIC DENTAL EXAMINATION			
TEETH	OTHERS		
GUMS	HEALTHY		
ANY OTHER COMMENTS	STAINS+++/ CALCULUS+- ADV- ORAL PROPHYLAXIS.	+.	
SUMMARY			
RELEVANT HISTORY	NOT SIGNIFICANT		
DELEVANT OR EVANDATION FINDINGS	NOTCICALITICANT		

RELEVANT GP EXAMINATION FINDINGS **NOT SIGNIFICANT** 

RELEVANT LAB INVESTIGATIONS PUS CELLS, EP, CELLS - ABOVE N LIMITS

RELEVANT NON PATHOLOGY DIAGNOSTICS NO ABNORMALITIES DETECTED

REMARKS / RECOMMENDATIONS CURTAIL WEIGHT; INCREASE WATER INTAKE; ORAL PROPHYLAXIS;

OPHTHALMOLOGIST CONSULTATION

**FITNESS STATUS** 

FITNESS STATUS FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)



Page 9 Of 14 回線線影團





**CLIENT CODE:** C000138376 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI **NEW DELHI 110030 DELHI INDIA** 

SRL Ltd

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956 Email: customercare.pitampura@srl.in

**PATIENT NAME: MANISHA** PATIENT ID: MANIF24119362

ACCESSION NO: 0062VJ001161 AGE: 28 Years SEX: Female ABHA NO:

RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59 DRAWN:

REFERRING DOCTOR: SFIF CLIENT PATIENT ID:

**Test Report Status** Biological Reference Interval Units Final Results

## MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

**ULTRASOUND ABDOMEN ULTRASOUND ABDOMEN** 

PENDING

8800465156

#### Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-

The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

WBC DIFFERENTIAL COUNT - NLRThe optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION:

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION** 

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.
Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine, salicylates)

### REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition.

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

# Increased in

Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs:corticosteroids.phenytoin, estrogen, thiazides.

Pancreatic islet cell disease with increased insulin,insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach,fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g., galactosemia),Drugs- insulin, ethanol, propranolol; sulfonylureas,tolbutamide, and other oral hypoglycemic agents.

Hypoglycemia is defined as a glucoseof < 50 mg/dL in men and < 40 mg/dL in women.

While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus,



Page 10 Of 14 首领必要





**CLIENT CODE:** C000138376 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHT 110030 **DELHI INDIA** 8800465156

SRL Ltd

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956 Email: customercare.pitampura@srl.in

**PATIENT NAME: MANISHA** PATIENT ID: MANIF24119362

0062VJ001161 AGE: 28 Years SEX: Female ACCESSION NO: ABHA NO:

DRAWN: RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59

REFERRING DOCTOR: SFIF CLIENT PATIENT ID:

**Test Report Status** Results **Biological Reference Interval** Final Units

glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2.Diagnosing diabetes.

3.Identifying patients at increased risk for diabetes (prediabetes).
The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range. 1.eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

- 2. eAG gives an evaluation of blood glucose levels for the last couple of months.

  3. eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c 46.7

HbA1c Estimation can get affected due to:

I.Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days. II. Vitamin C & E are reported to falsely lower test results, (possibly by inhibiting glycation of hemoglobin,

III.Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates

addiction are reported to interfere with some assay methods, falsely increasing results. IV.Interference of hemoglobinopathies in HbA1c estimation is seen in

b.Heterozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
b.Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
c.HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of Is also found in other issues including intestine, spleen, heart, brain and serimar vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma.It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome,protein-losing enteropathy,Burns,hemodilution,increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)
Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

• Blockage in the urinary tract

- Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
   Loss of body fluid (dehydration)



Page 11 Of 14 直角逐步 Scan to View Report





**CLIENT CODE:** C000138376 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI **NEW DELHI 110030 DELHI INDIA** 

SRL Ltd

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956 Email: customercare.pitampura@srl.in

**PATIENT NAME: MANISHA** PATIENT ID: MANIF24119362

0062VJ001161 AGE: 28 Years ACCESSION NO: SEX: Female ABHA NO:

DRAWN: RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59

REFERRING DOCTOR: SFIF CLIENT PATIENT ID:

**Test Report Status** Results Biological Reference Interval Final

Muscle problems, such as breakdown of muscle fibers

• Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia Gravis
- Muscular dystrophy

URIC ACID, SERUM-

Causes of Increased levels Dietary

8800465156

- High Protein Intake.Prolonged Fasting,
- Rapid weight loss.

Gout

Lesch nyhan syndrome.

Type 2 DM.

Metabolic syndrome.

Causes of decreased levels

- Low Zinc Intake
- OCP's
- Multiple Sclerosis

Nutritional tips to manage increased Uric acid levels

- Drink plenty of fluids
- Limit animal proteins
- · High Fibre foods
- Vit C Intake
- · Antioxidant rich foods

TOTAL PROTEIN, SERUM-

Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

ELECTROLYTES (NA/K/CL), SERUMSodium levels are Increased in dehydration, cushing's syndrome, aldosteronism & decreased in Addison's disease, hypopituitarism,liver disease. Hypokalemia (low K) is common in vomiting, diarrhea, alcoholism, folic acid deficiency and primary aldosteronism. Hyperkalemia may be seen in end-stage renal failure, hemolysis, trauma, Addison's disease, metabolic acidosis, acute starvation, dehydration, and with rapid K infusion.Chloride is increased in dehydration, renal tubular acidosis (hyperchloremia metabolic acidosis), acute renal failure, metabolic acidosis associated with prolonged diarrhea and loss of sodium bicarbonate, diabetes insipidus, adrenocortical hyperfuction, salicylate intoxication and with excessive infusion of isotonic saline or extremely high dietary intake of salt. Chloride is decreased in overhydration, chronic respiratory acidosis, salt-losing nephritis, metabolic alkalosis, congestive heart failure, Addisonian crisis, certain types of metabolic acidosis, persistent gastric secretion and prolonged vomiting,
MICROSCOPIC EXAMINATION, URINE-

Routine urine analysis assists in screening and diagnosis of various metabolic, urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urinary tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine. Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine. Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders. Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most common cause is bacterial urinary tract infection Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/ alkalosis or ingestion of certain type of food can affect the pH of urine.



Page 12 Of 14 首领必要 Scan to View Report





**CLIENT CODE:** C000138376 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )

SOUTH WEST DELHI **NEW DELHI 110030 DELHI INDIA** 

8800465156

F-703, LADO SARAI, MEHRAULI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax:

SRL Ltd

CIN - U74899PB1995PLC045956 Email: customercare.pitampura@srl.in

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

**PATIENT NAME: MANISHA** PATIENT ID: MANIF24119362

0062VJ001161 AGE: 28 Years ACCESSION NO: SEX: Female ABHA NO:

RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59 DRAWN:

REFERRING DOCTOR: SFIF CLIENT PATIENT ID:

**Test Report Status** Results **Biological Reference Interval** Final

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decreased specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in cases of hemolytic anemia

THYROID PANEL, SERUM-Triiodothyronine T3 , is a thyroid hormone. It affects almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate. Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Thyroxine T4, Thyroxine's principal function is to stimulate the metabolism of all cells and tissues in the body. Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the Circulating hormone is free and biologically active.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3

Levels in TOTAL T4 TSH3Ġ TOTAL T3 (µg/dL) Pregnancy (µIU/mL) (ng/dL) 81 - 190 100 - 260 6.6 - 12.4 6.6 - 15.5 0.1 - 2.5 0.2 - 3.0 First Trimester 6.6 2nd Trimester 6.6 - 15.5 0.3 - 3.0 100 - 260 3rd Trimester

Below mentioned are the guidelines for age related reference ranges for T3 and T4. Т3 T4

(μg/dL) 1-3 day: 8.2 - 19.9 1 Week: 6.0 - 15.9 (ng/dL) New Born: 75 - 260

NOTE: TSH concentrations in apparently normal euthyroid subjects are known to be highly skewed, with a strong tailed distribution towards higher TSH values. This is well

documented in the pediatric population including the infant age group.

Kindly note: Method specific reference ranges are appearing on the report under biological reference range.

#### Reference:

- 1. Burtis C.A., Ashwood E. R. Bruns D.E. Teitz textbook of Clinical Chemistry and Molecular Diagnostics, 4th Edition.
- 2. Gowenlock A.H. Varley'''s Practical Clinical Biochemistry, 6th Edition.
  3. Behrman R.E. Kilegman R.M., Jenson H. B. Nelson Text Book of Pediatrics, 17th Edition

STOOL: OVA & PARASITE-

Acute infective diarrhoea and gastroenteritis (diarrhoea with vomiting) are major causes of ill health and premature death in developing countries. Loss of water and electrolytes from the body can lead to severe dehydration which if untreated, can be rapidly fatal in young children, especially that are malnourished, hypoglycaemic, and

Laboratory diagnosis of parasitic infection is mainly based on microscopic examination and the gross examination of the stool specimen. Depending on the nature of the parasite, the microscopic observations include the identification of cysts, ova, trophozoites, larvae or portions of adult structure. The two classes of parasites that cause human infection are the Protozoa and Helminths. The protozoan infections include amoebiasis mainly caused by Entamoeba histolytica and giardiasis caused by Giardia lamblia. The common helminthic parasites are Trichuris trichiura, Ascaris lumbricoides, Strongyloides stercoralis, Taenia sp. etc ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

#### FITNESS STATUS-

Conclusion on an individual's Fitness, which is commented upon mainly for Pre employment cases, is based on multi factorial findings and does not depend on any one single parameter. The final Fitness assigned to a candidate will depend on the Physician's findings and overall judgement on a case to case basis, details of the candidate's past and personal history; as well as the comprehensiveness of the diagnostic panel which has been requested for .These are then further correlated with details of the job under consideration to eventually fit the right man to the right job.

• Fit (As per requested panel of tests) – SRL Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and the









CLIENT CODE: C000138376
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156 SRL Ltd

PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

PATIENT NAME: MANISHA PATIENT ID: MANIF24119362

ACCESSION NO: 0062VJ001161 AGE: 28 Years SEX: Female ABHA NO:

DRAWN: RECEIVED: 22/10/2022 10:28:29 REPORTED: 26/10/2022 13:25:59

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u> Results Biological Reference Interval Units

specific test panel requested for.

- Fit (with medical advice) (As per requested panel of tests) This indicates that although the candidate can be declared as FIT to join the job, minimal problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary lifestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician's consultation and counseling in order to bring back to normal the mildly deranged parameters. For all purposes the individual is FIT to join the job.
   Fitness on Hold (Temporary Unfit) (As per requested panel of tests) Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal
- Fitness on Hold (Temporary Unfit) (As per requested panel of tests) Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal vision, grossly elevated blood sugars, etc.
- Unfit (As per requested panel of tests) An unfit report by SRL Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color blindness in color related jobs.

#### \*\*End Of Report\*\*

Please visit www.srlworld.com for related Test Information for this accession

K. I. Prejspati

Dr. Kamlesh I Prajapati Consultant Pathologist

# CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
  - i. Specimen received is insufficient or inappropriate
  - ii. Specimen quality is unsatisfactory
  - iii. Incorrect specimen type
  - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- 8. Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

#### **SRL Limited**

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062



Page 14 Of 14