SUBURBAN DIAGNOSTICS

SUBURBAN DIAGNOSTICS - BHAYANDER EAST

Patient Name: SONAM GAURAV VERMA Date and Time: 13th Nov 21 9:05 AM

Patient ID: 2131733897

aVR Η aVL aVF II 25.0 mm/s 10.0 mm/mV

Age 33 10 8 years months days

Gender Female

Heart Rate 79 bpm

Patient Vitals

BP: NA
Weight: NA
Height: NA
Pulse: NA
Spo2: NA
Resp: NA
Others:

Measurements

QSRD: 74 ms
QT: 410 ms
QTc: 470 ms
PR: 142 ms

P-R-T: 35° -40° -24°

Sinus Rhythm, Left Axis Deviation, T waves inversion noted in inferior leads. Please correlate clinically.

سمامناه

REPORTED BY

Dr. SHISHIR SHETTY MBBS.D-CARD 2006/01/0250

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Name :Mrs SONAM GAURAV VERMA

Age / Sex :33 Years/Female

Ref. Dr :

Reg.Location :Bhayander East Main Centre



E

R

P

:13-Nov-2021 / 11:05

O R

T

Reported :13-Nov-2021 / 13:18

Printed :13-Nov-2021 / 13:18

USG WHOLE ABDOMEN

Reg.Date

LIVER:

The liver is normal in size (13.0 cm), shape and smooth margins. It shows altered parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen

PANCREAS:

The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

Right kidney measures 9.0 x 3.5 cm. Left kidney measures 10.0 x 5.0 cm.

SPLEEN:

The spleen is normal in size (9.6 cm) and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

UTERUS:

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2021111308431633 Page 1 to 2

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



CID : 2131733897

Name :Mrs SONAM GAURAV VERMA

:33 Years/Female Age / Sex

Ref. Dr

Reg.Location :Bhayander East Main Centre

R

 \mathbf{E}

:13-Nov-2021 / 11:05

0 R

Reported

Reg.Date

Printed

:13-Nov-2021 / 13:18

:13-Nov-2021 / 13:18

The uterus is anteverted and appears normal. It measures 5.4 x 2.3 x 3.2 cms in size. The endometrial thickness is 4.6 mm.

OVARIES:

Both the ovaries are well visualised and appears normal. There is no evidence of any ovarian or adnexal mass seen. Right ovary = $1.9 \times 1.5 \times 1.2 \text{ cm}$, Vol- 2.1 cc. Left ovary = $1.8 \times 1.6 \times 1.6 \text{ cm}$, Vol- 2.7 cc.

IMPRESSION:-

Fatty liver grade I.

No other significant abnormality is seen.

-----End of Report-----

Dr.FAIZUR KHILJI MBBS, RADIO DIAGNOSIS Reg No-74850 **Consultant Radiologist**

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2021111308431633 Page 2 to2



Name :Mrs SONAM GAURAV VERMA

Age / Sex :33 Years/Female

Ref. Dr :

Reg.Location :Bhayander East Main Centre



E

R

P

Reg.Date :13-Nov-2021 / 08:59

0

Reported

Printed

:13-Nov-2021 / 09:59

:13-Nov-2021 / 09:59

Т

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

Khilya Fea

Dr.FAIZUR KHILJI MBBS,RADIO DIAGNOSIS Reg No-74850 Consultant Radiologist

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2021111308431635 Page 1 to 1



:2131733897

:33 Years / Female

: MRS.SONAM GAURAV VERMA

CID

Name

Age / Gender

Consulting Dr.

Reg. Location

Use a OR Code Scanner

Authenticity Check

Application To Scan the Code :13-Nov-2021 / 08:45

:13-Nov-2021 / 13:15

Collected Reported

: Bhayander East (Main Centre)

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

	CBC (Complet	e Blood Count), Blood	
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	11.7	12.0-15.0 g/dL	Spectrophotometric
RBC	3.92	3.8-4.8 mil/cmm	Elect. Impedance
PCV	35.1	36-46 %	Measured
MCV	90	80-100 fl	Calculated
MCH	29.8	27-32 pg	Calculated
MCHC	33.3	31.5-34.5 g/dL	Calculated
RDW	15.9	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	16700	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	ABSOLUTE COUNTS		
Lymphocytes	17.5	20-40 %	
Absolute Lymphocytes	2922.5	1000-3000 /cmm	Calculated
Monocytes	5.5	2-10 %	

BSOLUTE COUNTS		
17.5	20-40 %	
2922.5	1000-3000 /cmm	Calculated
5.5	2-10 %	
918.5	200-1000 /cmm	Calculated
74.8	40-80 %	
12491.6	2000-7000 /cmm	Calculated
2.2	1-6 %	
367.4	20-500 /cmm	Calculated
0.0	0.1-2 %	
0.0	20-100 /cmm	Calculated
-		
	2922.5 5.5 918.5 74.8 12491.6 2.2 367.4 0.0	17.5 20-40 % 2922.5 1000-3000 /cmm 5.5 2-10 % 918.5 200-1000 /cmm 74.8 40-80 % 12491.6 2000-7000 /cmm 2.2 1-6 % 367.4 20-500 /cmm 0.0 0.1-2 % 0.0 20-100 /cmm

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	291000	150000-400000 /cmm	Elect. Impedance
MPV	8.2	6-11 fl	Calculated
PDW	13.6	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia	-
Microcytosis	-
Macrocytosis	-

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.SONAM GAURAV VERMA

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected : 13-Nov-2021 / 08:45

Reg. Location : Bhayander East (Main Centre) Reported :13-Nov-2021 / 14:56

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT Neutrophilic Leukocytosis

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 50 2-20 mm at 1 hr. Westergren

Result rechecked.

Kindly correlate clinically.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 2 of 9



Name : MRS.SONAM GAURAV VERMA

Age / Gender : 33 Years / Female

Consulting Dr. : -

Reg. Location: Bhayander East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:13-Nov-2021 / 08:45

Reported :13-Nov-2021 / 14:06

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

GLUCOSE (SUGAR) FASTING, Fluoride Plasma BLUCOSE (SUGAR) PP, Fluoride Plasma GLUCOSE (SUGAR) PP, Fluoride Plasma BILIRUBIN (TOTAL), Serum 0.37 BILIRUBIN (INDIRECT), Serum 0.17 BILIRUBIN (INDIRECT), Serum 16.5 SGOT (AST), Serum 12.7 ALKALINE PHOSPHATASE, Serum 12.5 BLOOD UREA, Serum 26.8 BUN, Serum 12.5 CREATININE, Serum 1.33 eGFR, Serum 49 VAILUBLE PROVING LABOR PRINCIPLE PROVING LABOR PROVING	PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Plasma PP/R		89.7	Impaired Fasting Glucose: 100-125 mg/dl	Hexokinase
BILIRUBIN (DIRECT), Serum 0.17 0-0.3 mg/dl Diazo BILIRUBIN (INDIRECT), Serum 0.20 0.1-1.0 mg/dl Calculated SGOT (AST), Serum 16.5 5-32 U/L NADH (w/o P-5-P) SGPT (ALT), Serum 12.7 5-33 U/L NADH (w/o P-5-P) ALKALINE PHOSPHATASE, Serum 107.5 35-105 U/L Colorimetric BLOOD UREA, Serum 26.8 12.8-42.8 mg/dl Kinetic BUN, Serum 12.5 6-20 mg/dl Calculated CREATININE, Serum 1.33 0.51-0.95 mg/dl Enzymatic eGFR, Serum 49 >60 ml/min/1.73sqm Calculated		121.3	Impaired Glucose Tolerance: 140-199 mg/dl	Hexokinase
BILIRUBIN (INDIRECT), Serum 0.20 0.1-1.0 mg/dl Calculated SGOT (AST), Serum 16.5 5-32 U/L NADH (w/o P-5-P) SGPT (ALT), Serum 12.7 5-33 U/L NADH (w/o P-5-P) ALKALINE PHOSPHATASE, Serum 107.5 35-105 U/L Colorimetric BLOOD UREA, Serum 26.8 12.8-42.8 mg/dl Kinetic BUN, Serum 12.5 6-20 mg/dl Calculated CREATININE, Serum 1.33 0.51-0.95 mg/dl Enzymatic eGFR, Serum 49 >60 ml/min/1.73sqm Calculated	BILIRUBIN (TOTAL), Serum	0.37	0.1-1.2 mg/dl	Colorimetric
SGOT (AST), Serum 16.5 5-32 U/L NADH (w/o P-5-P) SGPT (ALT), Serum 12.7 5-33 U/L NADH (w/o P-5-P) ALKALINE PHOSPHATASE, Serum 107.5 35-105 U/L Colorimetric BLOOD UREA, Serum 26.8 12.8-42.8 mg/dl Kinetic BUN, Serum 12.5 6-20 mg/dl Calculated CREATININE, Serum 1.33 0.51-0.95 mg/dl Enzymatic eGFR, Serum 49 >60 ml/min/1.73sqm Calculated	BILIRUBIN (DIRECT), Serum	0.17	0-0.3 mg/dl	Diazo
SGPT (ALT), Serum 12.7 5-33 U/L NADH (w/o P-5-P) ALKALINE PHOSPHATASE, Serum 107.5 35-105 U/L Colorimetric BLOOD UREA, Serum 26.8 12.8-42.8 mg/dl Kinetic BUN, Serum 12.5 6-20 mg/dl Calculated CREATININE, Serum 1.33 0.51-0.95 mg/dl Enzymatic eGFR, Serum 49 >60 ml/min/1.73sqm Calculated	BILIRUBIN (INDIRECT), Serum	0.20	0.1-1.0 mg/dl	Calculated
ALKALINE PHOSPHATASE, Serum 107.5 35-105 U/L Colorimetric BLOOD UREA, Serum 26.8 12.8-42.8 mg/dl Kinetic BUN, Serum 12.5 6-20 mg/dl Calculated CREATININE, Serum 1.33 0.51-0.95 mg/dl Enzymatic eGFR, Serum 49 >60 ml/min/1.73sqm Calculated	SGOT (AST), Serum	16.5	5-32 U/L	NADH (w/o P-5-P)
Serum BLOOD UREA, Serum 26.8 12.8-42.8 mg/dl Kinetic BUN, Serum 12.5 6-20 mg/dl Calculated CREATININE, Serum 1.33 0.51-0.95 mg/dl Enzymatic eGFR, Serum 49 >60 ml/min/1.73sqm Calculated	SGPT (ALT), Serum	12.7	5-33 U/L	NADH (w/o P-5-P)
BUN, Serum 12.5 6-20 mg/dl Calculated CREATININE, Serum 1.33 0.51-0.95 mg/dl Enzymatic eGFR, Serum 49 >60 ml/min/1.73sqm Calculated	· · · · · · · · · · · · · · · · · · ·	107.5	35-105 U/L	Colorimetric
CREATININE, Serum 1.33 0.51-0.95 mg/dl Enzymatic eGFR, Serum 49 >60 ml/min/1.73sqm Calculated	BLOOD UREA, Serum	26.8	12.8-42.8 mg/dl	Kinetic
eGFR, Serum 49 >60 ml/min/1.73sqm Calculated	BUN, Serum	12.5	6-20 mg/dl	Calculated
URIC ACID, Serum 6.1 2.4-5.7 mg/dl Enzymatic	,		_	•
	URIC ACID, Serum	6.1	2.4-5.7 mg/dl	Enzymatic

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 3 of 9



CID

Name

Use a OR Code Scanner

Authenticity Check

: 13-Nov-2021 / 08:45

:13-Nov-2021 / 15:33

Application To Scan the Code

Age / Gender : 33 Years / Female Consulting Dr.

Reg. Location : Bhayander East (Main Centre)

:2131733897

: MRS.SONAM GAURAV VERMA

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Glycosylated Hemoglobin

5.6

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 %

Diabetic Level: >/= 6.5 %

Collected

Reported

HPLC

(HbA1c), EDTA WB - CC

Estimated Average Glucose

(eAG), EDTA WB - CC

114.0

mg/dl

Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



CID :2131733897

Name : MRS.SONAM GAURAV VERMA

: 33 Years / Female Age / Gender

Consulting Dr. Collected

:13-Nov-2021 / 16:57 : Bhayander East (Main Centre) Reported Reg. Location



Use a OR Code Scanner

Application To Scan the Code

: 13-Nov-2021 / 08:45

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

PARAMETER	<u>RESUL 15</u>	BIOLOGICAL REF RANGE	<u>ME I HOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-

Reaction (pH) 5.0 4.5 - 8.0Chemical Indicator Specific Gravity 1.015 Chemical Indicator 1.001-1.030

Transparency Slight hazy Clear Volume (ml)

CHEMICAL EXAMINATION

Proteins Absent Absent pH Indicator **GOD-POD** Glucose 2+ Absent Ketones Absent Absent Legals Test Blood **Absent Absent** Peroxidase Bilirubin Diazonium Salt Absent Absent Urobilinogen Normal Normal Diazonium Salt **Griess Test Nitrite** Absent Absent

MICROSCOPIC EXAMINATION

Leukocytes(Pus cells)/hpf 10-12 0-5/hpf Red Blood Cells / hpf Absent 0-2/hpf

Epithelial Cells / hpf 5-6

Casts Absent Absent Crystals Absent **Absent** Amorphous debris Absent Absent

Bacteria / hpf +(>20/hpf) Less than 20/hpf

Others

Result rechecked.

Kindly correlate clinically.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **







Dr.TRUPTI SHETTY M.D. (PATH) **Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 9



Name : MRS.SONAM GAURAV VERMA

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected : 13-Nov-2021 / 08:45

Reg. Location : Bhayander East (Main Centre) Reported :13-Nov-2021 / 16:39

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

<u>PARAMETER</u> <u>RESULTS</u>

ABO GROUP 0

Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







M. Jain
Dr.MILLU JAIN
M.D.(PATH)
Pathologist

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 6 of 9



Name : MRS.SONAM GAURAV VERMA

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected : 13-Nov-2021 / 08:45

Reg. Location : Bhayander East (Main Centre) Reported :13-Nov-2021 / 14:19

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Application To Scan the Code

13 Nov 2021 / 091

3-Nov-2021 / 08.43

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	143.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	65.7	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	42.4	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	100.7	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	88.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	12.7	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.1	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 7 of 9



CID :2131733897

Name : MRS.SONAM GAURAV VERMA

:33 Years / Female Age / Gender

Consulting Dr. Collected

Reg. Location : Bhayander East (Main Centre)



Use a OR Code Scanner Application To Scan the Code

:13-Nov-2021 / 08:45

Reported :13-Nov-2021 / 12:42

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.4	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.6	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	2.15	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



Name : MRS.SONAM GAURAV VERMA

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected :13-Nov-2021 / 08:45

Reg. Location : Bhayander East (Main Centre) Reported :13-Nov-2021 / 12:42



A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 9 of 9

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***