

CERTIFICATE OF MEDICAL FITNESS

NAME: Umadevi.t
AGE/GENDER: 494918/5-Romale
неіднт: <u>153с</u> т wеіднт: <u>48.3к</u> 9
IDENTIFICATION MARK: Black mole on left leg.
BLOOD PRESSURE: 110/80 coson /249
PULSE: 8H/mon
cvs: 9
RS:P $f NO$.
ANY OTHER DISEASE DIAGNOSED IN THE PAST: Dippostion T. Asuble 5000
ALLERGIES, IF ANY: N'11
LIST OF PRESCRIBED MEDICINES: Nill
ANY OTHER REMARKS: NO
of Ms Knish muich who has signed in my presence. He/ she has no physical
disease and is fit for employment. Dr. BINDURAJ. R
K. umadeni MBBS, MD Internal Medicine
Signature of candidate Signature of Medical Officer
Place: Spectonion Diagno Stees & Health care
Date: 30 /10/23
Disclaimer: The patient has not been checked for COVID. This certificate does not relate to the

covid status of the patient examined







Dr. Ashok S Bsc., MBBS., D.O.M.S Consultant Opthalmologist KMC No: 31827

DATE: 30. 10.23

EYE EXAMINATION

NAME:	me.	Vona	DUI
NAIVIE:	1,12	1010	UVI

AGE: 497

GENDER: F/M

RIGHT EYE

LEFT EYE

Vision

Vision With glass

Color Vision

Normal

Normal

Anterior segment examination

Normal

Normal

Fundus Examination

Normal

Normal

Any other abnormality

Nill

Nill

Diagnosis/ impression

Normal

Normal

B.Sc., M.B.B.S., D.O.M.S. Eye Consultant & Surgeon KMC 31827

Consultant (Opthalmologist)



SCAN FOR LOCATION



* NAME	AGE	GENDER
ys. umaden k.	4972	femile.

DENTAL EXAMINATION REPORT:

8 7	6	5	4	3	2	1	1	2	3	4	5	6	7	8
8 7	6	5	4	3	2	1	1	2	3	4	5	6	7	8

C: CAVITY

M: Missing

O: OTHERS

ADVISED:

CLEANING / SCALING / ROOTS PLANNING / FLOSSING & POLISHING / OTHERS

REMARKS:

SIGN \TURE OF THE DENTAL SURGEON


SEAL

Dr. SACHDEV NAGARKAR B.D.S., F.A.G.E., F.P.F.A. (USA)

DATE

Reg. No: 2247/A





SPECTRUM DIAGNOSTICS & HEALTH CARE


#9/1 TEJAS ARCADE, DR. RAJKUMAR ROAD, RAJAJINAGAR-560010 AUDIOGRAM

Patient ID: 0955 Name: UMADEVI K

CR Number: 20231030124729 Registration Date: 30-Oct-2023

Age: 49 Gender: Female

Operator: spectrum diagnostics



	125 Hz	250 Hz	500 Hz	750 Hz	1000 Hz	1500 Hz	2000 Hz	3000 Hz	4000 Hz	6000 Hz	8000 Hz
X - Air Left	40	40	35	45	40	40	45	50	60	65	60
O - Air Right	40	35	30	40	25	30	25	25	25	25	20
> - Bone Left											
< - Bone Right											

Clinical Notes:

Not Found	
	GHOSTICS
	BENGALURU
	(E)
nttps://www.rmsindia.com © RMS Audiometer(HERMES_v3.0.0.7) Print Date:30-Oct-2023	*



NAME : MRS.UMADEVI K	DATE :30/10/2023
AGE/SEX : 49YEARS/FEMALE	REG NO:016
REF BY : APOLLO CLINIC	

CHEST PA VIEW

Lung fields are clear.

Cardiovascular shadows are within normal limits.

Both CP angles are free.

Domes of diaphragm and bony thoracic cage are normal.

IMPRESSION: NORMAL CHEST RADIOGRAPH.

DR.RAM PRAKASH G MDRD **CONSULTANT RADIOLOGIST**

RH1-14

Your suggestion / feedback is a valuable input for improving our services







PATIENT NAME	MRS UMADEVI K	ID NO	3010230016
AGE	49YEARS	SEX	FEMALE
REF BY	DR.APOLO CLINIC	DATE	30.10.2023

2D ECHO CARDIOGRAHIC STUDY

M-MODE

AORTA	26mm	
LEFT ATRIUM	28mm	
RIGHT VENTRICLE	20mm	
LEFT VENTRICLE (DIASTOLE)	41mm	
LEFT VENTRICLE(SYSTOLE)	30mm	
VENTRICULAR SEPTUM (DIASTOLE)	11mm	
VENTRICULAR SEPTUM (SYSTOLE)	08mm	
POSTERIOR WALL (DIASTOLE)	11mm	
POSTERIOR WALL (SYSTOLE)	09mm	
FRACTIONAL SHORTENING	30%	
EJECTION FRACTION	60%	

DOPPLER /COLOUR FLOW

Mitral Valve Velocity : MVE- 0.85m/s MVA - 0.59m/s E/A-1.45

Tissue Doppler : e' (Septal) - 9cm/s E/e'(Septal) -9

Velocity/ Gradient across the Pulmonic valve :0.95 m/s 4mmHg

Max. Velocity / Gradient across the Aortic valve :1.33 m/s 7 mmHg

Velocity / Gradient across the Tricuspid valve :2.61 m/s 27mmHg







PATIENT NAME	MRS UMADEVI K	ID NO	3010230016
AGE	49YEARS	SEX	FEMALE
REF BY	DR.APOLO CLINIC	DATE	30.10.2023

2D ECHO CARDIOGRAHIC STUDY

LEFT VENTRICLE	SIZE& THICKNESS	NORMAL
CONTRACTILITY	REGIONAL GLOBAL	NO RWMA

RIGHT VENTRICLE	:	NORMAL	
LEFT ATRIUM	;	NORMAL	
RIGHT ATRIUM	:	NORMAL	
MITRAL VALVE	:	MILD	
AORTIC VALVE	:	NORMAL	
PULMONARY VALVE	:	NORMAL	
TRICUSPID VALVE	:	MILD	
INTER ATRIAL SEPTUM	:	INTACT	
INTER VENTRICULAR SEPT	UM:	INTACT	
PERICARDIUM	:	NORMAL	
OTHERS	:	- NIL	

IMPRESSION

- NO REGIONAL WALL MOTION ABNORMALITY PRESENT
- NORMAL VALVES AND DIMENSIONS
- > NORMAL LV FUNCTION, LVEF- 60%
- MILD MR / MILD TR / MILD PAH [RVSP-27mmHg]
- > NO CLOT / VEGETATION / EFFUSION
- NO ASD / VSD / PDA / CoA SEEN



The science of radiology is based upon interpretation of shadows of normal and abnormal tissue. This is neither complete nor accurate; hence, findings should always be interpreted in to the light of clinico-pathological correction.







	MRS UMADEVIK	REG: 30016
NAME AND LAB NO	The second secon	FEMALE
AGE & SEX	49 YRS	ABDOMEN & PELVIS
DATE AND AREA OF INTEREST	30.10.2023	ABDOMEN & FEEVIS
REF BY	C/O APOLO CLINIC	

USG BILATERAL BREASTS AND AXILLAE

RIGHT BREAST:

- Homogenous -fibroglandular tissue.
- Focal duct dilation in the Subareolar region 2.5- 3.0mm. No obvious intra ductal mass.
- No e/o focal solid/cystic lesions.

LEFT BREAST:

- Homogenous fibroglandular tissue.
- Prominent ducts in the Subareolar region 2-2.2 mm
- No e/o focal solid/ cystic lesions.
- No e/o focal collections.

AXILLA

Few axillary lymph nodes with benign morphology—likely reactive.

IMPRESSION:

- RIGHT BREAST: Focal duct dilation in the Subareolar region.
 - BIRADS 3.
- LEFT BREAST: Prominent ducts in the Subareolar region . BIRADS 2 .
 - -Suggested follow up

DR AKSHATHA R BHAT MDRD DNB FRCR





NAME AND LAB NO	MRS UMADEVIK	REG: 30016
AGE & SEX	49 YRS	FEMALE
DATE AND AREA OF INTEREST	30.10.2023	ABDOMEN & PELVIS
REF BY	C/O APOLO CLINIC	-

USG ABDOMEN AND PELVIS

LIVER:

Measures 14.5 cm. Normal in size with increased echotexture.

No e/o IHBR dilatation. No evidence of SOL.

Portal vein appears normal.

CBD appears normal. . No e/o calculus / SOL

GALL BLADDER:

Well distended. Wall appears normal. No e/o calculus/ neoplasm.

SPLEEN:

Measures 10.7 cm. Normal in size and echotexture. No e/o SOL/ calcification.

PANCREAS:

Normal in size and echotexture.

Pancreatic duct appears normal. No e/o calculus / calcifications.

RETROPERITONEUM:

Poor window.

RIGHT KIDNEY:

Measures 10.2 X 4.7 cm. Right kidney is normal in size & echotexture

No evidence of calculus/ hydronephrosis.

LEFT KIDNEY:

Measures 10.8 X 4.7 cm .Left kidney is normal in size & echotexture

Simple cortical cyst measuring 1.6 X 1.2 cm at the upper pole

No evidence of calculus/ hydronephrosis.

URETERS:

Bilateral ureters are not dilated.

URINARY BLADDER:

Well distended. No wall thickening/ calculi.

UTERUS:

Anteverted. Normal in size and echotexture

Endometrium is normal.ET -10 mm.

OVARIES:

B/L ovaries normal in size and echotexture.

No evidence of ascites/pleural effusion.

IMPRESSION:

Grade II fatty liver.

DR.AKSHATHA R BHAT MDRD DNB FRCR









Name Age / Gender : MRS. UMADEVI.K

Ref. By Dr.

: 49 years / Female : Dr. APOLO CLINIC

Reg. No. C/o

: 3010230016 : Apollo Clinic

UHID : 3010230016

> 3010230016

Bill Date

: 30-Oct-2023 09:06 AM

Result Date

Sample Col. Date: 30-Oct-2023 09:06 AM : 30-Oct-2023 01:46 PM

Report Status

: Final

Test Name	Result	Unit	Reference Value	Method
Calcium, Total- Serum	8.80	mg/dL	8.50-10.10	Spectrophotometry (O- Cresolphthalein complexone)
Gamma-Glutamyl Transferase (GGT)-Serum	15.00	U/L	Male: 15.0-85.0 Female: 5.0-55.0	Other g-Glut-3- carboxy-4 nitro

Comments: Gamma-glutamyltransferase (GGT) is primarily present in kidney, liver, and pancreatic cells. Small amounts are present in other tissues. Even though renal tissue has the highest level of GGT, the enzyme present in the serum appears to originate primarily from the hepatobiliary system, and GGT activity is elevated in any and all forms of liver disease. It is highest in cases of intra- or posthepatic biliary obstruction, reaching levels some 5 to 30 times normal. GGT is more sensitive than alkaline phosphatase (ALP), leucine aminopeptidase, aspartate transaminase, and alanine aminotransferase in detecting obstructive jaundice, cholangitis, and cholecystitis; its rise occurs earlier than with these other enzymes and persists longer. Only modest elevations (2-5 times normal) occur in infectious hepatitis, and in this condition, GGT determinations are less useful diagnostically than are measurements of the transaminases. High elevations of GGT are also observed in patients with either primary or secondary (metastatic) neoplasms. Elevated levels of GGT are noted not only in the sera of patients with alcoholic cirrhosis but also in the majority of sera from persons who are heavy drinkers. Studies have emphasized the value of serum GGT levels in detecting alcohol-induced liver disease. Elevated serum values are also seen in patients receiving drugs such as phenytoin and phenobarbital, and this is thought to reflect induction of new enzyme activity.

Blood Group & Rh Typing-Whole Blood EDTA

Blood Group

Rh Type

Plasma

B

Positive

Slide/Tube

agglutination

Slide/Tube

agglutination

Note: Confirm by tube or gel method.

Comments: ABO blood group system, the classification of human blood based on the inherited properties of red blood cells (erythrocytes) as determined by the presence or absence of the antigens A and B, which are carried on the surface of the red cells. Persons may thus have type A, type B, type O, or type AB blood.

Fasting Blood Sugar (FBS)-

101

mg/dL

60.0-110.0

Hexo Kinase

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengalur Presidio +91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org www.spectrumdiagnostics.org







Name

: MRS. UMADEVI.K

Age / Gender Ref. By Dr.

: 49 years / Female : Dr. APOLO CLINIC

Reg. No. C/o

: 3010230016 : Apollo Clinic

: 3010230016

3010230016

Bill Date

: 30-Oct-2023 09:06 AM

Sample Col. Date: 30-Oct-2023 09:06 AM

Result Date

: 30-Oct-2023 01:46 PM

Report Status

: Final

Test Name

Result

Unit

Reference Value

Method

Comments: Glucose, also called dextrose, one of a group of carbohydrates known as simple sugars (monosaccharides). Glucose has the molecular formula C₆H₁₂O₆. It is found in fruits and honey and is the major free sugar circulating in the blood of higher animals. It is the source of energy in cell function, and the regulation of its metabolism is of great importance (fermentation; gluconeogenesis). Molecules of starch, the major energy-reserve carbohydrate of plants, consist of thousands of linear glucose units. Another major compound composed of glucose is cellulose, which is also linear. Dextrose is the molecule D-glucose. Blood sugar, or glucose, is the main sugar found in the blood. It comes from the food you eat, and it is body's main source of energy. The blood carries glucose to all of the body's cells to use for energy. Diabetes is a disease in which your blood sugar levels are too high.Usage: Glucose determinations are useful in the detection and management of Diabetes mellitus.

Note: Additional tests available for Diabetic control are Glycated Hemoglobin (HbA1c), Fructosamine & Microalbumin urine

Comments: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying & brisk glucose absorption.

Probable causes: Early Type II Diabetes / Glucose intolerance, Drugs like Salicylates, Beta blockers, Pentamidine etc., Alcohol , Dietary - Intake of excessive carbohydrates and foods with high glycemic index? Exercise in between samples? Family history of Diabetes, Idiopathic, Partial / Total Gastrectomy.

Post prandial Blood Glucose

(PPBS)-Plasma

158

mg/dL

70-140

Hexo Kinase

Comments: Glucose, also called dextrose, one of a group of carbohydrates known as simple sugars (monosaccharides). Glucose has the molecular formula C₆H₁₂O₆. It is found in fruits and honey and is the major free sugar circulating in the blood of higher animals. It is the source of energy in cell function, and the regulation of its metabolism is of great importance (fermentation; gluconeogenesis). Molecules of starch, the major energy-reserve carbohydrate of plants, consist of thousands of linear glucose units. Another major compound composed of glucose is cellulose, which is also linear. Dextrose is the molecule D-glucose. Blood sugar, or glucose, is the main sugar found in the blood. It comes from the food you eat, and it is body's main source of energy. The blood carries glucose to all of the body's cells to use for energy. Diabetes is a disease in which your blood sugar levels are too high. Usage: Glucose determinations are useful in the detection and management of Diabetes mellitus.

Note: Additional tests available for Diabetic control are Glycated Hemoglobin (HbA1c), Fructosamine & Microalbumin urine

Comments: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying & brisk glucose absorption.

Probable causes: Early Type II Diabetes / Glucose intolerance, Drugs like Salicylates, Beta blockers, Pentamidine etc., Alcohol , Dietary - Intake of excessive carbohydrates and foods with high glycemic index? Exercise in between samples? Family history of Diabetes, Idiopathic, Partial / Total Gastrectomy.



Printed By


: spectrum

Printed On

: 30 Oct, 2023 04:49 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengalur 🚾 📆 info@spectrumdiagnostics.org +91 77604 97644 | 080 2337 1555









: MRS. UMADEVI.K Name

: 49 years / Female

: Dr. APOLO CLINIC

: 3010230016 Reg. No. C/o

Age / Gender

Ref. By Dr.

: Apollo Clinic

Bill Date

: 30-Oct-2023 09:06 AM

Sample Col. Date: 30-Oct-2023 09:06 AM

Result Date

: 30-Oct-2023 01:40 PM

Report Status

: Final

Test Name	Result	Unit	Reference Value	Method
Thyroid function tests (TFT) Serum)-			
Tri-Iodo Thyronine (T3)-Ser	rum 0.74	ng/mL	Female: 0.60 - 1.81	Chemiluminescence Immunoassay (CLIA)
Thyroxine (T4)-Serum	5.7	μg/dL	Female: 5.50 - 12.10	Chemiluminescence Immunoassay (CLIA)
Thyroid Stimulating Hormo (TSH)-Serum	ne 4.82	μIU/mL	Female: 0.35 - 5.50	Chemiluminescence Immunoassay (CLIA)

: 3010230016

3010230016

UHID

Comments: Triiodothyronine (T3) assay is a useful test for hyperthyroidism in patients with low TSH and normal T4 levels. It is also used for the diagnosis of T3 toxicosis. It is not a reliable marker for Hypothyroidism. This test is not recommended for general screening of the population without a clinical suspicion of hyperthyroidism.

Reference range: Cord: (37 Weeks): 0.5-1.41, Children:1-3 Days: 1.0-7.40,1-11 Months: 1.05-2.45,1-5 Years: 1.05-2.69,6-10 Years: 0.94-2.41,11-15

Years: 0.82-2.13, Adolescents (16-20 Years): 0.80-2.10

Reference range: Adults: 20-50 Years: 0.70-2.04, 50-90 Years: 0.40-1.81,

Reference range in Pregnancy: First Trimester: 0.81-1.90, Second Trimester: 1.0-2.60

Increased Levels: Pregnancy, Graves disease, T3 thyrotoxicosis, TSH dependent Hyperthyroidism, increased Thyroid-binding globulin (TBG). Decreased Levels: Nonthyroidal illness, hypothyroidism, nutritional deficiency, systemic illness, decreased Thyroid-binding globulin (TBG).

Comments: Total T4 levels offer a good index of thyroid function when TBG is normal and non-thyroidal illness is not present. This assay is useful for monitoring treatment with synthetic hormones (synthetic T3 will cause low total T4). It also helps to monitor treatment of Hyperthyroidism with Thiouracil or other anti-thyroid drugs.

Reference Range: Males: 4.6-10.5, Females: 5.5-11.0, 60 Years: 5.0-10.70, Cord: 7.40-13.10, Children: 1-3 Days: 11.80-22.60, 1-2 Weeks: 9.90-16.60.1-4 Months: 7.20-14.40.1-5 Years: 7.30-15.0.5-10 Years: 6.4-13.3

1-15 Years: 5.60-11.70, Newborn Screen: 1-5 Days: >7.5,6 Days :>6.5

Increased Levels: Hyperthyroidism, increased TBG, familial dysalbuminemic hyperthyroxinemia, Increased transthyretin, estrogen therapy, pregnancy. Decreased Levels: Primary hypothyroidism, pituitary TSH deficiency, hypothalamic TRH deficiency, non thyroidal illness, decreased TBG.

Comments: TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH is a labile hormone & is secreted in a pulsatile manner throughout the day and is subject to several non-thyroidal pituitary influences. Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, caloric intake, medication & circulating antibodies. It is important to confirm any TSH abnormality in a fresh specimen drawn after ~ 3 weeks before assigning a diagnosis, as the cause of an isolated TSH abnormality.

Reference range in Pregnancy: I- trimester:0.1-2.5; II -trimester:0.2-3.0; III- trimester:0.3-3.0

Reference range in Newborns: 0-4 days: 1.0-39.0; 2-20 Weeks:1.7-9.1

Increased Levels: Primary hypothyroidism, Subclinical hypothyroidism, TSH dependent Hyperthyroidism and Thyroid hormone resistance.

els: Graves disease, Autonomous thyroid hormone secretion, TSH defic

Printed By

: spectrum

Printed On

: 30 Oct, 2023 04:49 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengalur (1995) 100 (1906) 🌑 +91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org www.spectrumdiagnostics.org







: MRS. UMADEVI.K Name

Age / Gender : 49 years / Female

Ref. By Dr.

: Dr. APOLO CLINIC

Reg. No. C/o

: 3010230016 : Apollo Clinic Bill Date

: 3010230016

3010230016

UHID

: 30-Oct-2023 09:06 AM

Sample Col. Date: 30-Oct-2023 09:06 AM

Result Date

: 30-Oct-2023 01:40 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
LFT-Liver Function Test -Serun	1			
Bilirubin Total-Serum	0.46	mg/dL	0.2-1.0	Caffeine Benzoate
Bilirubin Direct-Serum	0.07	mg/dL	0.0-0.2	Diazotised Sulphanilic Acid
Bilirubin Indirect-Serum	0.39	mg/dL	0.0-1.10	Direct Measure
Aspartate Aminotransferase (AST/SGOT)-Serum	18.00	U/L	15.0-37.0	UV with Pyridoxal - 5 - Phosphate
Alanine Aminotransferase (ALT/SGPT)-Serum	12.00	U/L	Male:16.0-63.0 Female:14.0-59.0	UV with Pyridoxal - 5 - Phosphate
Alkaline Phosphatase (ALP)- Serum	86.00	U/L	Adult: 45.0-117.0 Children: 48.0-445.0 Infants: 81.90-350.30	PNPP,AMP- Buffer
Protein, Total-Serum	7.02	g/dL	6.40-8.20	Biuret/Endpoint- With Blank
Albumin-Serum	4.23	g/dL	3.40-5.00	Bromocresol Purple
Globulin-Serum	2.79	g/dL	2.0-3.50	Calculated
Albumin/Globulin Ratio-Serum	1.52	Ratio	0.80-1.20	Calculated





Printed By

: spectrum

Printed On : 30 Oct, 2023 04:49 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist











Age / Gender : 49 years / Female

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 3010230016

C/o : Apollo Clinic Bill Date : 30-Oct-2023 09:06 AM

Sample Col. Date: 30-Oct-2023 09:06 AM

Result Date : 30-Oct-2023 01:40 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Complete Haemogram-Whole B	lood EDTA			
Haemoglobin (HB)	11.10	g/dL	Male: 14.0-17.0 Female: 12.0-15.0 Newborn: 16.50 - 19.50	Spectrophotmeter
Red Blood Cell (RBC)	4.30	million/cum	nm3.50 - 5.50	Volumetric Impedance
Packed Cell Volume (PCV)	33.30	%	Male: 42.0-51.0 Female: 36.0-45.0	Electronic Pulse
Mean corpuscular volume (MCV)	77.30	fL	78.0- 94.0	Calculated
Mean corpuscular hemoglobin (MCH)	25.80	pg	27.50-32.20	Calculated
Mean corpuscular hemoglobin concentration (MCHC)	33.30	%	33.00-35.50	Calculated
Red Blood Cell Distribution Width SD (RDW-SD)	38.60	fL	40.0-55.0	Volumetric Impedance
Red Blood Cell Distribution CV (RDW-CV)	15.60	%	Male: 11.80-14.50 Female:12.20-16.10	Volumetric Impedance
Mean Platelet Volume (MPV)	7.90	fL	8.0-15.0	Volumetric Impedance
Platelet	2.60	lakh/cumm	1.50-4.50	Volumetric Impedance
Platelet Distribution Width (PDW)	8.40	%	8.30 - 56.60	Volumetric Impedance
White Blood cell Count (WBC)	4860.00	cells/cumm	Male: 4000.0-11000.0 Female 4000.0-11000.0 Children: 6000.0-17500.0 Infants: 9000.0-30000.0	Volumetric Impedance
Neutrophils	65.80	%	40.0-75.0	Light scattering/Manual
Lymphocytes	27.60	%	20.0-40.0	Light scattering/Manual
Eosinophils	2.40	%	0.0-8.0	Light scattering/Manual


UHID

: 3010230016

3010230016











Age / Gender : 49 years / Female

Ref. By Dr. Reg. No.

C/o

: Dr. APOLO CLINIC

: 3010230016 : Apollo Clinic **Bill Date**

: 30-Oct-2023 09:06 AM

Sample Col. Date: 30-Oct-2023 09:06 AM

Result Date

: 30-Oct-2023 01:40 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Monocytes	4.20	%	0.0-10.0	Light scattering/Manual
Basophils	0.00	%	0.0-1.0	Light scattering/Manual
Absolute Neutrophil Count	3.19	10^3/uL	2.0- 7.0	Calculated
Absolute Lymphocyte Count	1.34	10^3/uL	1.0-3.0	Calculated
Absolute Monocyte Count	0.21	10^3/uL	0.20-1.00	Calculated
Absolute Eosinophil Count	120.00	cells/cumm	40-440	Calculated
Absolute Basophil Count	0.00	10^3/uL	0.0-0.10	Calculated
Erythrocyte Sedimentation Rate (ESR)	95	mm/hr	Female : 0.0-20.0 Male : 0.0-10.0	Westergren

: 3010230016

3010230016

UHID

Peripheral Smear Examination-Whole Blood EDTA

Method: (Microscopy-Manual)

RBC'S

: Are microcytic hypochromic. Poikilocytes and normocytes are occasionally seen.

WBC'S : Are normal in total number, morphology and distribution.

: Adequate in number and normal in morphology. **Platelets**

No abnormal cells or hemoparasites are present.

Mild degree of Microcytic Hypochromic Anaemia. Impression:



Printed By

: spectrum

Printed On

: 30 Oct, 2023 04:49 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist









: 49 years / Female

: Dr. APOLO CLINIC Ref. By Dr.

Reg. No. : 3010230016

Age / Gender

C/o : Apollo Clinic **Bill Date**

: 30-Oct-2023 09:06 AM

Sample Col. Date: 30-Oct-2023 09:06 AM **Result Date**

: 30-Oct-2023 01:46 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Glycosylated Haemoglobin (HbA1c)-Whole Blood EDTA				
Glycosylated Haemoglobin (HbA1c)	6.30	%	Non diabetic adults:<5.7 At risk (Prediabetes): 5.7 - 6.4 Diagnosing Diabetes:>= 6.5 Diabetes Excellent Control: 6-7 Fair to good Control: 7-8 Unsatisfactory Control:8-10 Poor Control:>10	HPLC
Estimated Average Glucose(eAG)	134.11	mg/dL		Calculated

: 3010230016

3010230016

Note: 1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled.

2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate.

Comments: HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.



Printed By : spectrum

Printed On : 30 Oct, 2023 04:49 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

www.spectrumdiagnostics.org







Age / Gender : 49 years / Female

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 3010230016 C/o : Apollo Clinic **Bill Date**

: 30-Oct-2023 09:06 AM

Sample Col. Date: 30-Oct-2023 09:06 AM **Result Date**

: 30-Oct-2023 03:38 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
KFT (Kidney Function Test)				
Blood Urea Nitrogen (BUN)- Serum	8.00	mg/dL	7.0-18.0	GLDH,Kinetic Assay
Creatinine-Serum	0.63	mg/dL	Male: 0.70-1.30 Female: 0.55-1.02	Modified kinetic Jaffe
Uric Acid-Serum	4.06	mg/dL	Male: 3.50-7.20 Female: 2.60-6.00	Uricase PAP
Sodium (Na+)-Serum	140.2	mmol/L	135.0-145.0	Ion-Selective Electrodes (ISE)
Potassium (K+)-Serum	4.13	mmol/L	3.5 to 5.5	Ion-Selective Electrodes (ISE)
Chloride(Cl-)-Serum	105.40	mmol/L	94.0-110.0	Ion-Selective Electrodes (ISE)

: 3010230016

3010230016



Printed By

: spectrum

Printed On

: 30 Oct, 2023 04:49 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist



Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengalume 1600010 @ www.spectrumdiagnostics.org





Age / Gender : 49 years / Female

Ref. By Dr.

: Dr. APOLO CLINIC

Reg. No. C/o

: 3010230016 : Apollo Clinic

UHID : 3010230016

3010230016

Bill Date : 30-Oct-2023 09:06 AM

Sample Col. Date: 30-Oct-2023 09:06 AM

Result Date : 30-Oct-2023 04:44 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Lipid Profile-Serum				
Cholesterol Total-Serum	231.00	mg/dL	Female: 0.0 - 200	Cholesterol Oxidase/Peroxidase
Triglycerides-Serum	112.00	mg/dL	Female: 0.0 - 150	Lipase/Glycerol Dehydrogenase
High-density lipoprotein (HDL) Cholesterol-Serum	58.00	mg/dL	Female: 40.0 - 60.0	Accelerator/Selective Detergent
Non-HDL cholesterol-Serum	173	mg/dL	Female: 0.0 - 130	Calculated
Low-density lipoprotein (LDL) Cholesterol-Serum	159.00	mg/dL	Female: 0.0 - 100.0	Cholesterol esterase and cholesterol oxidase
Very-low-density lipoprotein (VLDL) cholesterol-Serum	22	mg/dL	Female: 0.0 - 40	Calculated
Cholesterol/HDL Ratio-Serum	3.98	Ratio	Female: 0.0 - 5.0	Calculated

Interpretation:

Parameter	Desirable	Borderline High	High	Very High
Total Cholesterol	<200	200-239	>240	1
Triglycerides	<150	150-199	200-499	>500
Non-HDL cholesterol	<130	160-189	190-219	>220
Low-density lipoprotein (LDL) Cholesterol	<100	100-129	160-189	>190

Comments: As per Lipid Association of India (LAI), for routine screening, overnight fasting preferred but not mandatory. Indians are at very high risk of developing Atherosclerotic Cardiovascular (ASCVD). Among the various risk factors for ASCVD such as dyslipidemia, Diabetes Mellitus, sedentary lifestyle, Hypertension, smoking etc., dyslipidemia has the highest population attributable risk for MI both because of direct association with disease pathogenesis and very high prevalence in Indian population. Hence monitoring lipid profile regularly for effective management of dyslipidemia remains one of the most important healthcare targets for prevention of ASCVD. In addition, estimation of ASCVD risk is an essential, initial step in the management of individuals requiring primary prevention of ASCVD. In the context of lipid management, such a risk estimate forms the basis for several key therapeutic decisions, such as the need for and aggressiveness of statin therapy.




Printed By

: spectrum

Printed On : 30 Oct, 2023 04:49 pm

Dr. Nithun Reddy C, MD, Consultant Pathologist

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengalu^{pge} 560010 91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org





Other Branch: #466/A, Ideal Homes Township, 80 Feet Road, Kenchanahalli, Rajarajeshwari Nagar, Bengaluru-560098 📵 +91 6361 253 097 | 080-2991 6944 | 080-49511985





Age / Gender : 49 years / Female

Ref. By Dr. Reg. No. : 3010230016

C/o : Apollo Clinic

UHID : 3010230016 : Dr. APOLO CLINIC

3010230016

Bill Date : 30-Oct-2023 09:06 AM

Sample Col. Date: 30-Oct-2023 09:06 AM

Result Date

: 30-Oct-2023 01:46 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Fasting Urine Glucose-Urine	Negative		Negative	Dipstick/Benedicts (Manual)



Printed By

: spectrum

Printed On : 30 Oct, 2023 04:49 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengalur Page 168610 🌑 +91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org www.spectrumdiagnostics.org







Age / Gender : 49 years / Female

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 3010230016 C/o : Apollo Clinic Bill Date : 30-Oct-2023 09:06 AM

Sample Col. Date: 30-Oct-2023 09:06 AM

Result Date : 30-Oct-2023 02:19 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Post Prandial Urine Sugar	Negative		Negative	Dipstick/Benedicts(Manual
Urine Routine Examination-U	rine			
Physical Examination				
Colour	Pale Yellow		Pale Yellow	Visual
Appearance	Clear		Clear	Visual
Reaction (pH)	5.5		5.0-7.5	Dipstick
Specific Gravity	1.015		1.000-1.030	Dipstick
Biochemical Examination				
Albumin	Negative		Negative	Dipstick/Precipitation
Glucose	Negative		Negative	Dipstick/Benedicts
Bilirubin	Negative		Negative	Dipstick/Fouchets
Ketone Bodies	Negative		Negative	Dipstick/Rotheras
Urobilinogen	Normal		Normal	Dipstick/Ehrlichs
Nitrite	Negative		Negative	Dipstick
Microscopic Examination	<u> </u>			•
Pus Cells	2-3	hpf	0.0-5.0	Microscopy
Epithelial Cells	2-3	hpf	0.0-10.0	Microscopy
RBCs	Absent	hpf	Absent	Microscopy
Casts	Absent	4201 2 4244	Absent	Microscopy
Crystals	Absent		Absent	Microscopy
Others	Absent		Absent	Microscopy

: 3010230016

3010230016

UHID

Comments: The kidneys help infiltration of the blood by eliminating waste out of the body through urine. They also regulate water in the body by conserving electrolytes, proteins, and other compounds. But due to some conditions and abnormalities in kidney function, the urine may encompass some abnormal constituents, which are not normally present. A complete urine examination helps in detecting such abnormal constituents in urine. Several disorders can be detected by identifying and measuring the levels of such substances. Blood cells, bilirubin, bacteria, pus cells, epithelial cells may be present in urine due to kidney disease or infection. Routine urine examination helps to diagnose kidney diseases, urinary tract infections, diabetes and other metabolic disorders.



Printed By

: spectrum

Printed On

: 30 Oct, 2023 04:49 pm

Millim.

Dr. Nithun Reddy C,MD,Consultant Pathologist



