


E. C. No. 124428





Signature of Hoider

आयकर विभाग INCOME TAX DEPARTMENT ANUGRAHA RAJAGOPAL

RAJAGOPAL

28/11/1993

Permanent Account Number

BCRPA8952R



भारत सरकार GOVT. OF INDIA



Dr. Manasee Kulkarni M.B.B.S 2005/09/3439



R

E

P

0

	PHYSICAL EXAMINATION REPORT
	Rajgopal
Patient Name	Arrighana. Sex/Age F. 28.
Date	Location Thane.
History and C	omplaints
	(1)
	The property of the second of
	- Carallana - Cara
EXAMINATIO	ON FINDINGS:
Height (cms):	
Weight (kg):	160 . Skin:
Blood Pressure	30 80 Nails:
Pulse	Lymph Node:
Tuisc	- / At (which is a second of the second of
Systems:	Rearry and the state of the sta
Cardiovascular:	
Respiratory:	The state of the s
Genitourinary:	NAD.
GI System:	
CNS:	
Impression:	JHb(11.9), BSL(+)-(mild)- Tupaviree
	- V HDL
t tire broke	- I HOL Fatty Liver:



Advice:		1 Syggs Dret.
10.100.	- Low Fet	LOVU / July
	- Reg. Exe	Low Sugar Dret. serise. 3/000 sugar Profile 6 Months.
	- Repeat	Slood Jugar Pourie
	after	(e) W, NI
1)	Hypertension:	
2)	IHD	
3)	Arrhythmia	
4)	Diabetes Mellitus	
5)	Tuberculosis	
6)	Asthama	
7)	Pulmonary Disease	
8)	Thyroid/ Endocrine disorders	
9)	Nervous disorders	
10)	GI system	
11)	Genital urinary disorder	
12)	Rheumatic joint diseases or symptoms	
13)	Blood disease or disorder	
14)	Cancer/lump growth/cyst	
15)	Congenital disease	Nil.
16)	Surgeries	
17)	Musculoskeletal System	
250	SONAL HISTORY:	
PER		11. 12
1)	Alcohol	(NO).
2)	Smoking Diet \	Mix. Veg.
3)		
4)	Medication Dr. Manasee Kulka	rni (NO)

R

E



Name : Mrs ANUGHRAHA RAJGOPAL

Age / Sex : 28 Years/Female

Ref. Dr

Reg. Location : G B Road, Thane West Main Centre

Reg. Date

Reported

Use a QR Code Scanner Application To Scan the Code R

Е

O

: 17-Nov-2022

Authenticity Check

: 17-Nov-2022 / 9:44

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

This report is prepared and physically checked by DR. FAIZUR KHILJI before dispatch.

KLIGH FRA

Dr.FAIZUR KHILJI MBBS,RADIO DIAGNOSIS Reg No-74850 Consultant Radiologist

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2022111709041009

Page no 1 of 1



Date: 17/11/22

CID:

Name: Physicha Rayagopal

Sex/Age: F18

EYE CHECK UP

Chief complaints:

Systemic Diseases: XXXX

Past history:

Unaided Vision:

32 EB X/VBZ 01:6

Aided Vision:

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Near								

Remark: Good VIII

MR. PRAKASH KUDVA
SR. OPTOMETRIST



: 2232113547 : MRS. ANUGRAHA RAJAGOPAL Name

: 28 Years / Female Age / Gender

Consulting Dr.

: G B Road, Thane West (Main Centre) Reg. Location

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 17-Nov-2022 / 09:05 :17-Nov-2022 / 11:47

R

E

P

0

R

T

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

		e Blood Count), Blood	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	11.9	12.0-15.0 g/dL	Spectrophotometric
RBC	3.94	3.8-4.8 mil/cmm	Elect. Impedance
PCV	36.1	36-46 %	Measured
MCV	92	80-100 fl	Calculated
MCH	30.2	27-32 pg	Calculated
MCHC	32.9	31.5-34.5 g/dL	Calculated
RDW	14.6	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	7800	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		
Lymphocytes	34.9	20-40 %	
Absolute Lymphocytes	2722.2	1000-3000 /cmm	Calculated
Monocytes	5.7	2-10 %	
Absolute Monocytes	444.6	200-1000 /cmm	Calculated
Neutrophils	57.5	40-80 %	
Absolute Neutrophils	4485.0	2000-7000 /cmm	Calculated
Eosinophils	1.9	1-6 %	
Absolute Eosinophils	148.2	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes			
WBC Differential Count by Abs	orbance & Impedance metho	od/Microscopy.	
PLATELET PARAMETERS	aff-con Dinner		
Platelet Count	360000	150000-400000 /cmm	Elect. Impedance
MPV	8.6	6-11 fl	Calculated
PDW	14.0	11-18 %	Calculated

Page 1 of 11



: 2232113547

Name

: MRS.ANUGRAHA RAJAGOPAL

Age / Gender

: 28 Years / Female

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Collected

Reported

: 17-Nov-2022 / 09:05 :17-Nov-2022 / 10:33

R

E

P

0

R

T

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

RBC MORPHOLOGY

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

Normocytic, Normochromic

WBC MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

PLATELET MORPHOLOGY

ESR, EDTA WB

24

2-20 mm at 1 hr.

Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

IIac-MRA







Dr.AMIT TAORI M.D (Path) **Pathologist**

Page 2 of 11



: 2232113547

Name

: MRS.ANUGRAHA RAJAGOPAL

Age / Gender

: 28 Years / Female

Consulting Dr. Reg. Location

:

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 17-Nov-2022 / 09:05 : 17-Nov-2022 / 11:47 R

E

P

0

R

T

AERFOCAMI	HEALTHCARE	BELOW 40	MALE	/FEMALE
PRODUCTION OF THE OWNER, THE PARTY OF THE PA				

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	100.6	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	132.6	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.26	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.14	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.12	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.4	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1 - 2	Calculated
SGOT (AST), Serum	13.8	5-32 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	12.0	5-33 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	10.1	3-40 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	60.7	35-105 U/L	PNPP
BLOOD UREA, Serum	12.4	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	5.8	6-20 mg/dl	Calculated

Page 3 of 11



Name : MRS.ANUGRAHA RAJAGOPAL

: 2232113547

Age / Gender : 28

: 28 Years / Female

Consulting Dr.

CID

: -

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected : 17-No

: 17-Nov-2022 / 12:05

R

E

P

0

R

T

Reported

:17-Nov-2022 / 15:28

CREATININE, Serum eGFR, Serum

0.64

0.51-0.95 mg/dl >60 ml/min/1.73sqm Enzymatic Calculated

URIC ACID, Serum

4.9

2.4-5.7 mg/dl

Uricase

Urine Sugar (Fasting)
Urine Ketones (Fasting)

Absent Absent Absent Absent

Urine Sugar (PP)
Urine Ketones (PP)

Absent Absent Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West







Dr.AMIT TAORI M.D (Path) Pathologist

Page 4 of 11



: 2232113547

Name

: MRS. ANUGRAHA RAJAGOPAL

Age / Gender

: 28 Years / Female

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 17-Nov-2022 / 09:05 :17-Nov-2022 / 13:48

R

E P

O

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE

METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

5.5

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % **HPLC**

Diabetic Level: >/= 6.5 %

Estimated Average Glucose (eAG), EDTA WB - CC

111.2

mg/dl

Calculated

Intended use:

In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.

HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.

To monitor compliance and long term blood glucose level control in patients with diabetes.

Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***



Donit Toom Dr.AMIT TAORI

M.D (Path) **Pathologist**

Page 5 of 11



: 2232113547 CID

: MRS.ANUGRAHA RAJAGOPAL Name

: 28 Years / Female Age / Gender

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 17-Nov-2022 / 09:05 :17-Nov-2022 / 15:30 R

E

P

0

R

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **EXAMINATION OF FAECES**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE

PHYSICAL EXAMINATION

Brown Brown Colour Semi Solid Semi Solid Form and Consistency Mucus Absent Absent Absent Blood Absent

CHEMICAL EXAMINATION

Reaction (pH) Acidic (6.5)

Absent Absent Occult Blood

MICROSCOPIC EXAMINATION

Absent Absent Protozoa Absent Absent Flagellates Absent Ciliates Absent Absent Parasites Absent Absent Absent Macrophages Absent Mucus Strands Absent Fat Globules Absent Absent Absent RBC/hpf Absent WBC/hpf Absent Absent Absent Absent Yeast Cells **Undigested Particles** Present + Concentration Method (for ova) No ova detected Absent Absent Reducing Substances

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) **Pathologist**

Page 6 of 11



: 2232113547

Name

: MRS.ANUGRAHA RAJAGOPAL

Age / Gender

: 28 Years / Female

Consulting Dr.

:

Reg. Location

: G B Road, Thane West (Main Centre)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 17-Nov-2022 / 09:05

R

E

P

0

R

T

:17-Nov-2022 / 11:47

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	
Reaction (pH)	Acidic (5.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.010-1.030	Chemical Indicator
Transparency	Clear	Clear	
Volume (ml)	50		•
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	ON.		
Leukocytes(Pus cells)/hpf	2-3	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	4-5		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	

*** End Of Report ***







Dr.AMIT TAORI M.D (Path) Pathologist

Page 7 of 11



: 2232113547

Name

: MRS.ANUGRAHA RAJAGOPAL

Age / Gender

: 28 Years / Female

Consulting Dr.

: .

Reg. Location

: G B Road, Thane West (Main Centre)

Reported

: 17-Nov-2022 / 09:05 : 17-Nov-2022 / 12:31

Use a QR Code Scanner
Application To Scan the Code
Collected : 17-Nov-2022 /

Authenticity Check

E

P

0

т

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER

RESULTS

ABO GROUP

0

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Note: This Sample has also been tested for Bombay group/Bombay phenotype /Oh using anti-H lectin

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4
 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype
 that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 8 of 11



Name : MRS.ANUGRAHA RAJAGOPAL

Age / Gender :

: 28 Years / Female

Consulting Dr.

: -

Reg. Location :

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 17-Nov-2022 / 09:05 : 17-Nov-2022 / 12:23 R

E

P

0

R

T

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	115.2	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	37.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	37.4	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	77.8	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	71.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	6.8	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.9	0-3.5 Ratio	Calculated

Result rechecked.

Kindly correlate clinically.

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 9 of 11



: 2232113547

Name

: MRS.ANUGRAHA RAJAGOPAL

Age / Gender

: 28 Years / Female

Consulting Dr.

:

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected

: 17-Nov-2022 / 09:05

R

E

0

R

T

Reported

:17-Nov-2022 / 11:27

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	4.8	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.1	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	1.79	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



Name : MRS.ANUGRAHA RAJAGOPAL

Age / Gender : 28 Years / Female

Consulting Dr. : -

Reg. Location : G B Road, Thane West (Main Centre)

Use a QR Code Scanner
Application To Scan the Code
Collected : 17-Nov-2022 /

Reported

:17-Nov-2022 / 09:05

Authenticity Check

E

O

R

т

:17-Nov-2022 / 11:27

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

FT4/T4	FT3/T3	Interpretation
Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti- epileptics.
	Low High Normal	Low Low High High Normal Normal Low Low

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.


Reference

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)
- *Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
 *** End Of Report ***









M.D (Path)
Pathologist


Page 11 of 11

SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

SUBURBAN PRECISE TESTING . HEALTHIER LIVING

> Patient ID: Patient Name: ANUGHRAHA RAJGOPAL 2232113547

> > Date and Time: 17th Nov 22 9:37 AM



60 kg 162 cm

120/80 mmHg

months

2 days

NA

NA

Disclainer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

ECG Within Normal Limits: Sinus Rhythm, Normal Axis, with Sinus Arrhythmia. Please correlate clinically.


REPORTED BY


407ms 372ms 76ms


47° 48° 26° 164ms


DR SHAILAJA PILLAJ MBBS, MD Physican MD Physican 49972


	Doctor: DR SHAILAJA PILLAI	: DR SHAI	Doctor								
K.NO. 49972	8	<i>S</i>									
M.D. (GEN.MED)											
Dr. SHAILAJA PILLA	Dr. S										
							red, I angue,	Call Nation Notice No. 1. august		ō	Lind Maga
							Estigue	# Rate Achei	L D	0	Test End Resenne
						ress	to induced st	: 8.2 Fair response to induced stress	: 8.2	Attained	Max WorkLoad Attained
								/80	: 150/80	2	Max BP Attained
							Target 192	: 163 bpm 85% of Target 192	: 163	2	Max HR Attained
								ž	: 07:02		Exercise Time
											FINDINGS:
	00	127	120/80	55 %	106	01.0	00.0	00.0	4:14	11:40	Recovery
	00	115	120/80	50 %	096	01.0	00.0	00.0	4:00	11:27	Recovery
	00	176	150/80	61 %	118	01.0	00.0	00.0	2:00	09:27	Recovery
	00	172	150/80	60 %	115	01.1	00.0	00.0	1:00	08:27	Recovery
	8	244	150/80	85 %	163	08.2	14.0	03.4	1:02	07:27	PeakEx
	00	207	140/80	77 %	148	07.1	12.0	02.5	3:00	06:25	BRUCE Stage 2
	90	167	130/80	67 %	129	04.7	10.0	01.7	3:00	03:25	BRUCE Stage 1
	00	098	120/80	43 %	082	01.1	10.0	01.7	0:03	00:25	ExStart
	00	090	120/80	39 %	075	01.0	00.0	00.0	0:04	00:22	
	00	090	120/80	39 %	075	01.0	00.0	00.0	0:05	00:18	Standing
	00	097	120/80	42 %	081	01.0	00.0	00.0	0:13	00:13	Supine
Comments	PVC	RPP	BP	% THR	Rate	METS	n) Elevation	Speed(mph)	Duration	Time	Stage
				022	e: 17-Nov-2	60 Kg Date	: / 160 Cms /	L /28 Yrs / F	RAJAGOPA	ANUGRAHA	1187 (2232113547) / ANUGRAHA RAJAGOPAL / 28 Yrs / F / 160 Cms / 60 Kg Date: 17-Nov-2022
ACHPL											THANE GB
Wat and 200 and											i i































Name : Mrs ANUGHRAHA RAJGOPAL

Age / Sex : 28 Years/Female

Ref. Dr

Reg. Location : G B Road, Thane West Main Centre

Reg. Date

Reported

Authenticity Check



Use a QR Code Scanner Application To Scan the Code R

E

P

R

: 17-Nov-2022

: 17-Nov-2022 / 16:08

USG WHOLE ABDOMEN

<u>LIVER:</u>Liver appears enlarged in size (16.0 cm) and shows increased echoreflectivity. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

<u>GALL BLADDER:</u> Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

<u>PANCREAS</u>: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

<u>KIDNEYS</u>: Right kidney measures $10.0 \times 3.8 \text{ cm}$. Left kidney measures $10.6 \times 4.6 \text{ cm}$. Both kidneys are normal in size, shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

<u>UTERUS:</u> Uterus is anteverted and measures $7.4 \times 3.8 \times 4.0$ cm. Uterine myometrium shows homogenous echotexture. Endometrial echo is in midline and measures 10.2 mm. Cervix appears normal.

OVARIES: Both ovaries are normal. Bilateral adnexa are clear.

No free fluid or significant lymphadenopathy is seen.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2022111709041004



: 2232113547

Name

: Mrs ANUGHRAHA RAJGOPAL

Age / Sex

: 28 Years/Female

Ref. Dr

Reg. Location

: G B Road, Thane West Main Centre

Reg. Date

Reported

Application To Scan the Code: 17-Nov-2022

Authenticity Check

: 17-Nov-2022 / 16:08

Use a QR Code Scanner

R

E

0

R

IMPRESSION:

HEPATOMEGALY WITH GRADE I FATTY INFILTRATION OF LIVER.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

-----End of Report----

This report is prepared and physically checked by DR GAURAV FARTADE before dispatch.

G. R. F. Le.
Dr. GAURAV FARTADE
MBBS, DMRE

Reg No -2014/04/1786 Consultant Radiologist

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2022111709041004