





CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Opposite St Raphael's Higher Secondary School, Old Seshore Road,
Residency Area
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

PATIENT NAME : KRATI OMAR PATIENT ID : KRATF271285290				
ACCESSION NO :	0290WB00230	AGE : 37 Years SEX : Female	ABHA NO :	
DRAWN :		RECEIVED : 11/02/2023 11:55	REPORTED : 13/02/2023 16:54	
REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)			CLIENT PATIENT ID : 104006	

Test Report Status	Final	Results	Biological Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

BLOOD COUNTS, EDTA WHOLE BLOOD				
HEMOGLOBIN (HB)	13.7		12.0 - 15.0	g/dL
METHOD : SPECTROPHOTOMETRY				
RED BLOOD CELL (RBC) COUNT	4.21		3.8 - 4.8	mil/µL
METHOD : ELECTRICAL IMPEDANCE				
WHITE BLOOD CELL (WBC) COUNT	4.50		4.0 - 10.0	thou/µL
METHOD : ELECTRICAL IMPEDANCE				
PLATELET COUNT	227		150 - 410	thou/µL
METHOD : ELECTRICAL IMPEDANCE				
RBC AND PLATELET INDICES				
HEMATOCRIT (PCV)	39.9		36 - 46	%
METHOD : CALCULATED				
MEAN CORPUSCULAR VOLUME (MCV)	95.0		83 - 101	fL
METHOD : CALCULATED				
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	32.5	High	27.0 - 32.0	pg
METHOD : CALCULATED				
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD : CALCULATED	34.3		31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW)	11.9		11.6 - 14.0	%
METHOD : CALCULATED				
MENTZER INDEX	22.6			
MEAN PLATELET VOLUME (MPV)	9.0		6.8 - 10.9	fL
METHOD : CALCULATED				
WBC DIFFERENTIAL COUNT				
NEUTROPHILS	57		40 - 80	%
METHOD : IMPEDANCE / MICROSCOPY				
LYMPHOCYTES	35		20 - 40	%
METHOD : IMPEDANCE / MICROSCOPY				
MONOCYTES	05		2 - 10	%
METHOD : IMPEDANCE / MICROSCOPY				
EOSINOPHILS	03		1 - 6	%
METHOD : IMPEDANCE / MICROSCOPY				
BASOPHILS	00		0 - 2	%
METHOD : IMPEDANCE / MICROSCOPY				
ABSOLUTE NEUTROPHIL COUNT	2.56		2.0 - 7.0	thou/µL











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) SRL LTD Opposite St Raphael's Higher Secondary School, Old Seshore Road, F-703, LADO SARAI, MEHRAULI Residency Area SOUTH WEST DELHI INDORE, 452001 NEW DELHI 110030 Madhya Pradesh, India DELHI INDIA Tel: 0731 2490008 8800465156 **PATIENT NAME: KRATI OMAR** PATIENT ID: KRATF271285290 SEX : Female 0290WB00230 AGE: 37 Years ACCESSION NO : ABHA NO : RECEIVED : 11/02/2023 11:55 DRAWN : REPORTED : 13/02/2023 16:54 REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID : 104006 **Test Report Status** Results Biological Reference Interval Units <u>Final</u> METHOD : CALCULATED ABSOLUTE LYMPHOCYTE COUNT 1.58 1.0 - 3.0 thou/µL METHOD : CALCULATED ABSOLUTE MONOCYTE COUNT 0.22 0.2 - 1.0 thou/µL METHOD : CALCULATED ABSOLUTE EOSINOPHIL COUNT 0.02 - 0.50 thou/µL 0.14 METHOD : CALCULATED **ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE** BLOOD E.S.R 22 High 0 - 20 mm at 1 hr METHOD : MODIFIED WESTERGREN **GLUCOSE FASTING, FLUORIDE PLASMA** FBS (FASTING BLOOD SUGAR) 74 - 99 99 mg/dL METHOD : HEXOKINASE **GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE** BLOOD HBA1C 5.5 Non-diabetic: < 5.7 % Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021) METHOD : HPLC TECHNOLOGY ESTIMATED AVERAGE GLUCOSE(EAG) 111.2 < 116.0 mg/dL **GLUCOSE, POST-PRANDIAL, PLASMA** PPBS(POST PRANDIAL BLOOD SUGAR) mg/dL 134 Normal: < 140, Impaired Glucose Tolerance: 140-199 Diabetic > or = 200METHOD : HEXOKINASE LIPID PROFILE, SERUM CHOLESTEROL, TOTAL 184 Desirable: <200 mg/dL BorderlineHigh: 200-239 High : > or = 240METHOD : OXIDASE, ESTERASE, PEROXIDASE TRIGLYCERIDES 167 **High** Desirable: < 150 mg/dL Borderline High: 150 - 199 High: 200 - 499 Very High : > or = 500 METHOD : ENZYMATIC ASSAY HDL CHOLESTEROL 38 **Low** < 40 Low mg/dL > or = 60 High

METHOD : DIRECT- NON IMMUNOLOGICAL











KRATF271285290

CLIENT CODE : C000138355

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

0

ſ

SRL LTD
Opposite St Raphael's Higher Secondary School, Old Seshore Road,
Residency Area
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

PATIENT ID:

13/02/2023 16:54

CLIENT PATIENT ID : 104006

ABHA NO :

REPORTED :

PATIENT NAME : KRATI OMAR ACCESSION NO : 0290WB00230 AGE : 37 Years SEX : Female

DRAWN : RECEIVED : 11/02/2023 11:55

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

Test Report Status <u>Final</u>	Results		Biological Reference Interv	al Units
CHOLESTEROL LDL	113	High	Adult levels: Optimal < 100 Near optimal/above optimal: 129 Borderline high : 130-159 High : 160-189	mg/dL 100-
NON HDL CHOLESTEROL	146	High	Very high : = 190 Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL
METHOD : CALCULATED VERY LOW DENSITY LIPOPROTEIN METHOD : CALCULATED	33.4			mg/dL
CHOL/HDL RATIO	4.8			
LDL/HDL RATIO	3.0		0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate >6.0 High Risk	Risk









DIAGNOSTIC REPORT

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Opposite St Raphael's Higher Secondary School, Old Seshore Road,
Residency Area
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

PATIENT NAME	: KRATI OMAR	PATIENT ID : KRATF271285290	
ACCESSION NO :	0290WB00230	AGE : 37 Years SEX : Female	ABHA NO :
DRAWN :		RECEIVED : 11/02/2023 11:55	REPORTED : 13/02/2023 16:54
REFERRING DOCT	FOR : DR. ACROFEMI	CLIENT PATIENT ID : 104006	
Test Report Sta	atus <u>Final</u>	Results	Biological Reference Interval Units

Interpretation(s)

1) Cholesterol levels help assess the patient risk status and to follow the progress of patient under treatment to lower serum cholesterol concentrations.

2) Serum Triglyceride (TG) are a type of fat and a major source of energy for the body. Both quantity and composition of the diet impact on plasma triglyceride concentrations. Elevations in TG levels are the result of overproduction and impaired clearance. High TG are associated with increased risk for CAD (Coronary artery disease) in patients with other risk factors, such as low HDL-C, some patient groups with elevated apolipoprotein B concentrations, and patients with forms of LDL that may be particularly atherogenic.

3)HDL-C plays a crucial role in the initial step of reverse cholesterol transport, this considered to be the primary atheroprotective function of HDL

4) LDL -C plays a key role in causing and influencing the progression of atherosclerosis and, in particular, coronary sclerosis. The majority of cholesterol stored in atherosclerotic plaques originates from LDL, thus LDL-C value is the most powerful clinical predictor.

5)Non HDL cholesterol: Non-HDL-C measures the cholesterol content of all atherogenic lipoproteins, including LDL hence it is a better marker of risk in both primary and secondary prevention studies. Non-HDL-C also covers, to some extent, the excess ASCVD risk imparted by the sdLDL, which is significantly more atherogenic than the normal large buoyant particles, an elevated non-HDL-C indirectly suggests greater proportion of the small, dense variety of LDL particles

Serum lipid profile is measured for cardiovascular risk prediction.Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category				
Extreme risk group	A.CAD with > 1 feature of high risk group			
	B. CAD with > 1 feature of Very high risk	group or recurrent ACS (within 1 year) despite LDL-C		
	< or $=$ 50 mg/dl or polyvascular disease			
Very High Risk	1. Established ASCVD 2. Diabetes with 2	major risk factors or evidence of end organ damage 3.		
	Familial Homozygous Hypercholesterolem	nia		
High Risk	1. Three major ASCVD risk factors. 2. D	iabetes with 1 major risk factor or no evidence of end		
	organ damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6.			
	Coronary Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid			
	plaque			
Moderate Risk	2 major ASCVD risk factors			
Low Risk	0-1 major ASCVD risk factors			
Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors				
1. Age $>$ or $=$ 45 year	Age > or = 45 years in males and $> or = 55$ years in females 3. Current Cigarette smoking or tobacco use			
2. Family history of premature ASCVD 4. High blood pressure				
5. Low HDL	5. Low HDL			

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
Category A	< OR = 30)	< OR = 60)		









DIAGNOSTIC REPORT

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Opposite St Raphael's Higher Secondary School, Old Seshore Road,
Residency Area
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

PATIENT NAME	: KRATI OMAR	PATIENT ID : KRATF271285290	
ACCESSION NO :	0290WB00230	AGE : 37 Years SEX : Female	ABHA NO :
DRAWN:		RECEIVED : 11/02/2023 11:55	REPORTED : 13/02/2023 16:54
REFERRING DOCT	TOR : DR. ACROFEM	I HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID : 104006

Test Rei	oort Status	Final	Results	Biological Reference Interval Un	nite
I est ke	Juit Status	Fillal	Results	biological Reference Interval On	iits

Extreme Risk Group Category B	<or 30<="" =="" th=""><th><or 60<="" =="" th=""><th>> 30</th><th>>60</th></or></th></or>	<or 60<="" =="" th=""><th>> 30</th><th>>60</th></or>	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR=100
Moderate Risk	<100	<130	>OR=100	>OR=130
Low Risk	<100	<130	>OR=130*	>OR=160

*After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

0.59	0.0 - 1.2	mg/dL
0.25	High 0.0 - 0.2	mg/dL
0.34	0.00 - 1.00	mg/dL
7.2	6.4 - 8.3	g/dL
4.6	3.50 - 5.20	g/dL
2.6	2.0 - 4.1	g/dL
1.8	1.0 - 2.0	RATIO
19	UPTO 32	U/L
21	UPTO 34	U/L
97	35 - 104	U/L
23	5 - 36	U/L
160	135 - 214	U/L
10	6 - 20	mg/dL
	 0.25 0.34 7.2 4.6 2.6 1.8 19 21 97 23 160 	High $0.0 - 0.2$ 0.34 $0.00 - 1.00$ 7.2 $6.4 - 8.3$ 4.6 $3.50 - 5.20$ 2.6 $2.0 - 4.1$ 1.8 $1.0 - 2.0$ 19 UPTO 32 21 UPTO 34 97 $35 - 104$ 23 $5 - 36$ 160 $135 - 214$













CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD	
Opposite St Raphael's Higher Sec	condary School, Old Seshore Road,
Residency Area	
INDORE, 452001	
Madhya Pradesh, India	
Tel : 0731 2490008	

CLIENT PATIENT ID : 104006

PATIENT NAME	: KRATI OMAR	PATIENT ID : KRATF271285290	
ACCESSION NO :	0290WB00230	AGE : 37 Years SEX : Female	ABHA NO :
DRAWN :		RECEIVED : 11/02/2023 11:55	REPORTED : 13/02/2023 16:54

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

Test Report Status <u>Final</u>	Results		Biological Reference	Interval Units
CREATININE	0.48	Low	0.50 - 0.90	mg/dL
METHOD : ALKALINE PICRATE KINETIC JAFFES				
BUN/CREAT RATIO				
BUN/CREAT RATIO	20.83	High	5.0 - 15.0	
METHOD : CALCULATED				
URIC ACID, SERUM				
URIC ACID	4.6		2.6 - 6.0	mg/dL
METHOD : URICASE/CATALASE UV				
TOTAL PROTEIN, SERUM				
TOTAL PROTEIN	7.2		6.4 - 8.3	g/dL
METHOD : BIURET				
ALBUMIN, SERUM				
ALBUMIN	4.6		3.5 - 5.2	g/dL
METHOD : BROMOCRESOL GREEN				
GLOBULIN				
GLOBULIN	2.6		2.0 - 4.1	g/dL
ELECTROLYTES (NA/K/CL), SERUM				
SODIUM, SERUM	140.8		136.0 - 146.0	mmol/L
METHOD : DIRECT ION SELECTIVE ELECTRODE				
POTASSIUM, SERUM	4.25		3.50 - 5.10	mmol/L
METHOD : DIRECT ION SELECTIVE ELECTRODE				
CHLORIDE, SERUM	103.7		98.0 - 106.0	mmol/L
METHOD : DIRECT ION SELECTIVE ELECTRODE				











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA DELHI INDIA 8800465156

<u>Final</u>

IRL LTD	
opposite St Raphael's Higher Secondary School, Old Seshore Road	d,
lesidency Area	
NDORE, 452001	
1adhya Pradesh, India	
el : 0731 2490008	
	-

Biological Reference Interval Units

PATIENT NAME : KRATI OMAR			PATIENT ID : KRATF271285290
ACCESSION NO :	0290WB00230	AGE : 37 Years SEX : Female	ABHA NO :
DRAWN :		RECEIVED : 11/02/2023 11:55	REPORTED : 13/02/2023 16:54
REFERRING DOCT	OR: DR. ACROFEM	HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID : 104006

Results

Interpretation(s)

Test Report Status

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, anti depressants (SSRI), antipsychotics.	Decreased in: Low potassium intake, prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome, osmotic diuresis (e.g., hyperglycemia), alkalosis, familial periodic paralysis, trauma (transient). Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative,corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, high- dose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences:Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

PHYSICAL EXAMINATION, URINE

COLOR APPEARANCE	PALE YELLOW CLEAR				
CHEMICAL EXAMINATION, URINE					
PH	5.5	4.7 - 7.5			
SPECIFIC GRAVITY	1.015	1.003 - 1.035			
PROTEIN	NOT DETECTED	NOT DETECTED			
GLUCOSE	NOT DETECTED	NOT DETECTED			
KETONES	NOT DETECTED	NOT DETECTED			
BLOOD	NOT DETECTED	NOT DETECTED			
BILIRUBIN	NOT DETECTED	NOT DETECTED			
UROBILINOGEN	NORMAL	NORMAL			
NITRITE	NOT DETECTED	NOT DETECTED			
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED			
MICROSCOPIC EXAMINATION, URINE					
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED			





/HPF







CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD	
Opposite St Raphael's Higher	Secondary School, Old Seshore Road,
Residency Area	
INDORE, 452001	
Madhya Pradesh, India	
Tel : 0731 2490008	

PATIENT NAME : KRATI OMAR PATIENT ID : KRATF271285290 ACCESSION NO : 0290WB00230 AGE : 37 Years SEX : Female ABHA NO : DRAWN : RECEIVED : 11/02/2023 11:55 REPORTED : 13/02/2023 16:54 REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID : 104006

Test Report Status <u>Fina</u>	Results	Biological Referenc	e Interval Units
PUS CELL (WBC'S)	2-3	0-5	/HPF
EPITHELIAL CELLS	2-3	0-5	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	
YEAST	NOT DETECTED	NOT DETECTED	
REMARKS	Please note that all t	he urinary findings are confir	med manually as well.

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

THYROID PANEL, SERUM











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA DELHI INDIA 8800465156

RL LTD	
pposite St Raphael's Higher Secondary School , Old Seshore F	≀oad,
esidency Area	
NDORE, 452001	
ladhya Pradesh, India	
el : 0731 2490008	

PATIENT ID: **PATIENT NAME: KRATI OMAR** KRATF271285290 ACCESSION NO : 0290WB00230 AGE: 37 Years SEX : Female ABHA NO : o RECEIVED : 11/02/2023 11:55 13/02/2023 16:54 DRAWN : REPORTED : CLIENT PATIENT ID : 104006

REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

Test Report Status <u>Final</u>	Results	Biological Reference Interv	al Units
ТЗ	126.90	Non-Pregnant Women 80.0 - 200.0 Pregnant Women 1st Trimester:105.0 - 230.0 2nd Trimester:129.0 - 262.0 3rd Trimester:135.0 - 262.0	ng/dL
METHOD : CHEMILUMINESCENCE TECHNOLOGY			
T4	9.60	Non-Pregnant Women 5.10 - 14.10 Pregnant Women 1st Trimester: 7.33 - 14.80 2nd Trimester: 7.93 - 16.10 3rd Trimester: 6.95 - 15.70	µg/dL
METHOD : CHEMILUMINESCENCE TECHNOLOGY			
TSH (ULTRASENSITIVE)	2.170	Non Pregnant Women 0.27 - 4.20 Pregnant Women 1st Trimester: 0.33 - 4.59 2nd Trimester: 0.35 - 4.10 3rd Trimester: 0.21 - 3.15	µIU/mL
METHOD : CHEMILUMINESCENCE TECHNOLOGY			

METHOD : CHEMILUMINESCENCE TECHNOLOGY









DIAGNOSTIC REPORT

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Opposite St Raphael's Higher Secondary School, Old Seshore Road,
Residency Area
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

Test Report Sta	tus <u>Final</u>	R	esults	Biological R	eference I	Interval Units
REFERRING DOCT	OR: DR. ACROFEM	I HEALTHCARE LTD (MEDIWHEEL)	CLIENT	PATIENT ID	: 104006
DRAWN :		RECEIVED : 11/02	2/2023 11:55	REPORTED :	13/02/202	23 16:54
ACCESSION NO :	0290WB00230	AGE: 37 Years	SEX : Female	ABHA NO :		
PATIENT NAME	: KRATI OMAR			PA	ΠENT ID:	KRATF271285290

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3.Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism.Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. **NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.**TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

PAPANICOLAOU SMEAR

TEST METHOD SPECIMEN TYPE REPORTING SYSTEM SPECIMEN ADEQUACY CONVENTIONAL GYNEC CYTOLOGY TWO UNSTAINED CERVICAL SMEARS RECEIVED 2014 BETHESDA SYSTEM FOR REPORTING CERVICAL CYTOLOGY SATISFACTORY FOR EVALUATION WITH ABSENCE OF ENDOCERVICAL TRANSFORMATION ZONE COMPONENT.











CLIENT CODE : C000138355

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Opposite St Raphael's Higher Secondary School , Old Seshore Road,
Residency Area
NDORE, 452001
1adhya Pradesh, India
ēl : 0731 2490008

Biological Reference Interval

PATIENT NAME : KRATI OMAR		PATIENT ID : KRATF271285290
ACCESSION NO : 0290WB00230	AGE : 37 Years SEX : Female	ABHA NO :
DRAWN :	RECEIVED : 11/02/2023 11:55	REPORTED : 13/02/2023 16:54
REFERRING DOCTOR : DR. ACROFEM	II HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID:104006
()

MICROSCOPY	SMEARS SHOW SHEETS OF SUPERFICIAL AND INTERMEDIATE
	SQUAMOUS CELLS ON A BACKGROUND OF MILD ACUTE INFLAMMATORY
	CELLS.
	NO ATYPICAL CELLS ARE SEEN.
INTERPRETATION / RESULT	NEGATIVE FOR INTRAEPITHELIAL LESION OR MALIGNANCY

Results

Comments

Test Report Status

Advised clinical correlation and repeat after proper antibiotic treatment. * THE REPORT RELATES ONLY TO THE SAMPLE SUBMITTED".

Final

1. PLEASE NOTE PAPANICOLAOU SMEAR STUDY IS A SCREENING PROCEDURE FOR CERVICAL CANCER WITH INHERENT FALSE NEGATIVE RESULTS, HENCE SHOULD BE INTERPRETED WITH CAUTION.

2. NO CYTOLOGIC EVIDENCE OF HPV INFECTION IN THE SMEARS STUDIED.

3. PRIMARY SCREENING AND REPORTING OF PAPANICOLAOU SMEARS IS CARRIED OUT BY SURGICAL PATHOLOGIST IN 100% OF CASES. ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP	TYPE B
METHOD : TUBE AGGLUTINATION	
RH TYPE	POSITIVE
METHOD : TUBE AGGLUTINATION	
XRAY-CHEST	
»»	BOTH THE LUNG FIELDS ARE CLEAR
»»	BOTH THE COSTOPHRENIC AND CARIOPHRENIC ANGELS ARE CLEAR
»»	BOTH THE HILA ARE NORMAL
»»	CARDIAC AND AORTIC SHADOWS APPEAR NORMAL
»»	BOTH THE DOMES OF THE DIAPHRAM ARE NORMAL
»»	VISUALIZED BONY THORAX IS NORMAL
IMPRESSION	NO ABNORMALITY DETECTED
	Dr G S Saluja (MBBS,DMRD) (Consultant Radiologist)
TMT OR ECHO	
TMT OR ECHO	NEGATIVE
ECG	
ECG	WITHIN NORMAL LIMITS
MEDICAL HISTORY	
RELEVANT PRESENT HISTORY	NOT SIGNIFICANT
RELEVANT PAST HISTORY	LSCS - 2017
RELEVANT PERSONAL HISTORY	NOT SIGNIFICANT
RELEVANT FAMILY HISTORY	HTN - MOTHER HYPOTHYROID - FATHER











CLIENT CODE : C000138355

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Opposite St Raphael's Higher Secondary School, Old Seshore Road,
Residency Area
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

Biological Reference Interval

PATIENT NAME	: KRATI OMAR		PATIENT ID : KRATF271285290
ACCESSION NO :	0290WB00230	AGE : 37 Years SEX : Female	ABHA NO :
DRAWN :		RECEIVED : 11/02/2023 11:55	REPORTED : 13/02/2023 16:54
REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID : 104006			

Results

Test Report Status <u>Final</u> NOT SIGNIFICANT OCCUPATIONAL HISTORY HISTORY OF MEDICATIONS NOT SIGNIFICANT **ANTHROPOMETRIC DATA & BMI** HEIGHT IN METERS 1.68 mts WEIGHT IN KGS. 86 Kgs BMI 30 BMI & Weight Status as follows: kg/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese **GENERAL EXAMINATION** MENTAL / EMOTIONAL STATE NORMAL PHYSICAL ATTITUDE NORMAL GENERAL APPEARANCE / NUTRITIONAL STATUS OBESE **BUILT / SKELETAL FRAMEWORK** AVERAGE FACIAL APPEARANCE NORMAL SKIN NORMAL UPPER LIMB NORMAL LOWER LIMB NORMAL NECK NORMAL NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER THYROID GLAND NOT ENLARGED CAROTID PULSATION NORMAL AFEBRILE **TEMPERATURE** PULSE 88/MIN REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID **BRUIT HEARD** RESPIRATORY RATE NORMAL **CARDIOVASCULAR SYSTEM** BΡ 144/94 mm/Hg PERICARDIUM NORMAL APEX BEAT NORMAL HEART SOUNDS NORMAL MURMURS ABSENT **RESPIRATORY SYSTEM** SIZE AND SHAPE OF CHEST NORMAL MOVEMENTS OF CHEST SYMMETRICAL











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA DELHI INDIA 8800465156

SRL LTD
Opposite St Raphael's Higher Secondary School, Old Seshore Road,
Residency Area
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

PATIENT NAME	: KRATI OMAR		PATIENT ID : KRATF271285290
ACCESSION NO :	0290WB00230	AGE : 37 Years SEX : Female	ABHA NO :
DRAWN :		RECEIVED : 11/02/2023 11:55	REPORTED : 13/02/2023 16:54
REFERRING DOCT	OR: DR. ACROFEM	[HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID : 104006

REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

Test Report Status	<u>Final</u>	Results	Biological Reference Interval	Units
BREATH SOUNDS INTE		NORMAL		
BREATH SOUNDS QUA	LIIY	VESICULAR (NORMAL)		
ADDED SOUNDS		ABSENT		
PER ABDOMEN				
APPEARANCE		NORMAL		
VENOUS PROMINENCE		ABSENT		
LIVER		NOT PALPABLE		
SPLEEN		NOT PALPABLE		
HERNIA		ABSENT		
CENTRAL NERVOUS	SYSTEM			
HIGHER FUNCTIONS		NORMAL		
CRANIAL NERVES		NORMAL		
CEREBELLAR FUNCTION	NS	NORMAL		
SENSORY SYSTEM		NORMAL		
MOTOR SYSTEM		NORMAL		
REFLEXES		NORMAL		
MUSCULOSKELETAL	SYSTEM			
SPINE		NORMAL		
JOINTS		NORMAL		
BASIC EYE EXAMINA	TION			
CONJUNCTIVA		NORMAL		
EYELIDS		NORMAL		
EYE MOVEMENTS		NORMAL		
CORNEA		NORMAL		
DISTANT VISION RIGH	IT EYE WITHOUT GLASSES	6/12 VISUAL ACUITY FOR	CORRECTION	
DISTANT VISION LEFT	EYE WITHOUT GLASSES	6/12 VISUAL ACUITY FOR	CORRECTION	
NEAR VISION RIGHT E	YE WITHOUT GLASSES	N6 WITHIN NORMAL LIMIT		
NEAR VISION LEFT EYE	E WITHOUT GLASSES	N6 WITHIN NORMAL LIMIT		
COLOUR VISION		NORMAL		
BASIC ENT EXAMINA	TION			
EXTERNAL EAR CANAL		NORMAL		
TYMPANIC MEMBRANE		NORMAL		
NOSE		NO ABNORMALITY DETECT	ED	
SINUSES		NORMAL		











CLIENT CODE : C000138355

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

<u>Final</u>

SRL LTD
Opposite St Raphael's Higher Secondary School, Old Seshore Road,
Residency Area
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

Biological Reference Interval

PATIENT NAME: KRATI OMAR PATIENT ID: KRATF271285290 0290WB00230 AGE: 37 Years ACCESSION NO : SEX : Female ABHA NO : DRAWN : RECEIVED : 11/02/2023 11:55 REPORTED : 13/02/2023 16:54 REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID: 104006

Results

THROAT	NO ABNORMALITY DETECTED
TONSILS	NOT ENLARGED
BASIC DENTAL EXAMINATION	
TEETH	NORMAL
GUMS	HEALTHY
SUMMARY	
RELEVANT HISTORY	NOT SIGNIFICANT
RELEVANT GP EXAMINATION FINDINGS	OBESE
REMARKS / RECOMMENDATIONS	NONE
FITNESS STATUS	
FITNESS STATUS	FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)

Comments

CLINICAL FINDINGS:-

Test Report Status

DYSLIPIDEMIA.

OBESE WEIGHT STATUS.

FITNESS STATUS :-

FITNESS STATUS : FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)

ADVICE: WEIGHT REDUCTION, LOW FAT& CARBOHYDRATE DIET AND REGULAR PHYSICAL EXERCISE FOR OBESE WEIGHT STATUS AND DYSLIPIDEMIA.

USG SHOWS :- defect 2cm seen in umbilical region with reducible contents - Hernia.

NEED PHYSICIAN CONSULTATION FOR LIFE STYLE MODIFICATION.

Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION :-

ExtIncourse Sedimentation rate (ESR), whole blood-rest Description :-Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LID
Opposite St Raphael's Higher Secondary School, Old Seshore Road,
Residency Area
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR : DR. ACROFEN	1I HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID : 104006
DRAWN :	RECEIVED : 11/02/2023 11:55	REPORTED : 13/02/2023 16:54
ACCESSION NO : 0290WB00230	AGE: 37 Years SEX: Female	ABHA NO :
PATIENT NAME : KRATI OMAR PATIENT ID : KRATF27128		PATIENT ID : KRATF271285290

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy,

Estrogen medication, Aging. Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. **Decreased** in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia False Decreased : Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine,

salicylates)

REFERENCE

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLUCOSE FASTING,FLUORIDE PLASMA-**TEST DESCRIPTION**

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

Increased in

Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids, phenytoin, estrogen, thiazides.

Decreased in

Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases (e.g., galactosemia), Drugs- insulin,

ethanol, propranolol sulfonylureas,tolbutamide, and other oral hypoglycemic agents. NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within

individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

2.Diagnosing diabetes.

3.Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1.eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

2. eAG gives an evaluation of blood glucose levels for the last couple of months. 3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

I.Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will faisely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days. II. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

III.Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

IV.Interference of hemoglobinopathies in HbA1c estimation is seen in

a.Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c. b.Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c.HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin

treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.









DIAGNOSTIC REPORT

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

RL LTD	
pposite St Raphael's Higher Secondary School , Old Seshore Ro	bad,
esidency Area	
NDORE, 452001	
adhya Pradesh, India	
el : 0731 2490008	

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
REFERRING DOCTOR : DR. ACROFEN	1I HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID : 104006
DRAWN :	RECEIVED : 11/02/2023 11:55	REPORTED : 13/02/2023 16:54
ACCESSION NO : 0290WB00230	AGE : 37 Years SEX : Female	ABHA NO :
PATIENT NAME : KRATI OMAR		PATIENT ID : KRATF271285290

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys,heart,muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in disease of the liver, billary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and

Syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH. CREATININE, SERUM-Higher than normal level may be due to: • Blockage in the urinary tract

Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
 Loss of body fluid (dehydration)

Muscle problems, such as breakdown of muscle fibers

• Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

Myasthenia Gravis

 Muscular dystrophy
URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome

Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum...Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom" Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same

The test is performed by both forward as well as reverse grouping methods. MEDICAL

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

FITNESS STATUS-Conclusion on an individual's Fitness, which is commented upon mainly for Pre employment cases, is based on multi factorial findings and does not depend on any one single parameter. The final Fitness assigned to a candidate will depend on the Physician's findings and overall judgement on a case to case basis, details of the candidate's past and personal history as well as the comprehensiveness of the diagnostic panel which has been requested for . These are then further correlated with details of the job under consideration to eventually fit the right man to the right job.

Basis the above, SRL classifies a candidate's Fitness Status into one of the following categories:
Fit (As per requested panel of tests) - SRL Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and the specific test panel requested for.

• Fit (with medical advice) (As per requested panel of tests) - This indicates that although the candidate can be declared as FIT to join the job, minimal problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height weight disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary lifestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician's









CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110000 NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Opposite St Raphael's Higher Secondary School, Old Seshore Road,
Residency Area
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

PATIENT NAME : KRATI OMAR		PATIENT ID : KRATF271285290
ACCESSION NO : 0290WB00230	AGE : 37 Years SEX : Female	ABHA NO :
DRAWN :	RECEIVED : 11/02/2023 11:55	REPORTED : 13/02/2023 16:54
REFERRING DOCTOR : DR. ACROFE	1I HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID : 104006
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units

consultation and counseling in order to bring back to normal the mildly deranged parameters. For all purposes the individual is FIT to join the job. • Fitness on Hold (Temporary Unfit) (As per requested panel of tests) - Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal vision, grossly elevated blood sugars, etc.

Unfit (As per requested panel of tests) - An unfit report by SRL Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color blindness in color related jobs.











CLIENT CODE : C000138355

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Opposite St Raphael's Higher Secondary School, Old Seshore Road,
Residency Area
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

PATIENT NAME	: KRATI OMAR	PATIENT ID : KRATF271285290	
ACCESSION NO :	0290WB00230	AGE : 37 Years SEX : Female	ABHA NO :
DRAWN :		RECEIVED : 11/02/2023 11:55	REPORTED : 13/02/2023 16:54
REFERRING DOCT	OR: DR. ACROFEM	HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID : 104006
(

Test Report Status Final

Results

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

••

Comments

U.S.G OF WHOLE ABDOMEN

Liver is normal in size, shape and echotexture. Intra & Extra hepatic biliary radicals are normal. Portal vein and C.B.D are normal in caliber.

Gall Bladder is normal, thin walled & its lumen is echo free.

Spleen is normal in size, shape & echotexture.

Pancreas is normal in size, shape & echotexture.

Both Kidneys are normal in size, shape and echotexture. Central pelvicalyceal system is normal. Corticomedullary differentiation is maintained.

IVC and AO is normal in caliber.

Urinary Bladder is normal thin walled, there is no calculus.

Uterus is anteverted and normal in size. Myometrial echotexture is homogeneous Endometrial echo reflection is normal. Cervix and endocervical canal appears normal.

Bilateral Ovaries are normal in size, shape and echotexture.

There is defect 2cm seen in umbilical region with reducible contents - Hernia.

Dr G S Saluja MBBS, DMRD (Consultant Radiologist)

End Of Report Please visit www.srlworld.com for related Test Information for this accession

Dr.Arpita Pasari, MD Consultant Pathologist









CLIENT CODE : C000138355

DIAGNOSTIC REPORT

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

0290WB00230

PATIENT NAME: KRATI OMAR

)		Residenc INDORE, Madhya	e St Raphael's Higher Secondary School, Old Seshore Road,	,
			PATIENT ID : KRATF271285290	
AGE :	37 Years	SEX : Female	ABHA NO :	
RECE	IVED : 11/02	2/2023 11:55	REPORTED : 13/02/2023 16:54	

CLIENT PATIENT ID : 104006

DRAWN :

ACCESSION NO :

REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

Test Report Status Fi	<u>nal</u>
-----------------------	------------

Results

CONDITIONS OF LABORATORY TESTING & REPORTING 1. It is presumed that the test sample belongs to the patient 5. SRL confirms that all tests have been performed or named or identified in the test requisition form. assayed with highest quality standards, clinical safety & technical integrity. 2. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services. 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment interpreted by registered medical practitioners only to breakdown / natural calamities / technical downtime or any determine final diagnosis. other unforeseen event. Test results may vary based on time of collection, 7. 4. A requested test might not be performed if: physiological condition of the patient, current medication or i. Specimen received is insufficient or inappropriate nutritional and dietary changes. Please consult your doctor ii. Specimen quality is unsatisfactory or call us for any clarification. 8. Test results cannot be used for Medico legal purposes. iii. Incorrect specimen type iv. Discrepancy between identification on specimen 9. In case of gueries please call customer care (91115 91115) within 48 hours of the report. container label and test requisition form SRL Limited

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062



