Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



### **General Physical Examination**

Date of Examination: 10.10.2022
Name: Rakumar Sincoa Age: 37 DOB: 06-06-1985ex: Hale
Referred By: 80B (Medicone el)
Photo ID: (Example) ID #:
Ht: 173 (cm) Wt: 80 (Kg)
Chest (Expiration): (cm) Abdomen Circumference: (cm)
Blood Pressure: 132/93 mm Hg PR: 48 / min RR: 16 / min Temp: Alebook
вмі ≈ 6. Т
Eye Examination: Dis Vision R.E. 6/6 with specs. L.E. 6/6.  Dear Vision R.E. 4/6 with specs. L.E. 4/6, Mo color Other: Not significant.
Dear vision R.E. 4/6 with specs. L.C. 4/6, No color
Other: Not significant
On examination he/she appears physically and mentally fit: Yes/No
Potkumor linuar Pur Goyal.
Signature Of Examine : Name of Examine : Name of Examine :
Signature Of Examine: Name Medical Examiner: Name Medical Examiner
Signature Medical Examiner : Name Medical Examiner

16:35 🕒 🥫 🕒

(함께(발); 제 67%

### ← Aadhaar Card









Raj Kumar Sinwar 1985-06-06 Male

xxxxxxxx1866

Address:

S/O Birbal Ram Sinwar 72 - Aguna Mohalla Pichakarae Teeba - Churu - Rajasthan 331403



आधार-आम आदमी का अधिकार

Dr. 18.8.9. No. 017996

Did you know?

Indian Railways and Airports accept Digital Aadhaar through DigiLocker as valid identity proof.















B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 10/10/2022 09:53:33

NAME :- Mr. SINWAR RAJ KUMAR

Sex / Age :- Male

37 Yrs 4 Mon 6 Days

Company :- MediWheel

Patient ID :-12222754 Ref. By Doctor:-BOB

Lab/Hosp:-

Final Authentication: 10/10/2022 13:22:55

**BOB PACKAGE BELOW 40MALE** 

#### X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

<u>Impression</u>:- Normal Study

(Please correlate clinically and with relevant further investigations)

\*\*\* End of Report \*\*\*

Page No: 1 of 1

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996

Dr. Poonam Gupta MBBS, MD (Radio Diagnosis) RMC No. 32495 Dr. Ashish Choudhary
MBBS, MD (Radio Diagnosis)
Fetal Medicine Consultant
FMF ID - 260517 | RMC No 22430

Dr. Rathod Hetali Amrutlal MBBS, M.D. (Radio-Diagnosis) RMC No. 17163

Transcript by.

This report is not valid for medico-legal purpose.

Dr. Piyush Goyal ( D.M.R.D.) BILAL

## Dr. Goyal's

### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 10/10/2022 09:53:33 Date

NAME :- Mr. SINWAR RAJ KUMAR

37 Yrs 4 Mon 6 Days Sex / Age :- Male

Company:- MediWheel

Sample Type :- EDTA

Patient ID: -12222754

Ref. By Dr:- BOB

Lab/Hosp:-

Sample Collected Time 10/10/2022 10:10:56

Final Authentication: 10/10/2022 12:27:01

#### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
	7. 25		
BOB PACKAGE BELOW 40MALE	4 6		
HAEMOGARAM	16.6	a/dI	13.0 - 17.0
HAEMOGLOBIN (Hb)	15.5	g/dL	4.00 - 10.00
TOTAL LEUCOCYTE COUNT	5.43	/cumm	4.00 - 10.00
DIFFERENTIAL LEUCOCYTE COUNT			40.0. 80.0
NEUTROPHIL	44.9	%	40.0 - 80.0
LYMPHOCYTE	48.4 H	%	20.0 - 40.0
EOSINOPHIL	3.7	%	1.0 - 6.0.
MONOCYTE	2.9	%	2.0 - 10.0
BASOPHIL	0.1	%	0.0 - 2.0
NEUT#	2.44	10^3/uL	1.50 - 7.00
LYMPH#	2.63	10^3/uL	1.00 - 3.70
EO#	0.20	10^3/uL	0.00 - 0.40
MONO#	0.15	10^3/uL	0.00 - 0.70
BASO#	0.01	10^3/uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC		x10^6/uL	4.50 - 5.50
HEMATOCRIT (HCT)	43.70	%	40.00 - 50.00
MEAN CORP VOLUME (MCV)	86.1	fL	83.0 - 101.0
	30.5	pg	27.0 - 32.0
MEAN CORP HB (MCH)	34.5	g/dL	31.5 - 34.5
MEAN CORP HB CONC (MCHC)	218	x10^3/uL	150 - 410
PLATELET COUNT		%	11.6 - 14.0
RDW-CV	13.2		11.0
MENTZER INDEX	16.95		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

MUKESHSINGH **Technologist** 

Page No: 1 of 12



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 10/10/2022 09:53:33

:- Mr. SINWAR RAJ KUMAR NAME

Sex / Age :- Male

Sample Type :- EDTA

37 Yrs 4 Mon 6 Days

Company:- MediWheel

Patient ID: -12222754

Ref. By Dr:- BOB

Lab/Hosp:-

Sample Collected Time 10/10/2022 10:10:56

Final Authentication: 10/10/2022 12:27:01

#### HAEMATOLOGY

**Biological Ref Interval** Unit Value **Test Name** 

Erythrocyte Sedimentation Rate (ESR)

16 H

mm/hr.

00 - 13

(ESR) Methodology: Measurment of ESR by cells aggregation.

Instrument Name : Indepedent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation

: ESR test is a non-specific indicator ofinflammatory disease and abnormal protein states.

The test in used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction

Levels are higher in pregnency due to hyperfibrinogenaemia.

The "3-figure ESR " x>100 value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia CBC: Methodology 4T/C DLC Fluorescent Flow cytometry, HB SLS method, TRBC, PCV, PLT Hydrodynamically focused Impedance and MCH, MCV, MCHC, MENTZER INDEX are calculated. InstrumentName: Sysmex 6 part fully automatic analyzer XN-L, Japan

MUKESHSINGH **Technologist** 

Page No: 2 of 12



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787 Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 10/10/2022 09:53:33

NAME :- Mr. SINWAR RAJ KUMAR

Sex / Age :- Male

37 Yrs 4 Mon 6 Days

MediWheel

Patient ID: -12222754

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Type: EDTA, KOx/Na FLUORIDE-F, KSan/hpleFCb/CeRibetETFFFe WRINGE2022 10:10:56 HAEMATOLOGY

**Test Name** 

Company:-

Value

Unit

**Biological Ref Interval** 

Final Authentication: 10/10/2022 14:08:50

**BLOOD GROUP ABO** 

"O" POSITIVE

BLOOD GROUP ABO Methodology: Haemagglutination reaction Kit Name: Monoclonal agglutinating antibodies (Span clone).

FASTING BLOOD SUGAR (Plasma)

99.5

mg/dl

75.0 - 115.0

Method:- GOD PAP

111 - 125 mg/dL

Impaired glucose tolerance (IGT) > 126 mg/dL Diabetes Mellitus (DM)

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases

BLOOD SUGAR PP (Plasma)

115.7

mg/dl

70.0 - 140.0

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

URINE SUGAR (FASTING)
Collected Sample Received

KAUSHAL, MKSHARMA, MUKESHSINGH, POOJABOHRA

**Technologist** DR.HANSA Page No: 3 of 12



Dr. Piyush Goyal (D.M.R.D.) Dr. Chandrika Gupta

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 10/10/2022 09:53:33

NAME :- Mr. SINWAR RAJ KUMAR

Sex / Age :- Male 37 Yrs 4 Mon 6 Days

Company :- MediWheel

Sample Type :- STOOL

Patient ID :-12222754

Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 10/10/2022 11:28:23

Sample Collected Time 10/10/2022 10:10:56

CLINICAL PATHOLOGY

Test Name Value Unit Biological Ref Interval

STOOL ANALYSIS

PHYSICAL EXAMINATION

COLOUR YELLOW BROWN

CONSISTENCY SEMI SOLID

MUCUS ABSENT

BLOOD ABSENT

MICROSCOPIC EXAMINATION

RBC's NIL /HPF

WBC/HPF 0 - 1 /HPF

MACROPHAGES ABSENT
OVA ABSENT
CYSTS ABSENT
TROPHOZOITES ABSENT

TROPHOZOITES ABSENT
CHARCOT LEYDEN CRYSTALS ABSENT

OTHERS
Collected Sample Received
NORMAL BACTERIA FLORA PRESENT

POOJABOHRA Technologist DR.HANSA Page No: 4 of 12



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 10/10/2022 09:53:33 Date NAME :- Mr. SINWAR RAJ KUMAR

37 Yrs 4 Mon 6 Days Sex / Age :- Male

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Patient ID :-12222754

Ref. By Dr:- BOB

Lab/Hosp :-

Final Authentication: 10/10/2022 11:57:55

Sample Collected Time 10/10/2022 10:10:56

BIOCHEMISTRY

	DIOCHENI	DIRE.	(A) 10 (A
Test Name	Value	Unit	Biological Ref Interval
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	244.77 H	mg/dl	Desirable <200 Borderline 200-239 High> 240
TRIGLYCERIDES Method:- GPO-PAP	260.63 H	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	31.35	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	169.98 H	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
VLDL CHOLESTEROL Method:- Calculated	52.13	mg/dl	0.00 - 80.00
T.CHOLESTEROL/HDL CHOLESTEROL RAT Method:- Calculated	10 7.81 H		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	5.42 H		0.00 - 3.50
TOTAL LIPID	833.70	mg/dl	400.00 - 1000.00

TOTAL CHOLESTEROL InstrumentName: Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatments of lipid lipoprotein metabolism Method:- CALCULATED

TRIGLYCERIDES InstrumentName: Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction

DIRECT HDLCHOLESTERO InstrumentName:Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.

DIRECT LDL-CHOLESTEROL Instrument Name: Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture

TOTAL LIPID AND VLDL ARE CALCULATED

MKSHARMA

Page No: 5 of 12



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jainur- 302019

Tele: 0141-2293346, 4049787, 9887049787 Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 10/10/2022 09:53:33

NAME :- Mr. SINWAR RAJ KUMAR

Sex / Age :- Male

37 Yrs 4 Mon 6 Days

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Patient ID: -12222754

Ref. By Dr:- BOB

Lab/Hosp:-

Sample Collected Time 10/10/2022 10:10:56

Final Authentication: 10/10/2022 11:57:55

#### BIOCHEMISTRY

	DIOCHEMIA	JIKI	
Test Name	Value	Unit	Biological Ref Interval
LIVER PROFILE WITH GGT			He to 10 Cord blood <2
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	1.12	mg/dl	Up to - 1.0 Cord blood <2 mg/dL Premature < 6 days <16mg/dL
			Full-term < 6 days= 12 mg/dL 1month - <12 months <2 r. J/dL 1-19 years <1.5 mg/dL
			Adult - Up to - 1.2 Ref-(ACCP 2020)
SERUM BILIRUBIN (DIRECT) Method:-Colorimetric Method	0.27	mg/dL	Adult - Up to 0.25 Newborn - <0.6 mg/dL >- 1 month - <0.2 mg/dL
SERUM BILIRUBIN (INDIRECT) Method:-Calculated	0.85	mg/dl	0.30-0.70
SGOT Method:-IFCC	23.0	·U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	26.5	U/L	Men- Up to - 40.0. Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:- AMP Buffer	74.10	IU/L	30.00 - 120.00
SERUM GAMMA GT Method:-IFCC	30.00	U/L	11.00 - 50.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	6.88	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.92	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	1.96 L	gm/dl	2.20 - 3.50
· A/G RATIO	2.51 H		1.30 - 2.50

Total Bilirubin Methodology: Colorimetric method InstrumentName: Randox Rx Imola Interpretation An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating

AST Aspartate Aminotransferase Methodology: IFCC InstrumentName: Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans. ALT Alanine Aminotransferase Methodology: IFCCInstrumentName:Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular

Alkaline Phosphatase Methodology: AMP Buffer InstrumentName: Randox Rx Imola Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of Alkaline rhosphatase methodology. AMF Butter instrument name. Randox Kx imota interpretation: Measurements of alkaline prosphatase are of use in the diagnosts hepatobilary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology Biuret Reagent InstrumentName: Randox Rx Imola Interpretation: Measurements obtained by this method are used in the agnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology: Bromocresol Green InstrumentName: Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of random resolutions are used in the diagnosis and treatment of random resolutions.

**MKSHARMA** 

Page No: 6 of 12



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 10/10/2022 09:53:33 Date

:- Mr. SINWAR RAJ KUMAR NAME

37 Yrs 4 Mon 6 Days Sex / Age :- Male

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Patient ID :-12222754

Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 10/10/2022 11:57:55

**BIOCHEMISTRY** 

Sample Collected Time 10/10/2022 10:10:56

**Biological Ref Interval** Unit Value **Test Name** 

primarily the liver or kidneys. Globulin & A/G ratio is calculated

Instrument Name Randox Rx Imola Interpretation: Elevations in GGT levels are seen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 5 to 30 times normal levels in intra-or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal)

**MKSHARMA** 

Page No: 7 of 12



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 10/10/2022 09:53:33

NAME :- Mr. SINWAR RAJ KUMAR

Sex / Age :- Male 37 Yrs 4 Mon 6 Days

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Patient ID :-12222754

Ref. By Dr:- BOB

Lab/Hosp :- '

.....

Final Authentication: 10/10/2022 11:57:55

Sample Collected Time 10/10/2022 10:10:56

### **BIOCHEMISTRY**

DIOCHEM	USIKI	
Value	Unit	Biological Ref Interval
1.12	mg/dl	Men - 0.6-1.30 Women - 0.5-1.20
6.13	mg/dl	Men - 3.4-7.0 Women - 2.4-5.7
	<b>Value</b> 1.12	1.12 mg/dl

**MKSHARMA** 

Page No: 8 of 12



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787 '
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 10/10/2022 09:53:33

NAME :- Mr. SINWAR RAJ KUMAR

Sex / Age :- Male

lale 37 Yrs 4 Mon 6 Days

Company :- MediWheel

BLOOD UREA NITROGEN (BUN)

Sample Type :- PLAIN/SERUM

Patient ID :-12222754

mg/dl

Ref. By Dr:- BOB

Lab/Hosp :-

Final Authentication: 10/10/2022 11:57:55

0.0 - 23.0

**BIOCHEMISTRY** 

Sample Collected Time 10/10/2022 10:10:56

13.9

Test Name Value Unit Biological Ref Interval

**MKSHARMA** 

Page No: 9 of 12



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgovalspathlab.com | E-mail: drgovalpiyush@gmail.com



Date

:- 10/10/2022 09:53:33

NAME

:- Mr. SINWAR RAJ KUMAR

Sex / Age :- Male

Sample Type :- EDTA

37 Yrs 4 Mon 6 Days

Company :- MediWheel

Patient ID :-12222754

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 10/10/2022 10:10:56

Final Authentication: 10/10/2022 12:27:01

#### HAEMATOLOGY

	1
Test	Name

Method:- HPLC

Value

Unit

**Biological Ref Interval** 

GLYCOSYLATED HEMOGLOBIN (HbA1C)

%

Non-diabetic: < 5.7 Pre-diabetics: 5.7-6.4 Diabetics: = 6.5 or higher

ADA Target: 7.0

Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

#### Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose overthe period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasmaglucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHbdepends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measureof the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to themean of HbA1C.Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1cmeasurements. The effects vary depending on the specific Hb vatiant or derivative and the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE Method:- Calculated Parameter

mg/dL

Non Diabetic < 100 mg/dL Prediabetic 100- 125 mg/dL Diabetic 126 mg/dL or Higher

MUKESHSINGH **Technologist** 

Page No: 10 of 12



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur- 302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgovalspathlab.com | E-mail: drgovalpiyush@gmail.com



Date

:- 10/10/2022 09:53:33

NAME :- Mr. SINWAR RAJ KUMAR

Sex / Age :- Male

Sample Type :- URINE

37 Yrs 4 Mon 6 Days

Company :- MediWheel

Patient ID: -12222754

Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 10/10/2022 11:28:23

**Biological Ref Interval** 

Sample Collected Time 10/10/2022 10:10:56

PALE YELLOW

**CLINICAL PATHOLOGY** 

**Test Name** 

**Urine Routine** PHYSICAL EXAMINATION

COLOUR

**APPEARANCE** 

CHEMICAL EXAMINATION

REACTION(PH) SPECIFIC GRAVITY

**PROTEIN** 

SUGAR BILIRUBIN

UROBILINOGEN

KETONES

NITRITE

MICROSCOPY EXAMINATION

RBC/HPF

WBC/HPF

EPITHELIAL CELLS

CRYSTALS/HPF

CAST/HPF

AMORPHOUS SEDIMENT

BACTERIAL FLORA

YEAST CELL

**OTHER** 

Value

Clear

5.5

1.025

NIL

NIL

NIL

2-3

1-2

ABSENT

ABSENT

ABSENT

ABSENT

ABSENT

ABSENT

NEGATIVE

NEGATIVE

NEGATIVE

NORMAL

Unit

/HPF

/HPF

/HPF

PALE YELLOW

. Clear

5.0 - 7.5

1.010 - 1.030

NIL

NIL

NEGATIVE

NORMAL

**NEGATIVE** 

NEGATIVE

NIL

2-3

2-3

ABSENT

ABSENT

ABSENT

ABSENT

ABSENT

**POOJABOHRA Technologist** DR.HANSA Page No: 11 of 12



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Sample Type :- PLAIN/SERUM

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date NAME ·- 10/10/2022 09:53:33

:- Mr. SINWAR RAJ KUMAR

Sex / Age :- Male

37 Yrs 4 Mon 6 Days

Company:- MediWheel

Patient ID: -12222754

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 10/10/2022 10:10:56

Final Authentication: 10/10/2022 12:10:25

#### **IMMUNOASSAY**

Test Name	Value Unit Biological			
TOTAL THYROID PROFILE				
SERUM TOTAL T3 Method:- Chemiluminescence(Competitive immunoassay)	1.360	ng/ml	0.970 - 1.690	
SERUM TOTAL T4 Method:- Chemiluminescence(Competitive immunoassay)	8.650	ug/dl	5.530 - 11.000	
SERUM TSH ULTRA Method:- Enhanced Chemiluminescence Immunoassay	3.350	μIU/mL	. 0.550 - 4.780	

Interpretation: Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

Interpretation: The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

Interpretation: TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo,

### INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00


\*\* End of Report \*\*

NARENDRAKUMAR **Technologist** 

Page No: 12 of 12



ECG **102220605 / MR SINWAR RAJ KUMAR / 37 Yrs / M/ Non Smoker** Heart Rate : 97 bpm / / Refd By.: BOB / Tested On : 10-Oct-22 11:44:50 / HF 0.05 Hz - LF 100 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s or orasika Dr. Maresh DR. GOYALS PATH LAB & IMAGING CENTER Allengers ECG (Pisces)(PIS212160118)





B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com





:- 10/10/2022 09:53:33

NAME :- Mr. SINWAR RAJ KUMAR

Sex / Age :- Male

37 Yrs 4 Mon 6 Days

Company :- MediWheel

Patient ID: -12222754

Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication: 10/10/2022 14:19:00

#### **BOB PACKAGE BELOW 40MALE**

### **USG WHOLE ABDOMEN**

Liver is of normal size. Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary bladder is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Prostate is normal in size ( 20 gms) with normal echo-texture and outline.

No enlarged nodes are visualised. No retro-peritoneal lesion is identified No significant free fluid is seen in peritoneal cavity.

#### IMPRESSION:

Normal study

Needs clinical correlation for further evaluation

\*\*\* End of Report \*\*\*

Page No: 1 of 1

**NIKITAPATWA** 

Dr. Piyush Goyal MB.BS., D.M.R.O. RMC Reg No. 017996

Dr. Poonarh MBBS, MD (Radio Diagnosis) RMC No. 32495

Dr. Ashish Choudhary MBBS, MD (Radio Diagnosis) Fetal Medicine Consultant FMF ID - 260517 | RMC No 22430 Dr. Rathod Hetali Amrutlal MBBS, M.D. (Radio-Diagnosis) RMC No. 17163

Transcript by.



## Dr. Goyal'

### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 10/10/2022 09:53:33

NAME :- Mr. SINWAR RAJ KUMAR

Sex / Age :- Male

37 Yrs 4 Mon 6 Days

Company :- MediWheel

Patient ID: -12222754 Ref. By Doctor:-BOB

Lab/Hosp:-

Final Authentication: 10/10/2022 15:30:50

**BOB PACKAGE BELOW 40MALE** 2D ECHO OPTION TMT (ADULT/CHILD)

#### 2D-ECHOCARDIOGRAPHY M.MODE WITH DOPPLER STUDY:

FAIR TRANSTHORACIC ECHOCARIDIOGRAPHIC WINDOW MORPHOLOGY:

LVEF	67%			RWMA		ABSENT		
		_				ADCENIE		
RVWT	-	mm	EDV		MI	LVVS		ml
LVPW-D	8	mm	LVPW-S	14	Mm	RV		mm
IVS-S	12	mm	LVID	45	Mm	LVSD	28	mm
AO	24	mm	LA	27	Mm -	IVS-D	7	mm
		M.MODE	<b>EXAMITATION:</b>					
AORTIC VALV	/E	NOR	MAL	PULMONARY VALVE			NORMAL	
MITRAL VALV	/E	NOR	NORMAL TRICUSPID VALVE		NORM		MAL	

**CHAMBERS:** 

LA	NORMAL	RA	NORMAL	
LV	. NORMAL	RV	NORMAL	
PERICARDIL	JM	NORMAL		

#### **COLOUR DOPPLER:**

F	MI	TRAL VALV	/E					
E VELOCITY	0.94	m/sec	PEAK	GRADIENT		Mm/hg		
A VELOCITY	0.67	m/sec	MEAN	GRADIEN	r	Mm/hg		
MVA BY PHT		Cm2	MVA	BY PLANIM	ETRY	Cm2	2	
MITRAL REGURGITAT	ION				ABSENT			
	AO	RTIC VALV	'E					
PEAK VELOCITY	1.44	m,	/sec	PEAK GR	ADIENT	mr	m/hg	
AR VMAX		m	/sec	ec MEAN GRADIENT		mr	mm/hg	
AORTIC REGURGITAT	ION			ABSENT				
	TRIC	USPID VA	LVE					
PEAK VELOCITY	0.73		m/sec	PEAK G	PEAK GRADIENT		mm/hg	
MEAN VELOCITY			m/sec	MEAN GRADIENT		mm/hg		
VMax VELOCITY								
TRICUSPID REGURGI	TATION			ABSENT				
	PU	LMONARY	VALVE					
PEAK VELOCITY		0.95		M/sec.	PEAK GRADIENT		Mm/hg	
MEAN VALOCITY					MEAN GRADIENT		Mm/hg	
PULMONARY REGUR	GITATION	-		•	ABSENT			

Page No: 1 of 2

BILAL



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 10/10/2022 09:53:33

Sex / Age :- Male

NAME :- Mr. SINWAR RAJ KUMAR

37 Yrs 4 Mon 6 Days

Company :- MediWheel

Patient ID: -12222754 Ref. By Doctor:-BOB

Lab/Hosp:-

Final Authentication: 10/10/2022 15:30:50

### Impression--

- 1. Normal LV size & contractility
- 2. No RWMA. LVEF 67 %.
- 3. Normal cardiac chamber.
- 4. Normal valve
- 5. No clot, no vegetation, no pericardial effusion.

(Cardiologist)

\*\*\* End of Report \*\*\*

Page No: 2 of 2

BILAL