





Age/Gender : 35 Y 4 M 19 D/F UHID/MR No : CINR.0000152390

Visit ID : CINROPV195438

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 7666079038 Collected : 01/Jun/2023 09:09AM
Received : 01/Jun/2023 11:09AM
Reported : 01/Jun/2023 01:22PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY	/ HEALTH ANNUAL	DI LIS CHECK -	FEMALE - 2D ECHO - E	DAN INDIA - EV2324
AICOI LIVII - IVILDIVITILLE - I OLL BOD	I IILALIII ANNOAL	LOS CILCR -	I LIVIALL - 2D LOTTO - I	AN INDIA - 1 12324
Test Name	Result	Unit	Bio. Ref. Range	Method
i est ivallie	Result	Oilit	Dio. Itel. Italige	Method

HAEMOGLOBIN	10.4	g/dL	12-15	Spectrophotometer
PCV	32.60	%	36-46	Electronic pulse & Calculation
RBC COUNT	4.18	Million/cu.mm	3.8-4.8	Electrical Impedence
MCV	78	fL	83-101	Calculated
MCH	24.8	pg	27-32	Calculated
MCHC	31.8	g/dL	31.5-34.5	Calculated
R.D.W	16.1	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	6,410	cells/cu.mm	4000-10000	Electrical Impedanc
DIFFERENTIAL LEUCOCYTIC COUNT (D	LC)			
NEUTROPHILS	39.2	%	40-80	Electrical Impedance
LYMPHOCYTES	48.4	%	20-40	Electrical Impedance
EOSINOPHILS	4.7	%	1-6	Electrical Impedanc
MONOCYTES	7.3	%	2-10	Electrical Impedanc
BASOPHILS	0.4	%	<1-2	Electrical Impedanc
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	2512.72	Cells/cu.mm	2000-7000	Electrical Impedance
LYMPHOCYTES	3102.44	Cells/cu.mm	1000-3000	Electrical Impedance
EOSINOPHILS	301.27	Cells/cu.mm	20-500	Electrical Impedance
MONOCYTES	467.93	Cells/cu.mm	200-1000	Electrical Impedance
BASOPHILS	25.64	Cells/cu.mm	0-100	Electrical Impedance
PLATELET COUNT	191000	cells/cu.mm	150000-410000	Electrical impedenc
ERYTHROCYTE SEDIMENTATION RATE (ESR)	10	mm at the end of 1 hour	0-20	Modified Westegrer method

RBCs: are normocytic hypochromic. Few microcytes are seen.

WBCs: are normal in total number with normal morphology. Mild increase in lymphocyte count.

PLATELETS: appear adequate in number.

HEMOPARASITES: negative

Page 1 of 12









: Mrs.VINEETA KUMARI

Age/Gender

: 35 Y 4 M 19 D/F

UHID/MR No

: CINR.0000152390

Visit ID Ref Doctor : CINROPV195438

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 7666079038 Collected

: 01/Jun/2023 09:09AM

Received

: 01/Jun/2023 11:09AM : 01/Jun/2023 01:22PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY	HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - F	PAN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

IMPRESSION: NORMOCYTIC HYPOCHROMIC BLOOD PICTURE WITH MILD LYMPHOCYTOSIS.

Note: Kindly evaluate for incipient iron deficiency status.

Page 2 of 12











: Mrs.VINEETA KUMARI

Age/Gender

: 35 Y 4 M 19 D/F

UHID/MR No Visit ID

: CINR.0000152390

Ref Doctor

: CINROPV195438

: Dr.SELF Emp/Auth/TPA ID : 7666079038 Collected

: 01/Jun/2023 09:09AM

Received

: 01/Jun/2023 11:09AM

Reported

Status

: 01/Jun/2023 02:31PM : Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324						
Test Name	Result	Unit	Bio. Ref. Range	Method		

BLOOD GROUP ABO AND RH FACTO	OR , WHOLE BLOOD-EDTA	
BLOOD GROUP TYPE	В	Microplate Hemagglutination
Rh TYPE	Positive	Microplate Hemagglutination

Page 3 of 12











Age/Gender : 35 Y 4 M 19 D/F UHID/MR No : CINR.0000152390

Visit ID : CINROPV195438

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 7666079038 Collected : 01/Jun/2023 09:09AM
Received : 01/Jun/2023 11:15AM
Reported : 01/Jun/2023 11:58AM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324						
Test Name	Result	Unit	Bio. Ref. Range	Method		

GLUCOSE, FASTING , NAF PLASMA	130	mg/dL	70-100	HEXOKINASE	
-------------------------------	-----	-------	--------	------------	--

Comment:

As per American Diabetes Guidelines

Fasting Glucose Values in mg/d L	Interpretation	
<100 mg/dL	Normal	
100-125 mg/dL	Prediabetes	
≥126 mg/dL	Diabetes	XII.

GLUCOSE, POST PRANDIAL (PP), 2	163	mg/dL	70-140	HEXOKINASE
HOURS , NAF PLASMA				

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each other.

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

Ref: Marks medical biochemistry and clinical approach

Page 4 of 12









: Mrs.VINEETA KUMARI

Age/Gender

: 35 Y 4 M 19 D/F

UHID/MR No

: CINR.0000152390

Visit ID

: CINROPV195438

Ref Doctor Emp/Auth/TPA ID : Dr.SELF : 7666079038 Collected

: 01/Jun/2023 09:09AM

Received

: 01/Jun/2023 11:15AM

Reported

: 01/Jun/2023 11:58AM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324					
Test Name	Result	Unit	Bio. Ref. Range	Method	
HBA1C, GLYCATED HEMOGLOBIN ,	8.3	%		HPLC	
WHOLE BLOOD-EDTA					
ESTIMATED AVERAGE GLUCOSE (eAG),	192	mg/dL		Calculated	
WHOLE BLOOD-EDTA					

Comment:

Reference Range as per American Diabetes Association (ADA):

REFERENCE GROUP	HBA1C IN %
NON DIABETIC ADULTS >18 YEARS	<5.7
AT RISK (PREDIABETES)	5.7 – 6.4
DIAGNOSING DIABETES	≥ 6.5
DIABETICS	
· EXCELLENT CONTROL	6 – 7
· FAIR TO GOOD CONTROL	7 – 8
· UNSATISFACTORY CONTROL	8 – 10
· POOR CONTROL	>10

Note: Dietary preparation or fasting is not required.

- 1. A1C test should be performed at least two times a year in patients who are meeting treatment goals (and who have stable glycemic control).
- 2. Lowering A1C to below or around 7% has been shown to reduce microvascular and neuropathic complications of type 1 and type 2 diabetes. When mean annual HbA1c is <1.1 times ULN (upper limit of normal), renal and retinal complications are rare, but complications occur in >70% of cases when HbA1c is >1.7 times ULN.
- 3. Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present. Fructosamine may be used as an alternate measurement of glycemic control

Page 5 of 12





www.apolloclinic.com

SIN No:PLF01979215,PLP1334656,EDT230051297







Age/Gender : 35 Y 4 M 19 D/F
UHID/MR No : CINR.0000152390

Visit ID : CINROPV195438

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 7666079038 Collected : 01/Jun/2023 09:09AM
Received : 01/Jun/2023 11:19AM
Reported : 01/Jun/2023 12:31PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324						
Test Name	Result	Unit	Bio. Ref. Range	Method		

LIPID PROFILE, SERUM				
TOTAL CHOLESTEROL	225	mg/dL	<200	CHO-POD
TRIGLYCERIDES	277	mg/dL	<150	GPO-POD
HDL CHOLESTEROL	45	mg/dL	40-60	Enzymatic Immunoinhibition
NON-HDL CHOLESTEROL	180	mg/dL	<130	Calculated
LDL CHOLESTEROL	124.5	mg/dL	<100	Calculated
VLDL CHOLESTEROL	55.4	mg/dL	<30	Calculated
CHOL / HDL RATIO	5.00		0-4.97	Calculated

Comment:

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
LDL	Optimal < 100 Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
NON-HDL CHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220

Measurements in the same patient can show physiological and analytical variations.

NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.

Page 6 of 12



SIN No:SE04385342









: Mrs.VINEETA KUMARI

Age/Gender

: 35 Y 4 M 19 D/F

UHID/MR No

: CINR.0000152390

Visit ID Ref Doctor : CINROPV195438

Emp/Auth/TPA ID

: Dr.SELF : 7666079038 Collected

: 01/Jun/2023 09:09AM

Received

: 01/Jun/2023 11:19AM

Reported

: 01/Jun/2023 12:31PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY	/ HEALTH ANNUAL	DI LIS CHECK -	FEMALE - 2D ECHO - E	AN INDIA - EV2324
AICOI LIVII - WILDIWITELL - I OLL BOD	I IILALIII ANNOAL	LOS CILCR	I LIMALL - 2D LCITO - I	AN INDIA - 1 12324
Test Name	Result	Unit	Bio. Ref. Range	Method
i est ivallie	Result	Oiiit	Dio. Kei. Kange	Method

LIVER FUNCTION TEST (LFT) , SERUM				
BILIRUBIN, TOTAL	0.28	mg/dL	0.3–1.2	DPD
BILIRUBIN CONJUGATED (DIRECT)	0.09	mg/dL	<0.2	DPD
BILIRUBIN (INDIRECT)	0.19	mg/dL	0.0-1.1	Dual Wavelength
ALANINE AMINOTRANSFERASE (ALT/SGPT)	37	U/L	<35	IFCC
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	33.0	U/L	<35	IFCC
ALKALINE PHOSPHATASE	66.00	U/L	30-120	IFCC
PROTEIN, TOTAL	6.49	g/dL	6.6-8.3	Biuret
ALBUMIN	4.00	g/dL	3.5-5.2	BROMO CRESOL GREEN
GLOBULIN	2.49	g/dL	2.0-3.5	Calculated
A/G RATIO	1.61		0.9-2.0	Calculated

Page 7 of 12













: Mrs.VINEETA KUMARI

Age/Gender

: 35 Y 4 M 19 D/F

UHID/MR No

: CINR.0000152390

Visit ID

: CINROPV195438

Ref Doctor Emp/Auth/TPA ID : Dr.SELF : 7666079038 Collected

: 01/Jun/2023 09:09AM

Received

: 01/Jun/2023 11:19AM

Reported

: 01/Jun/2023 12:31PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ADOOFFINE MEDIANIESE SUIL DOD	/ I I E A I TI I A A I A I I I A I	DI LIO CLIECIA	FEMALE OD FOLIO F	ANI INIDIA EVOCA
ARCOFEMI - MEDIWHEEL - FULL BODY	HEALIH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - F	'AN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

RENAL PROFILE/KIDNEY FUNCTION TEST (RFT/KFT) , SERUM				
CREATININE	0.68	mg/dL	0.72 – 1.18	JAFFE METHOD
UREA	16.70	mg/dL	17-43	GLDH, Kinetic Assay
BLOOD UREA NITROGEN	7.8	mg/dL	8.0 - 23.0	Calculated
URIC ACID	6.25	mg/dL	2.6-6.0	Uricase PAP
CALCIUM	8.90	mg/dL	8.8-10.6	Arsenazo III
PHOSPHORUS, INORGANIC	2.60	mg/dL	2.5-4.5	Phosphomolybdate Complex
SODIUM	134	mmol/L	136–146	ISE (Indirect)
POTASSIUM	4.8	mmol/L	3.5–5.1	ISE (Indirect)
CHLORIDE	102	mmol/L	101–109	ISE (Indirect)

Page 8 of 12



SIN No:SE04385342







: Mrs.VINEETA KUMARI

Age/Gender

: 35 Y 4 M 19 D/F

UHID/MR No Visit ID

: CINR.0000152390

Ref Doctor

: CINROPV195438

Emp/Auth/TPA ID

: Dr.SELF

: 7666079038

Collected

: 01/Jun/2023 09:09AM

Received

: 01/Jun/2023 11:19AM : 01/Jun/2023 12:31PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY	2324

Test Name Result	Jnit Bio. Ref. Range	Method
------------------	----------------------	--------

GAMMA GLUTAMYL TRANSPEPTIDASE	70.00	U/L	<38	IFCC	
(GGT) , SERUM					

Page 9 of 12







Emp/Auth/TPA ID





Patient Name : Mrs.VINEETA KUMARI

Age/Gender : 35 Y 4 M 19 D/F

UHID/MR No : CINR.0000152390 Visit ID : CINROPV195438

: 7666079038

Ref Doctor : Dr.SELF

Collected : 01/Jun/2023 09:09AM Received : 01/Jun/2023 11:18AM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

: 01/Jun/2023 12:24PM

DEPARTMENT OF IMMUNOLOGY

Reported

ARCOFEMI - MEDIWHEEL - FULL BODY	HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - F	PAN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

THYROID PROFILE TOTAL (T3, T4, TSH),	SERUM			
TRI-IODOTHYRONINE (T3, TOTAL)	0.91	ng/mL	0.7-2.04	CLIA
THYROXINE (T4, TOTAL)	10.17	μg/dL	6.09-12.23	CLIA
THYROID STIMULATING HORMONE (TSH)	2.913	μIU/mL	0.34-5.60	CLIA

Comment:

Serum TSH concentrations exhibit a diurnal variation with the peak occurring during the night and the nadir occurring between 10 a.m. and 4 p.m.In primary hypothyroidism, thyroid-stimulating hormone (TSH) levels will be elevated. In primary hyperthyroidism, TSH levels will be low. Elevated or low TSH in the context of normal free thyroxine is often referred to as subclinical hypo- or hyperthyroid-ism, respectively. Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.

Note:

For pregnant females	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 - 3.0
Third trimester	0.3 - 3.0

Page 10 of 12





Apollo Health and Lifestyle Limited (CIN - U85110TG2000PLC115819)









Age/Gender : 35 Y 4 M 19 D/F
UHID/MR No : CINR.0000152390
Visit ID : CINROPV195438

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 7666079038 Collected : 01/Jun/2023 09:08AM
Received : 01/Jun/2023 12:15PM
Reported : 01/Jun/2023 12:26PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324							
Test Name	Result	Unit	Bio. Ref. Range	Method			

COMPLETE URINE EXAMINATION (CUE) , URINE								
PHYSICAL EXAMINATION								
COLOUR	PALE YELLOW		PALE YELLOW	Visual				
TRANSPARENCY	CLEAR		CLEAR	Visual				
рH	5.5		5-7.5	DOUBLE INDICATOR				
SP. GRAVITY	1.025		1.002-1.030	Bromothymol Blue				
BIOCHEMICAL EXAMINATION								
URINE PROTEIN	NEGATIVE		NEGATIVE	PROTEIN ERROR OF INDICATOR				
GLUCOSE	NEGATIVE		NEGATIVE	GLUCOSE OXIDASE				
URINE BILIRUBIN	NEGATIVE		NEGATIVE	AZO COUPLING REACTION				
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	SODIUM NITRO PRUSSIDE				
UROBILINOGEN	NORMAL		NORMAL	MODIFED EHRLICH REACTION				
BLOOD	NEGATIVE		NEGATIVE	Peroxidase				
NITRITE	NEGATIVE		NEGATIVE	Diazotization				
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	LEUCOCYTE ESTERASE				
CENTRIFUGED SEDIMENT WET MO	DUNT AND MICROSCOPY							
PUS CELLS	1-2	/hpf	0-5	Microscopy				
EPITHELIAL CELLS	2-3	/hpf	<10	MICROSCOPY				
RBC	NIL	/hpf	0-2	MICROSCOPY				
CASTS	NIL		0-2 Hyaline Cast	MICROSCOPY				
CRYSTALS	ABSENT		ABSENT	MICROSCOPY				

Page 11 of 12













: Mrs.VINEETA KUMARI

Age/Gender

: 35 Y 4 M 19 D/F

UHID/MR No Visit ID

: CINR.0000152390

Ref Doctor

: CINROPV195438

Emp/Auth/TPA ID

: Dr.SELF : 7666079038 Collected

: 01/Jun/2023 09:08AM

Received

: 01/Jun/2023 12:15PM

Reported

: 01/Jun/2023 02:47PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

Test Name	Result	Unit	Bio. Ref. Range	Method
-----------	--------	------	-----------------	--------

URINE GLUCOSE(POST PRANDIAL) **NEGATIVE NEGATIVE** Dipstick

URINE GLUCOSE(FASTING) **NEGATIVE NEGATIVE** Dipstick

*** End Of Report ***

Result/s to Follow:

PERIPHERAL SMEAR, LBC PAP TEST (PAPSURE)

Dr. Prasanna

M.B.B.S, M.D Consultant Pathologist Dr.Anita Shobha Flynn M.B.B.S MD (Pathology) Consultant Pathologist

DR. SHIVARAJA SHETTY

M.B.B.S.M.D(Biochemistry CONSULTANT BIOCHEMIST Consultant Pathologist

Dr.Anita Shobha Flynn M.B.B.S MD(Pathology)

Page 12 of 12





Patient Name : Mrs. Vineeta Kumari Age/Gender : 35 Y/F

UHID/MR No.

: CINR.0000152390

OP Visit No

: CINROPV195438

Sample Collected on

: RAD2011753

Reported on Specimen

: 01-06-2023 14:21

Ref Doctor

LRN#

: SELF

Emp/Auth/TPA ID

: 7666079038

DEPARTMENT OF RADIOLOGY

X-RAY CHEST PA

Both lung fields and hila are normal.

No obvious active pleuro-parenchymal lesion seen.

Both costophrenic and cardiophrenic angles are clear.

Both diaphragms are normal in position and contour.

Thoracic wall and soft tissues appear normal.

CONCLUSION:

No obvious abnormality seen

Dr. DHANALAKSHMI B MBBS, DMRD

Radiology