

MRS. VIBHA MISHRA

BOB

39 YEARS / FEMALE

22-07-2023

Height: 152 Cms

Weight: 68 Kg

BP: - 108/80 mmhg

Pulse: - 83/- Regular

BMI: - 29.4 kg/m²

EYE: - NORMAL

The Medical Examiner should record the findings under one of the following categories:-
Overweight



Dr. D. S. Chhabra
M.B.B.S., M.D.
Reg. No. - 5007

DR. D.S. CHHABRA

MBBS. MD.

MRS. VIBHA MISHRA

39 Years /F

BANK OF BARODA

22-07-2023

HEAMOGRAM

Test Name	Results	Normal Range
Haemoglobin (HB)	12.7	11 - 16 gm%
R.B.C. Count	4.41	3.8 - 4.8 milli./cu.mm
PCV	38.5	36 - 46 %
MCV	87.30	80 - 98 fl
MCH	28.80	27 - 32 pg
MCHC	32.99	31.5 - 34.5 %
TOTAL WBC COUNT	4,800	4,000 to 11,000 /cu.mm
DIFFERENTIAL WBC COUNT	.	
Neutrophils	67	40 - 75 %
Lymphocytes	28	20 - 40 %
Monocytes	03	02 - 08 %
Eosinophils	02	01 - 05 %
Basophils	00	00 - 01 %
PLATELET COUNT	2.77	1.5 - 4 Lacs/cu.mm.
E.S.R	10	M- 0-10 at the end of 1 hr. F- 0-20 at the end of 1 hr

Dr. POOJA PRAPANNADR. POOJA PRAPANNA
M.D.

MRS. VIBHA MISHRA

39 Years /F

BANK OF BARODA

22-07-2023

BIOCHEMISTRY

Test Name	Results	Normal Range
SERUM BILIRUBIN	:-	
TOTAL BILIRUBIN	0.79	0 - 1 mg/dl
DIRECT BILIRUBIN	0.14	<0.25 mg/dl
INDIRECT BILIRUBIN	0.65	< 1.0 mg/dl
S.G.O.T	26.0	0 - 45 IU/L
S.G.P.T	32.0	0 - 45 IU/L
ALKALINE PHOSPHATE	84.0	Adult - 42 - 128 IU/L Child - 150 - 630 IU/L
TOTAL PROTEIN	6.45	6.0 to 8.0 g/dl
ALBUMIN	4.29	3.2 to 5.0 g/dl
GLOBULIN	2.16	1.9 to 3.5
A:G RATIO	1.99	1.2 TO 2.3
GAMA GT	18.0	5 - 43 Iu/l

Dr. POOJA PRAPANNA
MDDR. POOJA PRAPANNA
M.D.

MRS. VIBHA MISHRA

39 Years /F

BANK OF BARODA

22-07-2023

Test Name	Results	Normal Range
<u>BIOCHEMISTRY</u>		
FASTING BLOOD SUGAR	83.0	70 - 110 mg/dl
P.P. BLOOD SUGAR	115.0	upto 140 mg/dl
BUN	11.0	5 - 21 Mg/dl
CREATININE	0.94	0.6 - 1.4 mg\dl
URIC ACID	3.11	2.5 - 6.8 mg\dl

Dr. POOJA PRAPANNA
MD
DR. POOJA PRAPANNA
M.D.

MRS. VIBHA MISHRA

39 Years /F

BANK OF BARODA

22-07-2023

LIPID PROFILE

Test Name	Results	Normal Range
TOTAL LIPIDS	583	400 - 700 mg/dl
CHOLESTROL	185.0	<200 mg/dl- Desirable 200 - 239 mg/dl - Borderline High >240 Mg/dl High
HDL CHOLESTROL	42.0	35- 60 mg/dl
TRIGLYCERIDE	163.0	<150 mg/dl Normal 150 - 199 mg/dl Borderline High 200 - 499 mg/dl High
LDL CHOLESTROL	110.4	<100 mg/dl Optimal 100- 129 mg/dl Borderline high 160 - 189 mg/dl High
VLDL CHOLESTROL	32.6	<40 mg/dl
RISK RATIO	4.4	3 - 6

Dr. POOJA PRAPANNA
DR. POOJA PRAPANNA
M.D.

MRS. VIBHA MISHRA

39 Years /F

BANK OF BARODA

22-07-2023

URINE EXAMINATION

Test Name	Results	Normal Range
PHYSICAL EXAMINATION		
Quantity	30 ml	
Colour	Pale Yellow	
Appearance	Clear	
Deposits	Absent	
Specific Gravity	1.015	
Reaction	Acidic	
CHEMICAL EXAMINATION		
Albumin	Nil	
Sugar	Nil	
Ketones	Absent	
Bile Pigments	Negative	
Bile Salt	Negative	
Hematuria	Negative	
MICROSCOPIC EXAMINATION		
Pus Cells	1- 2 /hpf	
Red Blood Cells	Nil/hpf	
Epithelial Cell	1 - 2 /hpf	
Crystals	Nil	
Casts	Absent	

DR. POOJA PRAPANNA
DR. POOJA PRAPANNA
M.D.

MRS. VIBHA MISHRA

39 Years /F

BANK OF BARODA

22-07-2023

BLOOD GROUP

Test Name	Results	Normal Range
BLOOD GROUP	: -	
"ABO " GROUP	"AB"	
Rh (D) Factor	Negative	

(Cross matching & recheck of Blood Group is mandatory before any transfusion)

Forward blood grouping done .

Advise :- Confirmaton on gel card.

DR. POOJA PRAPANNA
DR. POOJA PRAPANNA
M.D.

MRS. VIBHA MISHRA**39 Years /F****BANK OF BARODA****22-07-2023****HBA1C**

Test Name	Results	Normal Range
HBA1C	5.2	Normal 4-6 % Good Control 6-7 % Fair Control 7-8 % Unsatisfactory Control 8-10 % Poor Control Above 10 %

Dr. POOJA PRAPANNA
MD
DR. POOJA PRAPANNA
M.D.

Pt. Name: **MRS. VIBHA MISHRA**
Ref. By: **BANK OF BARODA**

Age/Sex: **39 Yrs /F**
Date: **22/Jul/2023**

CYTOPATHOLOGY

Material Received :- 1 Pap Smear Prepared.

Smear adequacy :- Satisfactory.

Fair no. of superficial and intermediate squamous epithelial cells

Endocervical cells: Seen, with squamous metaplastic cells

Organism: Altered flora (cocci/bacilli seen)

Inflammatory cells :- Acute inflammatory cells seen.

Reactive cellular changes seen

Negative for intraepithelial lesion or malignancy

Follow up advised

Dr. POOJA PRAPANNA
DR. POOJA PRAPANNA

M.D.

4D SONOGRAPHY • COLOR DOPPLER • ECHO • PATHOLOGY • DIGITAL X-RAY & OPG • TMT • ECG • HOLTER

MR. RAJEEV MISHRA

47 Yrs./M.

BOB

22nd July, 2023

X-RAY CHEST PA VIEW

Bony cage is normal.

Trachea is central. C.P. angles are clear.

Cardiac contour and cardiothoracic ratio are normal.

Lung fields are clear.

DR.D.S.CHHABRA.

M.D.

MRS. VIBHA MISHRA

39 Yrs/F

BOB

22nd July, 2023

ABDOMINAL SONOGRAPHY

Liver is of normal size, shape, has smooth margins & regular contours and the parenchyma is mildly hyperechoic in echostructure, **early fatty changes**. No focal lesion.

Gall bladder is of normal size, shape, has thin walls & the contents are clear fluid. No evidence of any calculus. Biliary tree is undilated.

Pancreas is normal, no focal / diffuse pathology. Spleen is normal. The portal and splenic veins are normal in calibre.

Both kidneys are normal in size [measure about 10.5 cms. in length], shape and echostructure. No calculus in both. The collecting system and ureter on both side are undilated.

Urinary bladder is normal in size, shape and has thin walls.

Uterus is of normal size [measures about 8.5 x 5 x 3.5 cms. in diam.] and is normal in shape. There is a small (12 mms.), hypoechoic area, at posterior myometrium, in fundal region ? a seedling fibroid. Rest of the myometrial & endometrial echopattern is normal. No other obvious mass lesion.

Both ovaries are towards higher side of normal in size (around 5-6 cm³ in vol.) and there are multiple very small (5-6 mms.) cystic images in both with increased stromal tissue.

No adnexal / pelvic mass or cyst. No pelvic collection.

There is no ascitis. No obvious abdominal lymphadenopathy. No sub / supra diaphragmatic pathology on either side.

IMPRESSION :

Early fatty changes in liver.

Sonographic appearance of ovaries is in favour of Polycystic ovaries.

Further clinical & hormonal correlation is requested.

DR.D.S.CHHABRA.

M.D.



भारत सरकार
GOVERNMENT OF INDIA



विभा मिश्रा
Vibha Mishra
जन्म तिथि/ DOB: 05/04/1984
महिला / FEMALE



4195 0005 8775

मेरा आधार, मेरी पहचान



Dr. D. S. Chhabra
M.B.B.S., M.
1989-90



भारतीय विशिष्ट पहचान प्राधिकरण
UNIQUE IDENTIFICATION AUTHORITY OF INDIA

पता:
W/O राजीव मिश्रा, 363 न्यू गौरी
नगर, इंदौर, इंदौर,
मध्य प्रदेश - 452010

Address:
W/O Rajeev Mishra, 363 New
Gouri Nagar, Indore, Indore,
Madhya Pradesh - 452010

4195 0005 8775

1947
1800 300 1947

help@uidai.gov.in

www.uidai.gov.in

P.O. Box No. 1947,
Bengaluru-560 001

V. Mishra



LABORATORY REPORT



Name : Mrs. VIBHA MISHRA	Sex/Age : Female / 39 Years	Case ID : 30701605505
Ref. By :	Dis. At :	Pt. ID :
Bill. Loc. : UNIQUE DIAGNOSTIC CENTRE INDORE		Pt. Loc. :
Reg Date and Time : 22-Jul-2023 10:34	Sample Type : Serum	Mobile No. :
Sample Date and Time : 22-Jul-2023 10:34	Sample Coll. By : non	Ref Id1 :
Report Date and Time : 22-Jul-2023 11:44	Acc. Remarks : -	Ref Id2 :

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
Thyroid Function Test				
Triiodothyronine (T3) <small>CMIA</small>	90.84	ng/dL	58 - 159	
Thyroxine (T4) <small>CMIA</small>	5.8	µg/dL	5.5 - 11.0	
TSH <small>CMIA</small>	1.300	µIU/mL	0.4 - 4.2	

INTERPRETATIONS

- Circulating TSH measurement has been used for screening for euthyroidism, screening and diagnosis for hyperthyroidism & hypothyroidism. Suppressed TSH (<0.01 µIU/mL) suggests a diagnosis of hyperthyroidism and elevated concentration (>7 µIU/mL) suggest hypothyroidism. TSH levels may be affected by acute illness and several medications including dopamine and glucocorticoids. Decreased (low or undetectable) in Graves disease. Increased in TSH secreting pituitary adenoma (secondary hyperthyroidism), PRTN and in hypothalamic disease thyrotropin (tertiary hyperthyroidism). Elevated in hypothyroidism (along with decreased T4) except for pituitary & hypothalamic disease.
- Mild to modest elevations in patient with normal T3 & T4 levels indicates impaired thyroid hormone reserves & incipient hypothyroidism (subclinical hypothyroidism).
- Mild to modest decrease with normal T3 & T4 indicates subclinical hyperthyroidism.
- Degree of TSH suppression does not reflect the severity of hyperthyroidism, therefore, measurement of free thyroid hormone levels is required in patient with a suppressed TSH level.

CAUTIONS

Sick, hospitalized patients may have falsely low or transiently elevated thyroid stimulating hormone. Some patients who have been exposed to animal antigens, either in the environment or as part of treatment or imaging procedure, may have circulating antianimal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

TSH ref range in pregnancy

First trimester
Second trimester
Third trimester

Reference range (microIU/ml)

0.24 - 2.00
0.43-2.2
0.8-2.5

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Soma Yadav
M.D. (Pathology)

Dr. A Mishra
M.D. Microbiology

Printed On : 22-Jul-2023 11:54

DR. PRIYANK JAIN

M.D.,D.M.

CONSULTANT CARDIOLOGIST

UNIQUE DIAGNOSTIC CENTRE

45-B, Jaora Compound,
Opp. M.Y.Hospital, M.Y.H. Road,
INDORE - 452 001. (M. P.).
Phone : 2704118. 4082228

ECHOCARDIOGRAPHY REPORT

NAME : MRS VIBHA MISHRA

Age : 39 Yrs./ F


REFERRED BY : BOB

Date : 22nd July, 2023

ECHOCARDIOGRAPHIC OPINION

INTERPRETATION :-

- ** Normal sized cardiac chambers.
- ** Normal biventricular functions. LVEF : 60 %.
- ** Normal cardiac valves.


Dr. PRIYANK JAIN
MBBS,MD,DM.
Reg. No. 19547

DR.PRIYANK JAIN. M.D.



TWO DIMENSIONAL ECHOCARDIOGRAPHY

M Mode examination revealed normal movement of both mitral leaflets during diastole.

No SAM or mitral valve prolapse is seen.

Mitral valve opening is normal. No evidence of mitral valve prolapse is seen. 2

Tricuspid valve is normal, pulmonary valve is normal, aortic root is normal in size, dimensions of left atrium and left ventricle are normal.

Aortic cusps are not thickened and enclosure line is central.

Aortic valve has three cusps and its opening is not restricted.

2 - D imaging in PLAX, SAX and apical views revealed a normal sized left ventricle.

Movement of septum, anterior, posterior, inferior and lateral walls is normal. Global LVEF is 60 %.

Right atrium and right ventricle are normal in size.

Tricuspid valve leaflets move normally.

Pulmonary valve is normal.

Interatrial and interventricular septa are intact.

No intracardiac mass or thrombus is seen.

No pericardial pathology is observed.

MEASUREMENTS :

[C]	DIMENSIONS	OBSERVED VALUES	Normal Values (For Adults)
1.	Aortic Root diameter	: 2.1 cms.	2.0-3.7 cm < 2.2 cm / M ²
2.	Aortic Valve Opening	: 1.6 cms.	1.5-2.6 cm
3.	Right Ventricular Dimension	: --	
4.	Left Atrial Dimension	: 2.3 cms.	1.9-4.0 cm < 2.2 cm / M ²
5.	Left Ventricular ED Dimension	: 4.2 cms.	3.7-5.6 cm < 3.2 cm / M ²
6.	Left Ventricular ES Dimension	: 2.2 cms.	2.2-4.0 cm
7.	Inter Ventricular ED Septal thickness	: 1.0 cms.	0.6-1.2 cm
8.	Left Ventricular ED PW thickness	: 1.1 cms.	0.5-1.0 cm
9.	IVS / LVPW	: 01	< 1.3

[E]	INDICES OF LEFT VENTRICULAR FUNCTION		
1.	Mitral E - Septal Separation	: 0.5	< 0.9- cm
2.	Left Ventricular Ejection Fraction	: 60 %	60 - 80 %

DOPPLER

	Peak Flow Velocity (M/Sec.)	Peak Gradient (mmHg.)	Regurgitation
MV	Normal	--	Normal
TV	Normal	--	Normal
AV	Normal	--	Normal
PV	Normal	--	Normal

PASP : Normal
