

BMI CHART

Hiranandani Fortis Hospital Mini Seashore Road, Sector 10 - A, Vashi, Navi Mumbai - 400 703.

Tel.: +91-22-3919 9222 Fax: +91-22-3919 9220/21

Email: vashi@vashihospital.com

Signature

																				Da	ate:_			/
lame:												Age	e:	\	yrs		S	Sex:	M / I	F			3	
,t (a)															-	1.7		D. 41						
BP: 10 (7	oh	mu	Heig	ht (c	:ms)	4	7	CW	1	_ VVe	eigh	t(kgs	s):		29	20)—	RIVII	-					•
		U																						
			400	245	400	405	400	425	340	145	150	155	160	165	170	175	180	185	190	195	200	205	210	215
WEIGHT lbs kgs	100 45.5	105 47.7	100 50.50	115 52.3		125 56.8	130 59.1	135 61.4	140 63.6	65.9			72.7		3.41.041	79.5					2014.00	27 0100	95.5	Charles Charles
HEIGHT in/cm	F-	Und	lerwei	ght		49	Hea	lthy				Ove	rweigh	nt	N.		Obes	se			Ext	remel	y Obe	ese
5'0" - 152.4	19		21		23	24	1		27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
5'1" - 154.9	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	36	37	38	39	40
5"2" - 157.4	18	19	20	21	22	22	23	24	25	26	27	28	29	30	310	32	33	33	34	35	36	37	38	39
5'3" - 160.0	17	18	19	20	21	22	23	24		25	26	27	28	29	30	31	32	32	33	34	35	36	37	38
5'4" - 162.5	17	18	18	-		21	22	-	24	24		26	27	28	29	30	31	31	32	33	34	35	36	37
5'5" - 165.1	16	17	18		-	20			23	-	<u></u>	25	26	27	28	29	30	30	31	32	33	34	35	35
5'6" - 167.6	16	17	17	-	1 -	20			22	23		25	25	26	27	28	29	29	30	31	31	32	33	33
5'7" - 170.1	15	16	17	18	18	19	19		22	22		23	-	25 25	25	26	27	28	28	29	30	31	32	32
5'8" - 172.7	15	16	16	17	17	-	19	-	20	21	-	22		-		25	26	27	28	28	29	30	31	31
5'9" - 176.2	14	15	15	16	17	18	18	-	20	20	-		23	_	24		25	26	27	28	28	29	30	30
5'10" - 177.8	14	14	15	16	16	17	18	-	19				22			_	25	25	26	27	28	28	29	30
5'11" - 180.3	13	14	14	15	16	17	17	18	19		20	21	21	22	23	23	24	25	25	26	27	27	28	29
6'0" - 182.8 6'1" - 185.4	13	13	14	15	15	16	17	17	18	19	19	20	21	21	22	23	23	24	25	25	26	27	27	28
6'2" - 187.9	12	13	14	14	15	16	16	17	18	18	19	19	20	21	21	22	23	23	24	25	25	26	27	27
6'3" - 190.5	12	13	13	14	15	15	16	16	17	18	18	19	20	20	21	21	22	23	23	24	25	25	26	26
6'4" - 193.0	12	12	13	14	14	15	15	16	17	17	18	18	19	20	20	21	22	22	23	23	24	25	25	26
5				6																				
Doctors No	ies:																							
																							2	
-																		.,,						
140-																								
·						-				-				-	-									
													ě											
·		-				7																		23
						*																		X
12																			×					141
																				•				

Hiranandani Healthcare Pvt. Ltd.

Mini Sea Shore Road, Sector 10 -A, Vashi, Navi Mumbai - 400703 Board Line: 022 - 3919 222 | Fax: 022 - 39199220 3 |


Emergency: 022 - 39199100 | Ambulance: 1255 For Appointment: 022 - 39199222 | Health Checkup: 022 - 39199300

www.fortishealthcare.com

CIN: U85100MH2005PTC154823

GST IN: 27AABCH5894D1ZG | PAN NO: AABCH5894D





(A Fortis Network Hospital)

	4D12G FAN NO. 12 =	Date	23/09/20)23	·
UHID	8178723	Sex	Male	Age	34
Name	Mr.Somdeep Mukherjee	Healt	th Check 1	Up	
OPD	Dental 12 - 787696540			-	

Drug allergy: Sys illness:

OR Cours E- 16

Amed

Hiranandani Healthcare Pvt. Ltd.

Mini Sea Shore Road, Sector 10 -A, Vashi, Navi Mumbai - 400703

Board Line: 022 - 39199222 | Fax: 022 - 39199220


Emergency: 022 - 39199100 | Ambulance: 1255 For Appointment: 022 - 39199222 | Health Checkup: 022 - 39199300

www.fortishealthcare.com |

CIN: U85100MH2005PTC154823

GST IN: 27AABCH5894D1ZG | PAN NO: AABCH5894D





(A 12 Fortis Network Hospital)

0.4.70.703		Date	23/09/2023		
UHID	8178723	Sex	Male	Age	34
Name	Mr.Somdeep Mukherjee				
OPD	Opthal 14	Healt	h Check l	∪ p	
OPD	Optilal 14				

Drug allergy: -> Not know : Sys illness: -? No (bus Father had ghrones)









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO: 0022WI004849

: FH.8178723 PATIENT ID CLIENT PATIENT ID: UID:8178723

ABHA NO

AGE/SEX : 34 Years Male

:23/09/2023 11:56:00 DRAWN RECEIVED : 23/09/2023 11:56:13

REPORTED :23/09/2023 15:23:59

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD

BILLNO-1501230PCR054526

BILLNO-1501230PCR054526

Results

Biological Reference Interval

Units

Test Report Status

Final

BIOCHEMISTRY

GLUCOSE, POST-PRANDIAL, PLASMA


PPBS(POST PRANDIAL BLOOD SUGAR)

96

70 - 140

mg/dL

METHOD: HEXOKINASE



Comments

NOTE:- POST PRANDIAL PLASMA GLUCOSE VALUES TO BE CORRELATE WITH CLINICAL, DIETETIC AND THERAPEUTIC HISTORY.

Interpretation(s)

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin response & sensitivity etc. Additional test HbA1c treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycaemia, Increased insulin response & sensitivity etc. Additional test HbA1c

End Of Report Please visit www.agilusdiagnostics.com for related Test Information for this accession



Dr.Akshay Dhotre Consultant Pathologist



Page 1 Of 1











Male

MC-2275

PATIENT NAME: MR.SOMDEEP MUKHERJEE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO: 0022WI004789

PATIENT ID : FH.8178723 CLIENT PATIENT ID: UID:8178723

ABHA NO

AGE/SEX :34 Years

:23/09/2023 08:39:00 DRAWN RECEIVED: 23/09/2023 08:39:28

REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Biological Reference Interval Units Results **Test Report Status Final**


	AFMATOLOGY - CBC		
	AEPIATOLOGI - CDC		
CBC-5, EDTA WHOLE BLOOD			
BLOOD COUNTS, EDTA WHOLE BLOOD		13.0 - 17.0	g/dL
HEMOGLOBIN (HB)	11.4 Low	13.0 - 17.0	57 ==
METHOD : SLS METHOD	3.68 Low	4.5 - 5.5	mil/µL
RED BLOOD CELL (RBC) COUNT	5,00 20		-W(40 W
METHOD: HYDRODYNAMIC FOCUSING WHITE BLOOD CELL (WBC) COUNT	4.75	4.0 - 10.0	thou/µL
METHOD : FLUORESCENCE FLOW CYTOMETRY		450 410	thou/µL
PLATELET COUNT	235	150 - 410	(1.00)
METHOD: HYDRODYNAMIC FOCUSING BY DC DETECTION			÷
RBC AND PLATELET INDICES			
	35.3 Low	40.0 - 50.0	%
HEMATOCRIT (PCV) METHOD: CUMULATIVE PULSE HEIGHT DETECTION METHOD		ALCAN T	ei .
MEAN CORPUSCULAR VOLUME (MCV)	95.9	83.0 - 101.0	fL
METHOD: CALCULATED PARAMETER		27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	31.0	27.0 - 52.0	3. 2
METHOD : CALCULATED PARAMETER	32.3	31.5 - 34.5	g/dL
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION(MCHC)	32.3		
METHOD: CALCULATED PARAMETER	700 B 420 B 400 C	11.6 - 14.0	%
RED CELL DISTRIBUTION WIDTH (RDW)	14.7 High	11.6 - 14.0	w.e.,
METHOD: CALCULATED PARAMETER	26.1		
MENTZER INDEX	20.1	4	10. 20.
METHOD: CALCULATED PARAMETER MEAN PLATELET VOLUME (MPV)	13.1 High	6.8 - 10.9	fL
METHOD : CALCULATED PARAMETER			
The state of the s			

WBC DIFFERENTIAL COUNT

Dr. Akshay Dhotre **Consultant Pathologist**



Page 1 Of 22











CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, REF. DOCTOR: ACCESSION NO: 0022WI004789

PATIENT ID : FH.8178723

CLIENT PATIENT ID: UID:8178723

ABHA NO

AGE/SEX :34 Years Male
DRAWN :23/09/2023 08:39:00

RECEIVED : 23/09/2023 08:39:28

REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

MUMBAI 440001

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

BILLNO-1501230PCR054526		The Land Defendance	Interval Units		
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units			
NEUTROPHILS	75	40.0 - 80.0	%		
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING LYMPHOCYTES	13 Low	20.0 - 40.0	%		
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING MONOCYTES	9	2.0 - 10.0	%		
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING EOSINOPHILS	3	1 - 6	%		
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING BASOPHILS	0	0 - 2	%		
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING ABSOLUTE NEUTROPHIL COUNT	3.56	2.0 - 7.0	thou/µL		
METHOD: CALCULATED PARAMETER ABSOLUTE LYMPHOCYTE COUNT	0.62 Low	1.0 - 3.0	thou/µL		
METHOD: CALCULATED PARAMETER ABSOLUTE MONOCYTE COUNT	0.43	0.2 - 1.0	thou/µL		
METHOD : CALCULATED PARAMETER ABSOLUTE EOSINOPHIL COUNT	0.14	0.02 - 0.50	thou/µL		
METHOD : CALCULATED PARAMETER ABSOLUTE BASOPHIL COUNT	0.00 Low	0.02 - 0.10	thou/μL		
METHOD : CALCULATED PARAMETER NEUTROPHIL LYMPHOCYTE RATIO (NLR) METHOD : CALCULATED	7.4				

MORPHOLOGY

RBC

METHOD: MICROSCOPIC EXAMINATION

WBC

METHOD: MICROSCOPIC EXAMINATION

PLATELETS

METHOD: MICROSCOPIC EXAMINATION

MILD HYPOCHROMASIA, NORMOCYTIC

NORMAL MORPHOLOGY

ADEQUATE

(politica

Dr.Akshay Dhotre Consultant Pathologist



Page 2 Of 22

View Details

View Penort











CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO: 0022WI004789

PATIENT ID : FH.8178723 CLIENT PATIENT ID: UID:8178723

ABHA NO

:34 Years AGE/SEX DRAWN

Male

:23/09/2023 08:39:00 RECEIVED: 23/09/2023 08:39:28

REPORTED: 23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Test Report Status

Results

Biological Reference Interval

Units

Interpretation(s)
RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated center of the content of the co

Dr.Akshay Dhotre **Consultant Pathologist** Page 3 Of 22





View Report

PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









Male

PATIENT NAME: MR.SOMDEEP MUKHERJEE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO : 0022WI004789

: FH.8178723

CLIENT PATIENT ID: UID:8178723

ABHA NO

PATIENT ID

AGE/SEX :34 Years

:23/09/2023 08:39:00

RECEIVED: 23/09/2023 08:39:28

REPORTED: 23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Test Report Status

Final

Results

Biological Reference Interval

DRAWN

Units

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

E.S.R

55 High

0 - 14

mm at 1 hr

HBA1C

5.5

111.2

Non-diabetic: < 5.7

Pre-diabetics: 5.7 - 6.4

Diabetics: > or = 6.5

Therapeutic goals: < 7.0 Action suggested: > 8.0

(ADA Guideline 2021)

METHOD : HB VARIANT (HPLC)

METHOD: WESTERGREN METHOD

ESTIMATED AVERAGE GLUCOSE(EAG)

METHOD: CALCULATED PARAMETER

< 116.0

mg/dL

%

A TOLLAR

Dr.Akshay Dhotre Consultant Pathologist



Page 4 Of 22

View Details

View Report

PERFORMED AT:

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO : 0022WI004789

: FH.8178723 PATIENT ID CLIENT PATIENT ID: UID:8178723

ABHA NO

Male :34 Years AGE/SEX

:23/09/2023 08:39:00 DRAWN RECEIVED: 23/09/2023 08:39:28 REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION :


UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Test Report Status

Final

Results

Biological Reference Interval



Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION:

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION:

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that the provides of the provides of the provides of the placed into a tall the placed int

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

TEST INTERPRETATION
Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.
Estrogen medication, Aging.
Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).
Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).
In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia
False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia
False Decreased: Polkilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition, Edited by S. Soldin; 3, The reference for

Dr. Akshay Dhotre **Consultant Pathologist**



Page 5 Of 22

View Report











REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022WI004789

PATIENT ID : FH.8178723 CLIENT PATIENT ID: UID:8178723

ABHA NO

Male AGE/SEX :34 Years

:23/09/2023 08:39:00 DRAWN RECEIVED: 23/09/2023 08:39:28

REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Test Report Status

Results

Biological Reference Interval

Units

the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

Evaluating the long-term control of blood glucose concentrations in diabetic patients.
 Diagnosing diabetes.

Diagnosing diabetes.
 Identifying patients at increased risk for diabetes (prediabetes).
 Identifying patients at increased risk for diabetes (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.
 eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
 eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to:

1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

2. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Kyphotry

Dr.Akshay Dhotre **Consultant Pathologist** Page 6 Of 22





View Details



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022WI004789

PATIENT ID : FH.8178723 CLIENT PATIENT ID: UID:8178723

ABHA NO

:34 Years Male AGE/SEX

:23/09/2023 08:39:00 DRAWN

RECEIVED: 23/09/2023 08:39:28 REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Test Report Status

Results

Biological Reference Interval

IMMUNOHAEMATOLOGY

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP

TYPE B

METHOD: TUBE AGGLUTINATION

POSITIVE

RH TYPE

METHOD: TUBE AGGLUTINATION

Interpretation(s)
ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr.Akshay Dhotre Consultant Pathologist Page 7 Of 22





PERFORMED AT:

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO: 0022WI004789

PATIENT ID : FH.8178723 CLIENT PATIENT ID: UID:8178723 .

ABHA NO

AGE/SEX :34 Years Male :23/09/2023 08:39:00 DRAWN

RECEIVED: 23/09/2023 08:39:28

REPORTED: 23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD

BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Test Report Status	Final	Results Biological Reference Interval	Units
. coc	1.111111		

	BIOCHEMISTRY		
LIVER FUNCTION PROFILE, SERUM			
BILIRUBIN, TOTAL	0.45	0.2 - 1.0	mg/dL
METHOD : JENDRASSIK AND GROFF		0.0 - 0.2	mg/dL
BILIRUBIN, DIRECT	0.15	0.0 - 0.2	mg/ac
METHOD: JENDRASSIK AND GROFF BILIRUBIN, INDIRECT	0,30	0.1 - 1.0	mg/dL
METHOD : CALCULATED PARAMETER			27.30.00
TOTAL PROTEIN	6.9	6.4 - 8.2	g/dL
METHOD: BIURET		3.4. 5.0	g/dL
ALBUMIN	3.0 Low	3.4 - 5.0	g/uc
METHOD: BCP DYE BINDING GLOBULIN	3.9	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER	3.2		
ALBUMIN/GLOBULIN RATIO	0.8 Low	1.0 - 2.1	RATIO
METHOD : CALCULATED PARAMETER			11.0
ASPARTATE AMINOTRANSFERASE(AST/SGOT) 17	15 - 37	U/L
METHOD: UV WITH PSP ALANINE AMINOTRANSFERASE (ALT/SGPT)	13	< 45.0	U/L
METHOD: UV WITH PSP	13		
ALKALINE PHOSPHATASE	76	30 - 120	U/L
METHOD : PNPP-ANP		244 74245	1170
GAMMA GLUTAMYL TRANSFERASE (GGT)	22	15 - 85	U/L
METHOD : GAMMA GLUTAMYLCARBOXY 4NITROANILIDE	116	85 - 227	U/L
LACTATE DEHYDROGENASE METHOD: LACTATE -PYRUVATE	110	85 - 227	-,-
METHOD : LACTATE -PTROVATE			
			æ
			W
GLUCOSE FASTING, FLUORIDE PLASMA		Name I v 4 100	mg/dL
FBS (FASTING BLOOD SUGAR)	93	Normal : < 100	mg/uc

Pre-diabetes: 100-125

Diabetes: >/=126

Page 8 Of 22





PERFORMED AT :

Dr.Akshay Dhotre **Consultant Pathologist**

METHOD: HEXOKINASE

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO : 0022WI004789

: FH.8178723 CLIENT PATIENT ID: UID:8178723

ABHA NO

PATIENT ID

Male AGE/SEX :34 Years DRAWN

:23/09/2023 08:39:00 RECEIVED: 23/09/2023 08:39:28

REPORTED: 23/09/2023 13:37:45

CLINICAL INFORMATION:


UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Test Report Status

Final

Results

Biological Reference Interval



KIDNEY PANEL - 1

METHOD: UREASE - UV

BLOOD UREA NITROGEN (BUN), SERUM

BLOOD UREA NITROGEN

6

6 - 20

mg/dL

Dr.Akshay Dhotre **Consultant Pathologist** Page 9 Of 22








Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322,

CIN - U74899PB1995PLC045956











CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO: 0022WI004789 PATIENT ID

: FH.8178723 CLIENT PATIENT ID: UID:8178723

ABHA NO

AGE/SEX :34 Years Male

:23/09/2023 08:39:00 DRAWN RECEIVED: 23/09/2023 08:39:28

REPORTED: 23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526


Test Report Status

Final

Results

Biological Reference Interval

Units



CREATININE EGFR- EPI

CREATININE METHOD: ALKALINE PICRATE KINETIC JAFFES 1.02

0.90 - 1.30

mg/dL

AGE

34

98.91

Refer Interpretation Below

years mL/min/1.73m2

METHOD: CALCULATED PARAMETER


GLOMERULAR FILTRATION RATE (MALE)

(Kishota


Dr. Akshay Dhotre **Consultant Pathologist** Page 10 Of 22







Agilus Diagnostics Ltd. Agins Diagnostis Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322,











REF. DOCTOR:



PATIENT NAME: MR.SOMDEEP MUKHERJEE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001 ACCESSION NO: 0022W1004789

PATIENT ID : FH.8178723 CLIENT PATIENT ID: UID:8178723

ABHA NO

AGE/SEX :34 Years Male

DRAWN :23/09/2023 08:39:00 RECEIVED :23/09/2023 08:39:28

REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526


Test Report Status

Final

Results

Biological Reference Interval

Units



BUN/CREAT RATIO

BUN/CREAT RATIO

URIC ACID, SERUM

METHOD: URICASE UV

5.88

5.00 - 15.00

METHOD: CALCULATED PARAMETER

URIC ACID

5.6

3.5 - 7.2

mg/dL

TOTAL PROTEIN, SERUM

TOTAL PROTEIN
METHOD: BIURET

6.9

6.4 - 8.2

g/dL

ALBUMIN, SERUM

(NOTES

Dr.Akshay Dhotre Consultant Pathologist Page 11 Of 22





View Details

View Report



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO: 0022WI004789

: FH.8178723 PATIENT ID CLIENT PATIENT ID: UID:8178723

ABHA NO

Male :34 Years AGE/SEX :23/09/2023 08:39:00 DRAWN

RECEIVED: 23/09/2023 08:39:28

REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526

BILLNO-1501230PCR054526 Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
ALBUMIN METHOD: BCP DYE BINDING	3.0 Low	3.4 - 5.0	g/dL
GLOBULIN GLOBULIN METHOD: CALCULATED PARAMETER	. 3.9	2.0 - 4.1	g/dL
ELECTROLYTES (NA/K/CL), SERUM SODIUM, SERUM METHOD: ISE INDIRECT	137 3.83	136 - 145 3.50 - 5.10	mmol/L
POTASSIUM, SERUM METHOD: ISE INDIRECT CHLORIDE, SERUM METHOD: ISE INDIRECT	103	98 - 107	mmol/L

Interpretation(s)

Interpretation(s)

LIVER FUNCTION PROFILE, SERUMBilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg., hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg., bereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated obstruction and hepatitis), and abnormal bilirubin metabolism (eg., hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, brug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin there is some kind of blockage of the bile ducts bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney fallure, hemolytic clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney fallure, hemolytic clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, lobstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Protein deficiency, Wilsons disease.

Osteoblastic bone tumors, osteomalacia, hepatitis

Dr.Akshay Dhotre **Consultant Pathologist**



Page 12 Of 22













CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

REF. DOCTOR:

ACCESSION NO : 0022WI004789 PATIENT ID : FH.8178723

CLIENT PATIENT ID: UID:8178723 . ABHA NO

:34 Years Male AGE/SEX

:23/09/2023 08:39:00 DRAWN RECEIVED: 23/09/2023 08:39:28

REPORTED: 23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Test Report Status

Final

Results

Biological Reference Interval

Units

liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms globulin. Higher-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urrine.

Increased in: Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids, phenytoin, estrogen, thiazides.

Decreased in: Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g.galactosemial) Drugs-insulin, ethanol, prograndol; sulfonytureas, tobutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATININE EGFR- EPI-- Kidney disease outcomes quality initiative (KDOQI) guidelines state that estimation of GFR is the best overall indices of the Kidney function.

- It gives a rough measure of number of functioning nephrons. Reduction in GFR implies progression of underlying disease.

- Treatinine is mininy derived from the metabolism of creatine in muscle, and its generation is proportional to the total muscle mass. As a result, mean creatinine generation is higher in men than in wom

estimate of the actual GFR can be determined.

- This equation takes into account several factors that impact creatinine production, including age, gender, and race.

- CKD EPI (Chronic kidney disease epidemiology collaboration) equation performed better than MDRD equation especially when GFR is high(>60 ml/min per 1.73m2).. This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

References:

National Kidney Foundation (NKF) and the American Society of Nephrology (ASN).

Estimated GFR Calculated Using the CKD-EPI equation-https://testguide.labmed.uw.edu/guideline/egfr

Estimated GFR Calculated Using the CKD-EPI equation-https://testguide.labmed.uw.edu/guideline/egfr

Ghuman JK, et al. Impact of Removing Race Variable on CKD Classification Using the Creatinine-Based 2021 CKD-EPI Equation. Kidney Med 2022, 4:100471, 35756325

Harrison"s Principle of Internal Medicine, 21st ed. pg 62 and 334

URIC ACID, SERUM-Causes of Increased levels:-Dietary(high Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic

URIC ACID, SERUM-Causes of Increased levels-Low Zinc intake, OCP, Multiple Sclerosis

syndrome Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin.

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin.

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

Higher-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr.Akshay Dhotre **Consultant Pathologist** Page 13 Of 22















Male

PATIENT NAME: MR.SOMDEEP MUKHERJEE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO: 0022WI004789

: FH 8178723

CLIENT PATIENT ID: UID:8178723

ABHA NO

PATIENT ID

:34 Years AGE/SEX

:23/09/2023 08:39:00 DRAWN RECEIVED: 23/09/2023 08:39:28

REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Test Report Status

METHOD: ENZYMATIC/COLORIMETRIC, CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE

Results

Biological Reference Interval

Units

mg/dL

mg/dL

mg/dL

BIOCHEMISTRY - LIPID

I	TP	T	D	P	RC)F	IL	E.	SE	RU	M

CHOLESTEROL, TOTAL

METHOD: ENZYMATIC ASSAY

METHOD : DIRECT MEASURE - PEG

LDL CHOLESTEROL, DIRECT

HDL CHOLESTEROL

TRIGLYCERIDES

97

50

42

47

55

< 200 Desirable

200 - 239 Borderline High

>/= 240 High

< 150 Normal

150 - 199 Borderline High

200 - 499 High

>/=500 Very High

< 40 Low

mg/dL

>/=60 High

< 100 Optimal

100 - 129 Near or above

optimal

130 - 159 Borderline High

160 - 189 High >/= 190 Very High

Desirable: Less than 130

Above Desirable: 130 - 159 Borderline High: 160 - 189

High: 190 - 219

Very high: > or = 220

METHOD: CALCULATED PARAMETER

NON HDL CHOLESTEROL

VERY LOW DENSITY LIPOPROTEIN

METHOD: DIRECT MEASURE WITHOUT SAMPLE PRETREATMENT

METHOD: CALCULATED PARAMETER

CHOL/HDL RATIO

10.0

</=30.0

mg/dL

mg/dL

3.3 - 4.4 Low Risk 2.3 Low

4.5 - 7.0 Average Risk

7.1 - 11.0 Moderate Risk

> 11.0 High Risk

METHOD: CALCULATED PARAMETER

Dr. Akshay Dhotre **Consultant Pathologist** Page 14 Of 22





PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

REF. DOCTOR: ACCESSION NO: 0022WI004789

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

PATIENT ID : FH.8178723

MUMBAI 440001

CLIENT PATIENT ID: UID:8178723

ABHA NO

AGE/SEX :34 Years Male :23/09/2023 08:39:00 DRAWN

RECEIVED: 23/09/2023 08:39:28

REPORTED: 23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Test Report Status	Final	Results	Biological Reference Interval	Units


LDL/HDL RATIO

1.1

0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate

>6.0 High Risk

METHOD: CALCULATED PARAMETER





Dr. Akshay Dhotre **Consultant Pathologist** Page 15 Of 22







Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703

Maharashtra, India Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









Male

PATIENT NAME: MR.SOMDEEP MUKHERJEE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001 REF. DOCTOR:
ACCESSION NO: 0022WI004789

PATIENT ID : FH.8178723
CLIENT PATIENT ID: UID:8178723

ABHA NO

AGE/SEX :34 Years

DRAWN :23/09/2023 08:39:00 RECEIVED :23/09/2023 08:39:28

REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526


Test Report Status

Final

Results

Biological Reference Interval

Units



Andre

Dr.Akshay Dhotre Consultant Pathologist



Page 16 Of 22

View Details

View Report



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









MC-2275

PATIENT NAME: MR.SOMDEEP MUKHERJEE

Final

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO : 0022WI004789

: FH.8178723 PATIENT ID CLIENT PATIENT ID: UID:8178723

ABHA NO

Male :34 Years AGE/SEX :23/09/2023 08:39:00 DRAWN

RECEIVED: 23/09/2023 08:39:28 REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526


BILLNO-1501230PCR054526

Test Report Status

Results

Biological Reference Interval

Units





Dr.Akshay Dhotre Consultant Pathologist





Page 17 Of 22













CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

REF. DOCTOR :

ACCESSION NO: 0022WI004789 PATIENT ID : FH.8178723 CLIENT PATIENT ID: UID:8178723

ABHA NO

Male AGE/SEX :34 Years

:23/09/2023 08:39:00 DRAWN RECEIVED : 23/09/2023 08:39:28

REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526


Test Report Status

Final

Results

Biological Reference Interval

Units



Interpretation(s)

Dr. Akshay Dhotre Consultant Pathologist



Page 18 Of 22



Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India Tel: 022-39199222,022-49723322,

CIN - U74899PB1995PLC045956







REF. DOCTOR :



Male

PATIENT NAME: MR.SOMDEEP MUKHERJEE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

ACCESSION NO: 0022WI004789 : FH.8178723 PATIENT ID CLIENT PATIENT ID: UID:8178723

ABHA NO

AGE/SEX :34 Years

DRAWN

:23/09/2023 08:39:00

RECEIVED : 23/09/2023 08:39:28 REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Test Report Status

Results

Biological Reference Interval

Units

CLINICAL PATH - URINALYSIS

KIDNEY PANEL - 1

PHYSICAL EXAMINATION, URINE

METHOD : PHYSICAL

APPEARANCE METHOD: VISUAL PALE YELLOW

CLEAR

CHEMICAL EXAMINATION, URINE

PH

METHOD: REFLECTANCE SPECTROPHOTOMETRY- DOUBLE INDICATOR METHOD

4.7 - 7.5

1.003 - 1.035

METHOD: REFLECTANCE SPECTROPHOTOMETRY (APPARENT PKA CHANGE OF PRETREATED POLYELECTROLYTES IN RELATION TO IONIC CONCENTRATION) SPECIFIC GRAVITY

6.0

PROTEIN

METHOD: REFLECTANCE SPECTROPHOTOMETRY - PROTEIN-ERROR-OF-INDICATOR PRINCIPLE

NOT DETECTED

GLUCOSE

METHOD: REFLECTANCE SPECTROPHOTOMETRY, DOUBLE SEQUENTIAL ENZYME REACTION-GOD/POD

NOT DETECTED

KETONES

METHOD: REFLECTANCE SPECTROPHOTOMETRY, ROTHERA'S PRINCIPLE

NOT DETECTED

NOT DETECTED

BLOOD

METHOD: REFLECTANCE SPECTROPHOTOMETRY, PEROXIDASE LIKE ACTIVITY OF HAEMOGLOBIN

BILIRUBIN

METHOD: REFLECTANCE SPECTROPHOTOMETRY, DIAZOTIZATION- COUPLING OF BILIRUBIN WITH DIAZOTIZED SALT

NOT DETECTED

UROBILINOGEN

NORMAL

METHOD: REFLECTANCE SPECTROPHOTOMETRY (MODIFIED EHRLICH REACTION)

NOT DETECTED

NITRITE

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, CONVERSION OF NITRATE TO NITRITE NOT DETECTED

NOT DETECTED

LEUKOCYTE ESTERASE METHOD: REFLECTANCE SPECTROPHOTOMETRY, ESTERASE HYDROLYSIS ACTIVITY

Mobile

Dr. Akshay Dhotre Consultant Pathologist

Dr. Rekha Nair, MD Microbiologist


Page 19 Of 22





PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322,













PATIENT NAME :	MR.SOMDEEP	MUKHERJEE
PAILLING		F07

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

REF. DOCTOR : ACCESSION NO: 0022WI004789

: FH.8178723 PATIENT ID CLIENT PATIENT ID: UID:8178723

ABHA NO

AGE/SEX :34 Years Male :23/09/2023 08:39:00 DRAWN

RECEIVED : 23/09/2023 08:39:28 REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526

CORP-OPD BILLNO-1501230PCR054526			Unite
BILLNO-1501230PCR054526	Results	Biological Reference In	tervai Ullics
Test Report Status <u>Final</u>			
MICROSCOPIC EXAMINATION, URINE	NOT DETECTED	NOT DETECTED	/HPF
RED BLOOD CELLS METHOD: MICROSCOPIC EXAMINATION	0-1	0-5	/HPF
PUS CELL (WBC'S) METHOD: MICROSCOPIC EXAMINATION	0-1	0-5	/HPF
EPITHELIAL CELLS METHOD: MICROSCOPIC EXAMINATION	NOT DETECTED		
CASTS METHOD: MICROSCOPIC EXAMINATION	NOT DETECTED		
CRYSTALS METHOD: MICROSCOPIC EXAMINATION	NOT DETECTED	NOT DETECTED	
BACTERIA METHOD: MICROSCOPIC EXAMINATION	NOT DETECTED	NOT DETECTED	
YEAST METHOD: MICROSCOPIC EXAMINATION REMARKS	URINARY MICROSCOL CENTRIFUGED SEDIM	PIC EXAMINATION DONE ON U	RINARY

Interpretation(s)

Kithoto

Dr. Akshay Dhotre Consultant Pathologist

Dr. Rekha Nair, MD Microbiologist

Page 20 Of 22







Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956







CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

PATIENT ID

REF. DOCTOR : ACCESSION NO: 0022WI004789

: FH.8178723 CLIENT PATIENT ID: UID:8178723

ABHA NO

Male :34 Years AGE/SEX

:23/09/2023 08:39:00 DRAWN RECEIVED: 23/09/2023 08:39:28 REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526

BILLNO-1501230PCR054526 Biological Reference Interval Units Results **Final** Test Report Status

SPECIALISED CHEMISTRY - HORMONE THYROID PANEL, SERUM 80.0 - 200.0 123.8

ng/dL METHOD: ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE T3 μg/dL 5.10 - 14.10 7.45 METHOD: ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE **T4** µIU/mL 0.270 - 4.2002.980

TSH (ULTRASENSITIVE) METHOD: ELECTROCHEMILUMINESCENCE, SANDWICH IMMUNOASSAY

Interpretation(s)

(NOL)

Dr. Akshay Dhotre Consultant Pathologist



Page 21 Of 22

PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322,

CIN - U74899PB1995PLC045956







REF. DOCTOR: PATIENT NAME: MR.SOMDEEP MUKHERJEE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

ACCESSION NO : 0022WI004789

: FH.8178723 PATIENT ID CLIENT PATIENT ID: UID:8178723

ABHA NO

Male :34 Years AGE/SEX :23/09/2023 08:39:00

DRAWN RECEIVED : 23/09/2023 08:39:28 REPORTED :23/09/2023 13:37:45

CLINICAL INFORMATION:

UID:8178723 REQNO-1585348 CORP-OPD BILLNO-1501230PCR054526 BILLNO-1501230PCR054526

Results

Biological Reference Interval

Test Report Status

Final

SPECIALISED CHEMISTRY - TUMOR MARKER

PROSTATE SPECIFIC ANTIGEN, SERUM

PROSTATE SPECIFIC ANTIGEN

0.494

0.0 - 1.4

ng/mL

METHOD: ELECTROCHEMILUMINESCENCE, SANDWICH IMMUNOASSAY

Interpretation(s)
PROSTATE SPECIFIC ANTIGEN, SERUM-- PSA is detected in the male patients with normal, benign hyperplastic and malignant prostate tissue and in patients with prostatitis.
- PSA is not detected (or detected at very low levels) in the patients without prostate tissue (because of radical prostatectomy or cystoprostatectomy) and also in the female

patients.

It a suitable marker for monitoring of patients with Prostate Cancer and it is better to be used in conjunction with other diagnostic procedures.

Serial PSA levels can help determine the success of prostatectomy and the need for further treatment, such as radiation, endocrine or chemotherapy and useful in detecting residual disease and early recurrence of tumor.

Elevated levels of PSA can be also observed in the patients with non-malignant diseases like Prostatitis and Benign Prostatic Hyperplasia.

Elevated levels of PSA can be also observed in the patients with non-malignant diseases like prostatitis and Benign Prostatic Hyperplasia.

Specimens for total PSA assay should be obtained before biopsy, prostatectomy or prostatic massage, since manipulation of the prostate gland may lead to elevated PSA specimens for total PSA assay should be obtained before biopsy, prostatectomy or prostatic massage, since manipulation of the prostate gland may lead to elevated PSA specimens for total PSA assay should be obtained before biopsy, prostatectomy or prostatic massage, since manipulation of the prostate gland may lead to elevated PSA specimens for total PSA assay should be obtained before biopsy, prostatectomy or prostatic massage, since manipulation of the prostate gland may lead to elevated PSA specimens for total PSA guidelines, PSA screening is recommended for early detection of Prostate cancer above the age of 40 years. Following Age specific reference range can be used as a guide lines.

Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is espe

petween 4-10 ng/mL.

- Total PSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous results are placed in the compared with one another and could be the cause of erroneous results are placed in the procedure of the cause of erroneous results are placed in the cause of erroneous res

1. Burtis CA, Ashwood ER, Bruns DE. Teitz textbook of clinical chemistry and Molecular Diagnostics. 4th edition.
2. Williamson MA, Snyder LM. Wallach's Interpretation of diagnostic tests, 9th edition.

End Of Report Please visit www.agilusdiagnostics.com for related Test Information for this accession

(Mileston

Dr. Akshay Dhotre Consultant Pathologist



Page 22 Of 22

PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956



Hiranandani Healthcare Pvt. Ltd.

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D1ZG

PAN NO : AABCH5894D





(For Billing/Reports & Discharge Summary only)

DEPARTMENT OF RADIOLOGY

Date: 23/Sep/2023

Name: Mr. Somdeep Mukherjee Age | Sex: 34 YEAR(S) | Male

Order Station: FO-OPD

Bed Name:

UHID | Episode No : 8178723 | 55199/23/1501 Order No | Order Date: 1501/PN/OP/2309/115094 | 23-Sep-2023 Admitted On | Reporting Date : 23-Sep-2023 12:37:00

Order Doctor Name: Dr.SELF.

X-RAY-CHEST- PA

Findings:

Both lung fields are clear.

The cardiac shadow appears within normal limits.

Trachea and major bronchi appears normal.

Both costophrenic angles are well maintained.

Bony thorax are unremarkable.

DR. CHETAN KHADKE M.D. (Radiologist) imananuam nearthcare PVt. Ltd.

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D17G

GST IN: 27AABCH5894D1ZG
PAN NO: AABCH5894D (For Billing/Reports & Discharge Summary only)





DEPARTMENT OF RADIOLOGY

UHID | Episode No : 8178723 | 55199/23/1501

Order No | Order Date: 1501/PN/OP/2309/115094 | 23-Sep-2023 Admitted On | Reporting Date : 23-Sep-2023 09:59:58

Order Doctor Name : Dr.SELF.

Date: 23/Sep/2023

Name: Mr. Somdeep Mukherjee Age | Sex: 34 YEAR(S) | Male Order Station: FO-OPD

Bed Name :

US-WHOLE ABDOMEN

LIVER is normal in size and echogenicity. Intrahepatic portal and biliary systems are normal. No focal lesion is seen in liver. Portal vein appears normal.

GALL BLADDER is physiologically distended and shows a 3 mm calculus within. Gall bladder reveals normal wall thickness. No evidence of pericholecystic collection. CBD appears normal in caliber.

SPLEEN is normal in size and echogenicity.

BOTH KIDNEYS are normal in size and echogenicity. The central sinus complex is normal. No evidence of calculi/hydronephrosis. Right kidney measures 10.2 x 3.6 cm. Left kidney measures 9.5 x 5.0 cm.

PANCREAS is normal in size and morphology. No evidence of peripancreatic collection.

URINARY BLADDER is partially distended. No evidence of intravesical mass/calculi.

PROSTATE is normal in size & echogenicity. It measures ~ 14.3 cc in volume.

No evidence of ascites.

IMPRESSION:

· Cholelithiasis with no features of cholecystitis.

DR. CHETAN KHADKE (MD Radiologist)