

SCO 41, Level I, Sector 47-D, CHANDIGARH - 160 047

Ph. 0172-2633141 M: 98767 00150 Email: tricityhealthcare47@gmail.com

PATIENT NAME: Mrs. VIPUL CHANDEL ,AGE : 22 YRS / FEMALE

REFERRED BY: PAN HEALTH LAB VISIT DATE: 28-AUG-2021

VISIT NO. : 01

CLINICAL PROFILE: MEDICAL CHECK-UP.

## X-RAY CHEST (PA View)

### **OBSERVATIONS**

Both lungs appear clear with no obvious parenchymal lesions.

Bilateral hila appear unremarkable.

CP angles appear normal.

Cardiac size appears normal.

Domes of diaphragm appear unremarkable.

No free air seen under the domes of diaphragm.

Bony thoracic cage & soft tissues under view appear unremarkable.

IMPRESSION: NORMAL STUDY.


Please correlate clinically and with findings of other relevant investigations.

S.C.O. 56, Ist Floor Sec. 47-u, Chandigarh

Dr. Aman Deepak
Consultant Radiologist







SCO 41, Level I, Sector 47-D, CHANDIGARH - 160 047

Ph. 0172-2633141 M : 98767 00150 Email : tricityhealthcare47@gmail.com

PATIENT NAME: Mrs. VIPUL CHANDEL

REFERRED BY: PAN HEALTH LAB

VISIT DATE: 28-AUG-2021

VISIT NO.: 01

CLINICAL PROFILE: MEDICAL CHECK-UP.

# **USG WHOLE ABDOMEN**

### **IMPRESSION**

- LEFT KIDNEY is not seen in the left lumbar fossa instead it is seen in the LIF REGION.
- A well defined cyst is noted with heteroechoic contents and septations in the left ovary measuring 4.9 x 4.8 cm in size. ? HEMORRHAGIC CYST. ? ENDOMETRIOTIC CYST.

Please correlate clinically and with findings of other relevant investigations.

#### **OBSERVATIONS ARE AS BELOW**

<u>LIVER</u>: Liver is normal in size, shape, & outline and homogeneous echotexture. No obvious focal lesion noted in both lobes of liver. Intrahepatic & extrahepatic billiary radicals are not dilated. Hepatic veins are normal.

**PORTA:** Portal vein is normal in caliber. No periportal collaterals noted. CBD is normal in course and calibre in traceable portion.

**GALL BLADDER:** is partially distended and shows no wall-thickening. No intraluminal echogenic foci/ sludge noted. No pericholecystic collection noted.

<u>PANCREAS</u>: It is normal in size, shape, outline & echotexture. No peripancreatic collection noted.

<u>SPLEEN</u>: It is normal in size & echotexture. No focal lesion noted. Splenic vein calibre at the hilum is within normal limits. No collaterals observed at the splenic hilum.

**<u>RETROPERITONEUM</u>**: No e/o significant lymphadenopathy noted. Aorta & IVC appears normal.







SCO 41, Level I, Sector 47-D, CHANDIGARH - 160 047

Ph. 0172-2633141 M : 98767 00150 Email : tricityhealthcare47@gmail.com

<u>RIGHT KIDNEY:</u> is normal in size and measures 10.5 x 4.5 cm, shape and echotexture. Cortical echogenicity is normal. Cortico-medullary differentiation is maintained. No pelvicalyceal system dilatation noted. No calculus noted.

<u>LEFT KIDNEY:</u> is not seen in the left lumbar fossa instead it is seen in the LIF REGION. It is normal in size and measures 9.5 x 4.2 cm, shape and echotexture. Cortical echogenicity is normal. Cortico-medullary differentiation is maintained. No pelvicalyceal system dilatation noted. No calculus noted.

<u>URINARY BLADDER</u>: is well distended. Wall thickness is normal. No calculi /debris noted. No fluid/fluid level noted.

UTERUS: Anteverted / Anteflexed. It is normal in size, outline and position.

Myometrium appears normal. Endometrium thickness is approx. 7 mm.

Cervical region is normal.

A well defined cyst is noted with heteroechoic contents and septations in the left ovary measuring 4.9 x 4.8 cm in size. Right ovary appears normal.

No adnexal mass noted. No fluid noted in cul-de-sacs.

No free fluid or obvious abnormality in visualized bowel loops. Gut loops show normal peristalsis.

PAN HEALTH s.c.o. 56, 1st Floor Sec. 47-D, Chandigarh

Dr. Aman Deepak Consultant Radiologist