Name	: Mr. RAMISETTI VENKATANARESH			
PID No.	: MED111583102	Register On : 0	4/04/2023 8:30 AM	~
SID No.	: 223005588	Collection On : (4/04/2023 9:02 AM	
Age / Sex	: 35 Year(s) / Male	Report On : (04/04/2023 5:09 PM	medall
Туре	: OP	Printed On : (5/04/2023 5:24 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
<u>Investig</u> a	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BLOOD TYPINC	GROUPING AND Rh G	'O' 'Positive'		
	ood/Agglutination)			
	RETATION: Reconfirm the Blood g	group and Typing before	e blood transfusion	
<u>Complet</u>	e Blood Count With - ESR			
Haemog (EDTA Bl	lobin ood'Spectrophotometry)	15.8	g/dL	13.5 - 18.0
	Cell Volume(PCV)/Haematocrimod/Derived from Impedance)	t 47.3	%	42 - 52
RBC Co (EDTA Bl	unt ood/Impedance Variation)	5.38	mill/cu.mm	4.7 - 6.0
	orpuscular Volume(MCV) ood/Derived from Impedance)	88.0	fL	78 - 100
	orpuscular Haemoglobin(MCH) ood/Derived from Impedance)	29.4	pg	27 - 32
concentr	orpuscular Haemoglobin ation(MCHC) ood/Derived from Impedance)	33.4	g/dL	32 - 36
RDW-C (EDTA Bl	V ood/Derived from Impedance)	13.3	%	11.5 - 16.0
RDW-SI (EDTA BI	D ood/Derived from Impedance)	41.9	fL	39 - 46
	ukocyte Count (TC) ood/Impedance Variation)	7280	cells/cu.mm	4000 - 11000
Neutropl (EDTA Bl <i>Cytometry</i>	ood/Impedance Variation & Flow	53.6	%	40 - 75
Lympho (EDTA Bl <i>Cytometry</i>	ood/Impedance Variation & Flow	37.9	%	20 - 45



The results pertain to sample tested.

Page 1 of 8

Name	: Mr. RAMISETTI VENKATANARESH			
PID No.	: MED111583102	Register On : 04	/04/2023 8:30 AM	CO
SID No.	: 223005588	Collection On : 04	4/04/2023 9:02 AM	\mathbf{O}
Age / Sex	: 35 Year(s) / Male	Report On : 04	4/04/2023 5:09 PM	medall
Туре	: OP	Printed On : 05	5/04/2023 5:24 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
<u>Investiga</u>	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Eosinoph (EDTA Blo Cytometry)	ood Impedance Variation & Flow	1.6	%	01 - 06
Monocyt (EDTA Blo <i>Cytometry)</i>	ood Impedance Variation & Flow	6.6	%	01 - 10
Basophile (EDTA Blo Cytometry)	ood Impedance Variation & Flow	0.3	%	00 - 02
INTERPE	RETATION: Tests done on Automat	ed Five Part cell counte	r. All abnormal results are	reviewed and confirmed microscopically.
	Neutrophil count	3.90	10^3 / µl	1.5 - 6.6
	Lymphocyte Count ood/Impedance Variation & Flow	2.77	10^3 / µl	1.5 - 3.5
	Eosinophil Count (AEC)	0.11	10^3 / µl	0.04 - 0.44
	Monocyte Count ood/Impedance Variation & Flow	0.48	10^3 / µl	< 1.0
	Basophil count ood/Impedance Variation & Flow	0.02	10^3 / µl	< 0.2
Platelet C (EDTA Blo	Count ood/Impedance Variation)	327	10^3 / µl	150 - 450
MPV (EDTA Blo	ood/Derived from Impedance)	8.9	fL	7.9 - 13.7
PCT (EDTA Blo	ood'Automated Blood cell Counter)	0.291	%	0.18 - 0.28
	ythrocyte Sedimentation Rate) comated - Westergren method)	21	mm/hr	< 15





The results pertain to sample tested.

Page 2 of 8

Name	: Mr. RAMISETTI VENKATANARESH			
PID No.	: MED111583102	Register On :	04/04/2023 8:30 AM	
SID No.	: 223005588	Collection On :	04/04/2023 9:02 AM	
Age / Sex	: 35 Year(s) / Male	Report On :	04/04/2023 5:09 PM	medall
Туре	: OP	Printed On :	05/04/2023 5:24 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
<u>Investig</u> a	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BUN / C	reatinine Ratio	11.37		6.0 - 22.0
	Fasting (FBS) F/GOD-PAP)	102.6	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	113.9	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV/derived)	9.9	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.87	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Enzymatic)	6.0 mg/dL	3.5 - 7.2
Liver Function Test		
Bilirubin(Total) (Serum/DCA with ATCS)	0.52 mg/dL	0.1 - 1.2
		DR.SUNDAR ELAYAPERUMAL MD, CIC CONSULTANT MICROBIOLOGIST REG NO. 41854
		APPROVED BY

The results pertain to sample tested.

Page 3 of 8

Name	:	Mr. RAMISETTI VENKATANARESH				
PID No.	:	MED111583102	Register On	:	04/04/2023 8:30 AM	~
SID No.	:	223005588	Collection O	n :	04/04/2023 9:02 AM	\mathbf{O}
Age / Sex	:	35 Year(s) / Male	Report On	:	04/04/2023 5:09 PM	medall
Туре	:	OP	Printed On	:	05/04/2023 5:24 PM	DIAGNOSTICS
Ref. Dr	:	MediWheel				
<u>Investig</u> a	atio	<u>on</u>	<u>Observ</u> Value		<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Bilirubin (Serum/Di	· ·	Direct) tized Sulfanilic Acid)	0.13	3	mg/dL	0.0 - 0.3
Bilirubin (Serum/De	· ·		0.39	Ð	mg/dL	0.1 - 1.0
SGOT/A Aminotr (Serum/Me	an		29.2	2	U/L	5 - 40
SGPT/A (Serum/ <i>M</i> a		C (Alanine Aminotransferase) <i>Fied IFCC</i>)	50.2	2	U/L	5 - 41
Remark:	Ple	ease correlate clinically.				
GGT(Ga (Serum/IF		ma Glutamyl Transpeptidase) /Kinetic)	57.1	l	U/L	< 55
Alkaline (Serum/ <i>M</i> a		hosphatase (SAP) <i>fied IFCC)</i>	90.0)	U/L	53 - 128
Total Pro (Serum/Bit			7.70	5	gm/dl	6.0 - 8.0
Albumin (Serum/Br		ocresol green)	4.00)	gm/dl	3.5 - 5.2
Globulin (Serum/De			3.70	5	gm/dL	2.3 - 3.6
A : G RA (Serum/De			1.00	5		1.1 - 2.2
<u>Lipid Pr</u>	ofi	<u>le_</u>				
Choleste (Serum/CF		Total D-PAP with ATCS)	236.	6	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglyce (Serum/GI		es PAP with ATCS)	267.	4	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499

Borderline: 150 - 199 High: 200 - 499 Very High: >= 500





The results pertain to sample tested.

Page 4 of 8

Name		: Mr. RAMISETTI VENKATANARESH				
PID No.		: MED111583102	Register On	:	04/04/2023 8:30 AM	
SID No.		: 223005588	Collection On	:	04/04/2023 9:02 AM	
Age / Sex		: 35 Year(s) / Male	Report On	:	04/04/2023 5:09 PM	medall
Туре		: OP	Printed On	:	05/04/2023 5:24 PM	DIAGNOSTICS
Ref. Dr		: MediWheel				
<u>Investiga</u>	<u>a</u> †	lion	<u>Observee</u> <u>Value</u>	<u>d</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
		e	C C	· ·	e :	hange drastically in response to food, ceride levels show considerable diurnal

increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	41.5	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	141.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	53.5	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	195.1	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	5.7	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	6.4	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
		DR.SUNDAR ELAYAPERUMAL MD, CIC

The results pertain to sample tested.

Page 5 of 8

CONSULTANT MICROBIOLOGIST REG NO: 41854

APPROVED BY

Name	: Mr. RAMISETTI VENKATANARESH			
PID No.	: MED111583102	Register On :	04/04/2023 8:30 AM	
SID No.	: 223005588	Collection On :	04/04/2023 9:02 AM	
Age / Sex	: 35 Year(s) / Male	Report On :	04/04/2023 5:09 PM	medall
Туре	: OP	Printed On :	05/04/2023 5:24 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
<u>Investig</u>	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
LDL/HE (Serum/Ca	DL Cholesterol Ratio alculated)	3.4		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
<u>Glycosyl</u>	lated Haemoglobin (HbA1c)			
HbA1C (Whole Bl	ood/HPLC)	5.1	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERP	RETATION: If Diabetes - Good cor	ntrol : 6.1 - 7.0 % , Fair	control : 7.1 - 8.0 %, Po	por control $>= 8.1$ %
Estimate (Whole Bl	ed Average Glucose	99.67	mg/dL	
HbA1c pr control as Condition hypertrigl Condition	compared to blood and urinary gluc s that prolong RBC life span like Iro yceridemia,hyperbilirubinemia,Drug	cose determinations. on deficiency anemia, V gs, Alcohol, Lead Poisc ite or chronic blood loss	- /itamin B12 & Folate def ning, Asplenia can give s, hemolytic anemia, Her	
<u>THYRO</u>	<u>ID PROFILE / TFT</u>			
,	odothyronine) - Total nemiluminescent Immunometric Assay	0.94	ng/ml	0.7 - 2.04
Commen Total T3 v		on like pregnancy, drug	gs, nephrosis etc. In such	cases, Free T3 is recommended as it is
	oxine) - Total nemiluminescent Immunometric Assay	6.51	µg/dl	4.2 - 12.0
INTERP Commen Total T4 v		on like pregnancy, druş	gs, nephrosis etc. In such	cases, Free T4 is recommended as it is
				DR.SUNDAR ELAYAPERUMAL MD, CIC CONSULTANT MICROBIOLOGIST REG NO. 41854

The results pertain to sample tested.

Page 6 of 8

APPROVED BY

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA,.

Name	: Mr. RAMISETTI VENKATANARESH			
PID No.	MED111583102	Register On	: 04/04/2023 8:30 AM	~
SID No.	223005588	Collection On	: 04/04/2023 9:02 AM	
Age / Sex	35 Year(s) / Male	Report On	: 04/04/2023 5:09 PM	medall
Туре	OP	Printed On	: 05/04/2023 5:24 PM	DIAGNOSTICS
Ref. Dr	MediWheel			
<u>Investiga</u>	ion	<u>Observe</u> <u>Value</u>	<u>1 Unit</u>	Biological Reference Interval
	roid Stimulating Hormone) niluminescent Immunometric Assay	1.25	µIU/mL	0.35 - 5.50
INTERPI	ETATION:			

Comment : 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Urine Analysis - Routine

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

Reference range for cord blood - upto 20

(Indian Thyroid Society Guidelines)

COLOUR (Urine)	Yellow		Yellow to Amber
APPEARANCE (Urine)	Clear		Clear
Protein (Urine/Protein error of indicator)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Pus Cells (Urine/Automated 6"Flow cytometry)	0 - 1	/hpf	NIL
Epithelial Cells (Urine/Automated 6"Flow cytometry)	0 - 1	/hpf	NIL
RBCs (Urine/Automated 6"Flow cytometry)	NIL	/hpf	NIL
Casts (Urine/Automated 6"Flow cytometry)	NIL	/hpf	NIL
Crystals (Urine/Automated 6"Flow cytometry)	NIL	/hpf	NIL





The results pertain to sample tested.

Page 7 of 8

Name	: Mr. RAMISETTI VENKATANARESH		
PID No.	: MED111583102	Register On : 04/04/2023 8:30 AM	
SID No.	: 223005588	Collection On : 04/04/2023 9:02 AM	
Age / Sex	: 35 Year(s) / Male	Report On : 04/04/2023 5:09 PM	medall
Туре	: OP	Printed On : 05/04/2023 5:24 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		
<u>Investig</u> a	ation	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
Others (Urine)		NIL	

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.





-- End of Report --

The results pertain to sample tested.

Page 8 of 8