Name	: Mr. ZEESHANALI SAYYED	
PID No.	: MED121796801	Register On : 08/04/2023 9:23 AM
SID No.	: 522305464	Collection On : 08/04/2023 10:33 AM
Age / Sex	: 31 Year(s) / Male	Report On : 08/04/2023 4:43 PM
Туре	: OP	Printed On : 10/04/2023 11:01 AM
Ref. Dr	: MediWheel	

	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	15.9	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	48.2	%	42 - 52
RBC Count (EDTA Blood)	5.77	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	83.5	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	27.6	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	33.0	g/dL	32 - 36
RDW-CV	14.4	%	11.5 - 16.0
RDW-SD	42.08	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	6300	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	42.9	%	40 - 75
Lymphocytes (Blood)	43.3	%	20 - 45
Eosinophils (Blood)	4.7	%	01 - 06
Monocytes (Blood)	8.6	%	01 - 10





Name	: Mr. ZEESHANALI SAYYED	
PID No.	: MED121796801	Register On : 08/04/2023 9:23 AM
SID No.	: 522305464	Collection On : 08/04/2023 10:33 AM
Age / Sex	: 31 Year(s) / Male	Report On : 08/04/2023 4:43 PM
Туре	: OP	Printed On : 10/04/2023 11:01 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	Unit	<u>Biological</u> Reference Interval
Basophils (Blood)	0.5	%	00 - 02
INTERPRETATION: Tests done on Automated Five	Part cell counter. All	abnormal results are re-	viewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	2.70	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.73	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.30	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.54	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.03	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	235	10^3 / µl	150 - 450
MPV (Blood)	7.4	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.17	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	2	mm/hr	< 15





APPROVED BY

Name	: Mr. ZEESHANALI SAYYED	
PID No.	: MED121796801	Register On : 08/04/2023 9:23 AM
SID No.	: 522305464	Collection On : 08/04/2023 10:33 AM
Age / Sex	: 31 Year(s) / Male	Report On : 08/04/2023 4:43 PM
Туре	: OP	Printed On : 10/04/2023 11:01 AM
Ref. Dr	: MediWheel	

Investigation BIOCHEMISTRY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.86	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.32	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.54	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i>)	20.99	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i>)	26.66	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	22.28	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	54.1	U/L	53 - 128
Total Protein (Serum/Biuret)	6.70	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.62	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.08	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	2.22		1.1 - 2.2





Name	: Mr. ZEESHANALI SAYYED		
PID No.	: MED121796801	Register On	: 08/04/2023 9:23 AM
SID No.	: 522305464	Collection On	: 08/04/2023 10:33 AM
Age / Sex	: 31 Year(s) / Male	Report On	: 08/04/2023 4:43 PM
Туре	: OP	Printed On	: 10/04/2023 11:01 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Lipid Profile			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	136.19	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	115.96	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	37.38	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	75.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	23.2	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	98.8	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.





Name	: Mr. ZEESHANALI SAYYED	
PID No.	: MED121796801	Register On : 08/04/2023 9:23 AM
SID No.	: 522305464	Collection On : 08/04/2023 10:33 AM
Age / Sex	: 31 Year(s) / Male	Report On : 08/04/2023 4:43 PM
Туре	: OP	Printed On : 10/04/2023 11:01 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	3.6		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	3.1		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	2		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0





APPROVED BY

Name	: Mr. ZEESHANALI SAYYED		
PID No.	: MED121796801	Register On	: 08/04/2023 9:23 AM
SID No.	: 522305464	Collection On	: 08/04/2023 10:33 AM
Age / Sex	: 31 Year(s) / Male	Report On	: 08/04/2023 4:43 PM
Туре	: OP	Printed On	: 10/04/2023 11:01 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u>	<u>Unit</u>	Biological
Glycosylated Haemoglobin (HbA1c)	<u>Value</u>		Reference Interval
HbA1C (Whole Blood/ <i>HPLC</i>)	5.5	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose	111.15	mg/dL
Estimated Average Glueose	111.15	ing, and

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.





APPROVED BY

Name	: Mr. ZEESHANALI SAYYED		
PID No.	: MED121796801	Register On	: 08/04/2023 9:23 AM
SID No.	: 522305464	Collection On	: 08/04/2023 10:33 AM
Age / Sex	: 31 Year(s) / Male	Report On	: 08/04/2023 4:43 PM
Туре	: OP	Printed On	: 10/04/2023 11:01 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
IMMUNOASSAY			
THYROID PROFILE / TFT			
T3 (Triiodothyronine) - Total (Serum/ <i>ECLIA)</i> INTERPRETATION: Comment : Total T3 variation can be seen in other condition like pres	1.18	ng/ml	0.7 - 2.04
Metabolically active.			
T4 (Tyroxine) - Total (Serum/ <i>ECLIA</i>)	6.90	μg/dl	4.2 - 12.0
INTERPRETATION: Comment : Total T4 variation can be seen in other condition like pre- Metabolically active.	gnancy, drugs, nep	hrosis etc. In such case	s, Free T4 is recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	3.02	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodi 2.TSH Levels are subject to circadian variation, reaching of the order of 50%,hence time of the day has influence of 3.Values&lt,0.03 μIU/mL need to be clinically correl	peak levels betwee on the measured ser	en 2-4am and at a mini rum TSH concentratior	mum between 6-10PM. The variation can be us.



sh Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Mr. ZEESHANALI SAYYED	
PID No.	: MED121796801	Register On : 08/04/2023 9:23 AM
SID No.	: 522305464	Collection On : 08/04/2023 10:33 AM
Age / Sex	: 31 Year(s) / Male	Report On : 08/04/2023 4:43 PM
Туре	: OP	Printed On : 10/04/2023 11:01 AM
Ref. Dr	: MediWheel	

Investigation CLINICAL PATHOLOGY	<u>Observed</u> Un <u>Value</u>	it <u>Biological</u> <u>Reference Interval</u>
<u>PHYSICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
Colour (Urine)	Yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	30	
<u>CHEMICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
pH (Urine)	5	4.5 - 8.0
Specific Gravity (Urine)	1.026	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
Blood (Urine)	Negative	Negative
Nitrite (Urine)	Negative	Negative
Bilirubin (Urine)	Negative	Negative
Protein (Urine)	Negative	Negative
Glucose (Urine/GOD - POD)	Negative	Negative





Name	: Mr. ZEESHANALI SAYYED		
PID No.	: MED121796801	Register On	: 08/04/2023 9:23 AM
SID No.	: 522305464	Collection On	: 08/04/2023 10:33 AM
Age / Sex	: 31 Year(s) / Male	Report On	: 08/04/2023 4:43 PM
Туре	: OP	Printed On	: 10/04/2023 11:01 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Leukocytes(CP)	Negative		
(Urine)			
MICROSCOPIC EXAMINATION			
<u>(URINE COMPLETE)</u>			
Pus Cells	0-2	/hpf	NIL
(Urine)			
Epithelial Cells	0-2	/hpf	NIL
(Urine)		-	
RBCs	NIL	/HPF	NIL
(Urine)			
Others	NIL		
(Urine)			

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.



Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Mr. ZEESHANALI SAYYED	
PID No.	: MED121796801 Register On	: 08/04/2023 9:23 AM
SID No.	: 522305464 Collection Or	n : 08/04/2023 10:33 AM
Age / Sex	: 31 Year(s) / Male Report On	: 08/04/2023 4:43 PM
Туре	: OP Printed On	: 10/04/2023 11:01 AM
Ref. Dr	: MediWheel	

Investigation

<u>Observed</u> <u>Value</u>

<u>ed Unit</u> e <u>Biological</u> <u>Reference Interval</u>

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

'AB' 'Positive'

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.





Name	: Mr. ZEESHANALI SAYYED		
PID No.	: MED121796801	Register On	: 08/04/2023 9:23 AM
SID No.	: 522305464	Collection On	: 08/04/2023 10:33 AM
Age / Sex	: 31 Year(s) / Male	Report On	: 08/04/2023 4:43 PM
Туре	: OP	Printed On	: 10/04/2023 11:01 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	13.06		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	90.84	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	77.36	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	16.2	mg/dL	7.0 - 21
Creatinine (Serum/ <i>Modified Jaffe</i>)	1.24	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	7.37	mg/dL	
(Serum/Enzymatic)			

(Serum/Enzymatic)





3.5 - 7.2

-- End of Report --

	1		U	nique	Collecti	on		Ph: 96	11444957	
	- p	Vyalikaval 2nd Main	Main roa Road, Vy	ad No:12 alikaval,	Lakshmi Bengaluri	Nilaya, Gr u Karnata	round Floor ka - 56000	r. 3		
Na		FIEC	<i>h</i> .	hald	h					-
A		EES	ripan	ACI	-		Ph No:	•	•	
CHIEF	COMPLA	INTS		NA.						
					-	- n	1.5			
RE / L	E / BE :		DOV / Itching	Blurring g / Prickii	/Eyeache ng / Redni	/ Burning	ß			
Visual	Activity:									i Sa
		RE	LE	٦						
	nce/ Near	blen	6/24							
	lasses/CL	614	610	-						
Color	Vision	Non	nu	_					*: j	
	v 8	VS					-	-		
		RE		1		.E		=		
SPH	CYL	AXIS	VN	SPн	CYL	AXIS	VN			
-	2.00	160			150	40				
-										



Patient Name	zeerhanal	Date	8/4/23
Age	314	Visit Number	522305464
Sex	male	Corporate	meducheel


GENERAL PHYSICAL EXAMINATION


BMI


PA

Identification Mark : Height: 176 BMS cms 104.2 Kgg. Weight : kgs Pulse : 736/m. /minute Blood Pressure : 111 21 mm of Hg 33.6 Kg/m2 **BMI INTERPRETATION** Underweight = <18.5Normal weight = 18.5-24.9 Overweight = 25–29.9 Chest : **Expiration** : cms Inspiration : cms Abdomen Measurement : cms BL pupils recative Eyes : Ears : NAD Neck nodes : no palpable notender Throat : NAD. RS: BIL NUBS O CVS: 5,5, Sounds deag. CNS : Bofte no tender NAD No abnormality is detected. His / Her general physical examination is within normal limits. NOTE : MEDICAL FIT FOR EMPLOYMENT YES / NO

Signature Dr. RITESH RAJ, MBRS General Physician & Diabetolog KMC Reg. No. 85875







Name	MR.ZEESHANALI SAYYED	ID	MED121796801
Age & Gender	31Y/MALE	Visit Date	08 Apr 2023
Ref Doctor Name	MediWheel	-	

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is enlarged in size (18.1 cm) and shows increased echogenicity with focal fatty sparing. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER is partially distended.

CBD is not dilated.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

BOTH KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

-	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	12.2	2.2
Left Kidney	11.2	1.9

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern.

No evidence of ascites.

IMPRESSION:

- Hepatomegaly with grade I to II fatty infiltration of liver.
- No other significant abnormality detected.

Name	MR.ZEESHANALI SAYYED	ID	MED121796801
Age & Gender	31Y/MALE	Visit Date	08 Apr 2023
Ref Doctor Name	MediWheel		

DR. HEMANANDINI V.N CONSULTANT RADIOLOGISTS

Name	MR.ZEESHANALI SAYYED	ID	MED121796801
Age & Gender	31Y/MALE	Visit Date	08 Apr 2023
Ref Doctor Name	MediWheel	-	

2D ECHOCARDIOGRAPHIC STUDY

<u>M-mode measurement:</u>

AORTA	:	3.05	cms.
LEFT ATRIUM	:	2.55	cms.
AVS LEFT VENTRICLE	:	1.47	cms.
(DIASTOLE)	:	4.89	cms.
(SYSTOLE)	:	3.09	cms.
VENTRICULAR SEPTUM (DIASTOLE) (SYSTOLE)	: :	1.13 1.25	cms. cms.
POSTERIOR WALL (DIASTOLE) (SYSTOLE)	:	1.34 1.59	cms. cms.
EDV	:	112	ml.
ESV	:	37	ml.
FRACTIONAL SHORTENING	:	36	%
EJECTION FRACTION	:	60	%
EPSS RVID	:	 1.80	cms. cms.

DOPPLER MEASUREMENTS:

MITRAL VALVE:	E - 0.9 n	n/s A - ().6 m/s	NO MR.
AORTIC VALVE:	1.1 n	n/s		NO AR.
TRICUSPID VALVE: E -	0.4 m/s A	A - 0.3 m/s	MILD T	R.PASP-23mmHg
PULMONARY VALVE:	0.8 n	n/s		NO PR.

Name	MR.ZEESHANALI SAYYED	ID	MED121796801
Age & Gender	31Y/MALE	Visit Date	08 Apr 2023
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle	:	Normal size, Normal systolic function.
: No regional wall mot	ion abn	ormalities.
Left Atrium	:	Normal.
Right Ventricle :	Norm	al.
Right Atrium	:	Normal.
Mitral Valve	:	Normal. No mitral valve prolapsed.
Aortic Valve	:	Normal.Trileaflet.
Tricuspid Valve	:	Normal.
Pulmonary Valve	:	Normal.
IAS	:	Intact.
IVS	:	Intact.
Pericardium	:	No pericardial effusion.

IMPRESSION

• NORMAL SIZED CARDIAC CHAMBERS.

• NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.

- NO REGIONAL WALL MOTION ABNORMALITIES.
- NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

Name	MR.ZEESHANALI SAYYED	ID	MED121796801
Age & Gender	31Y/MALE	Visit Date	08 Apr 2023
Ref Doctor Name	MediWheel		

DR. YASHODA RAVI CONSULTANT CARDIOLOGIST

Name	ZEESHANALI SAYYED	Customer ID	MED121796801
Age & Gender	31Y/M	Visit Date	Apr 8 2023 9:23AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.

Dr. LENIN VENTRAPATI, MD Consultant Radiologist.