

Name	Ms.NAIK PRATIMA SHRIDHAR	ID	MED111293164
Age & Gender	32/FEMALE	Visit Date	10/09/2022
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER shows normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.3	1.0
Left Kidney	9.3	1.3

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and normal in size. It has uniform myometrial echopattern. Endometrial thickness measures 5mm Uterus measures as follows: LS: 5.7cms AP: 3.3cms TS: 3.6cms.

OVARIES are normal in size, shape and echotexture. No focal lesion seen. Ovaries measure as follows: **Right ovary**: 2.9 x 2.0cms **Left ovary**: 2.5 x 2.0cms

POD & adnexae are free.

No evidence of ascites/pleural effusion.

IMPRESSION:

REPORT DISCLAIMER also have 7. Results of the test are influenced by the various factors such as sensitivity, specificity of the

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- The results reported here in are subject to interpretation by qualified medical professionals only.
 Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food
- 4-information about the customer's condition at the time of sample concertoir such as fasting, food consumption, medication, tect are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

^{5.}If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

^{6.}Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.

procedures of the tests, quality of the samples and drug interactions etc., 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

^{9.}Liability is limited to the extend of amount billed.

^{10.}Reports are subject to interpretation in their entirety partial or selective interpretation may lead to false opinion.

^{11.}Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Ms.NAIK PRATIMA SHRIDHAR	ID	MED111293164
Age & Gender	32/FEMALE	Visit Date	10/09/2022
Ref Doctor Name	MediWheel		

> NO SIGNIFICANT ABNORMALITY DETECTED.

DR. APARNA CONSULTANT RADIOLOGIST

A/da

REPORT DISCLAIMER

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	: Ms. NAIK PRATIMA SHRIDHAR
PID No.	: MED111293164
SID No.	: 422066226
Age / Sex	: 32 Year(s) / Female
Туре	: OP
Ref. Dr	: MediWheel

Register On	:	10/09/2022 10:12 AM
Collection On	:	10/09/2022 11:03 AM
Report On	:	10/09/2022 5:17 PM
Printed On	:	15/09/2022 3:41 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	12.91	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	40.1	%	37 - 47
RBC Count (EDTA Blood)	4.67	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	85.8	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	27.6	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.2	g/dL	32 - 36
RDW-CV (EDTA Blood)	13.2	%	11.5 - 16.0
RDW-SD (EDTA Blood)	39.64	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	7440	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	59.59	%	40 - 75
Lymphocytes (EDTA Blood)	33.39	%	20 - 45
Eosinophils (EDTA Blood)	0.84	%	01 - 06





APPROVED BY

Name	: Ms. NAIK PRATIMA SHRIDHAR		
PID No.	: MED111293164	Register On : 10/09/2022 10:12 AM	\mathbf{C}
SID No.	: 422066226	Collection On : 10/09/2022 11:03 AM	
Age / Sex	: 32 Year(s) / Female	Report On : 10/09/2022 5:17 PM	MEDALL
Туре	: OP	Printed On : 15/09/2022 3:41 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Monocytes (EDTA Blood)	5.78	%	01 - 10
Basophils (Blood)	0.40	%	00 - 02
INTERPRETATION: Tests done on Automated Five	Part cell counter. All	abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	4.43	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.48	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.06	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.43	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.03	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	359.8	10^3 / µl	150 - 450
MPV (EDTA Blood)	8.68	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.31	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	14	mm/hr	< 20



Sr.Consultant Pathologist Reg No : 100674

VERIFIED BY



APPROVED BY

Name	: Ms. NAIK PRATIMA SHRIDHAR	
PID No.	: MED111293164	Register On
SID No.	: 422066226	Collection On
Age / Sex	: 32 Year(s) / Female	Report On
Туре	: OP	Printed On
Ref. Dr	: MediWheel	

()
MEDALL

Investigation <u>BIOCHEMISTRY</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.67	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.25	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.42	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	19.04	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i>)	11.50	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	10.55	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	113.4	U/L	42 - 98
Total Protein (Serum/Biuret)	7.08	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.32	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.76	gm/dL	2.3 - 3.6
A : G RATIO	1.57		1.1 - 2.2

: 10/09/2022 10:12 AM
: 10/09/2022 11:03 AM
: 10/09/2022 5:17 PM
: 15/09/2022 3:41 PM

(Serum/Derived)





APPROVED BY

Name	: Ms. NAIK PRATIMA SHRIDHAR		
PID No.	: MED111293164	Register On : 10/09/2022 10:12 AM	M
SID No.	: 422066226	Collection On : 10/09/2022 11:03 AM	
Age / Sex	: 32 Year(s) / Female	Report On : 10/09/2022 5:17 PM	MEDALL
Туре	: OP	Printed On : 15/09/2022 3:41 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	171.52	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	140.10	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	37.33	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/ <i>Calculated</i>)	106.2	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	28	mg/dL	< 30
DE RAVIKUMAR R MBBS, MD BIOCHEMISTRY CONSULTANT BIOCHEMIST Reg No : 78771		MD P	MIM JAVED ATHOLOGY 88902
VERIFIED BY		AP	PROVED BY

Name	: Ms. NAIK PRATIMA SHRIDHAR				
PID No.	: MED111293164	Register On	: 10/09/20)22 10:12 AM	M
SID No.	: 422066226	Collection On	: 10/09/2	022 11:03 AM	
Age / Sex	: 32 Year(s) / Female	Report On	: 10/09/2	022 5:17 PM	MEDALL
Туре	: OP	Printed On	: 15/09/2	022 3:41 PM	
Ref. Dr	: MediWheel				
Investiga	ation		erved alue	<u>Unit</u>	<u>Biological</u> Reference Interval
(Serum/Ca.	,		34.2	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220
2.It is the s	RETATION: 1.Non-HDL Cholestero sum of all potentially atherogenic prov target for cholesterol lowering ther	oteins including LD			ns and it is the "new bad cholesterol" and is a
Total Che (Serum/Ca	olesterol/HDL Cholesterol Rati	0	4.6		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglycer (TG/HDI (Serum/Ca	·		3.8		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HD (Serum/Ca	L Cholesterol Ratio		2.8		Optimal: $0.5 - 3.0$ Borderline: $3.1 - 6.0$





High Risk: > 6.0

APPROVED BY

Name	: Ms. NAIK PRATIMA SHRIDHAR			
PID No.	: MED111293164	Register On : 10/09	0/2022 10:12 AM	m
SID No.	: 422066226	Collection On : 10/0	9/2022 11:03 AM	
Age / Sex	: 32 Year(s) / Female	Report On : 10/0	9/2022 5:17 PM	MEDALL
Туре	: OP	Printed On : 15/0	9/2022 3:41 PM	
Ref. Dr	: MediWheel			
<u>Investiga</u> <u>Glycosyl</u>	ation ated Haemoglobin (HbA1c)	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Glycosyl</u> HbA1C			<u>Unit</u> %	
<u>Glycosyl</u> HbA1C (Whole Blo	ated Haemoglobin (HbA1c)	<u>Value</u> 5.6	%	Reference Interval Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

Estimated Average Glucose	114.02

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E

ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.





APPROVED BY

Name	: Ms. NAIK PRATIMA SHRIDHAR				
PID No.	: MED111293164	Register On	: 10/09/2	2022 10:12 AM	M
SID No.	: 422066226	Collection On	10/09	/2022 11:03 AM	
Age / Sex	: 32 Year(s) / Female	Report On	: 10/09	/2022 5:17 PM	MEDALL
Туре	: OP	Printed On	: 15/09	/2022 3:41 PM	
Ref. Dr	: MediWheel				
<u>Investiga</u>	ation		served alue	<u>Unit</u>	Biological Reference Interval
IMMU	JNOASSAY				
	<i>ID PROFILE / TFT</i> odothyronine) - Total		0.962	ng/ml	0.7 - 2.04
(Serum/EC	•		0.902	ng/mi	0.7 - 2.04
Comment Total T3 v		ion like pregnancy,	drugs, nep	hrosis etc. In such ca	ses, Free T3 is recommended as it is
T4 (Tyrc (Serum/EC	oxine) - Total CLIA)		6.63	µg/dl	4.2 - 12.0
Comment Total T4 v		ion like pregnancy,	drugs, nep	hrosis etc. In such ca	ses, Free T4 is recommended as it is
TSH (Th (Serum/EC	yroid Stimulating Hormone)		3.69	µIU/mL	0.35 - 5.50
Reference 1 st trimes 2 nd trime 3 rd trime (Indian Th Comment 1.TSH ref 2.TSH Le of the orde	erence range during pregnancy dep	on, reaching peak le s influence on the m	evels between neasured served	en 2-4am and at a mi rum TSH concentrati	

3. Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



VERIFIED BY



APPROVED BY

Name	: Ms. NAIK PRATIMA SHRIDHAR		
PID No.	: MED111293164	Register On : 10/09/2022 10:12 AM	m
SID No.	: 422066226	Collection On : 10/09/2022 11:03 AM	
Age / Sex	: 32 Year(s) / Female	Report On : 10/09/2022 5:17 PM	MEDALL
Туре	: OP	Printed On : 15/09/2022 3:41 PM	
Ref. Dr	: MediWheel		
<u>Investiga</u>	ation	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
<u>CLIN</u>	CAL PATHOLOGY		
<u>PHYSIC</u> COMPL	AL EXAMINATION (URINE ETE)	2	
Colour (Urine)		Yellow	Yellow to Amber
Appearan (Urine)	nce	Clear	Clear
Volume((Urine)	CLU)	20	
<u>CHEMI</u> COMPL	<u>CAL EXAMINATION (URIN ETE)</u>	<u>E</u>	
pH (Urine)		5.5	4.5 - 8.0
Specific (Urine)	Gravity	1.018	1.002 - 1.035
Ketone		Negative	Negative

C
Normal
Negative
Negative
Negative
Negative



VERIFIED BY



Normal

Negative

Negative

Negative

Negative

_

APPROVED BY

The results pertain to sample tested.

Page 8 of 12

Name	: Ms. NAIK PRATIMA SHRIDHAR		
PID No.	: MED111293164	Register On : 10/09/2022 10:12 AM	\mathbf{C}
SID No.	: 422066226	Collection On : 10/09/2022 11:03 AM	
Age / Sex	: 32 Year(s) / Female	Report On : 10/09/2022 5:17 PM	MEDALL
Туре	: OP	Printed On : 15/09/2022 3:41 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
<u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)			
Pus Cells (Urine)	0-2	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	Nil	/hpf	NIL
Others (Urine)	Nil		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts	Nil	/hpf	NIL
(Urine)			
Crystals	Nil	/hpf	NIL
(Urine)			



VERIFIED BY



APPROVED BY

Name	: Ms. NAIK PRATIMA SHRIDHAR		
PID No.	: MED111293164	Register On : 10/09/2022 10:12 AM	\mathbf{M}
SID No.	: 422066226	Collection On : 10/09/2022 11:03 AM	
Age / Sex	: 32 Year(s) / Female	Report On : 10/09/2022 5:17 PM	MEDALL
Туре	: OP	Printed On : 15/09/2022 3:41 PM	
Ref. Dr	: MediWheel		

Investigation

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

'O' 'Negative'

<u>Observed</u>

<u>Value</u>

<u>Unit</u>



VERIFIED BY



Biological Reference Interval

APPROVED BY

Name	: Ms. NAIK PRATIMA SHRIDHAR		
PID No.	: MED111293164	Register On : 10/09/2022 10:12	AM 🕐
SID No.	: 422066226	Collection On : 10/09/2022 11:03	AM
Age / Sex	: 32 Year(s) / Female	Report On : 10/09/2022 5:17 F	MEDALL
Туре	: OP	Printed On : 15/09/2022 3:41 F	M
Ref. Dr	: MediWheel		

Investigation <u>BIOCHEMISTRY</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
BUN / Creatinine Ratio	9.4		6.0 - 22.0
Glucose Fasting (FBS)	76.50	mg/dL	Normal: < 100

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	93.70	mg/dL	70 - 140

INTERPRETATION:

(Plasma - F/GOD-PAP)

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	6.6	mg/dL	7.0 - 21
Creatinine	0.70	mg/dL	0.6 - 1.1

(Serum/Modified Jaffe)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists, N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	3.69	mg/dL	2.6 - 6.0
(Serum/Enzymatic)			





Pre Diabetic: 100 - 125

Diabetic: >= 126

APPROVED BY

Name	: Ms. NAIK PRATIMA SHRIDHAR	
PID No.	: MED111293164 Register On : 10/09/2022 10:12 AM	M
SID No.	: 422066226 Collection On : 10/09/2022 11:03 AM	
Age / Sex	: 32 Year(s) / Female Report On : 10/09/2022 5:17 PM	MEDALL
Туре	: OP Printed On : 15/09/2022 3:41 PM	
Ref. Dr	: MediWheel	

-- End of Report --