
SUBURBAN DIAGNOSTICS PRECISE TESTING HEALTHIER LIVING

SUBURBAN DIAGNOSTICS - BORIVALI WEST

Patient Name: ALOSH HARISH KUMAR

Patient ID: 2205727541

Date and Time: 26th Feb 22 11:17 AM



Age 39 9 20 years months days

Gender Male

Heart Rate 70bpm

Patient Vitals

BP: NA
Weight: NA
Height: NA
Pulse: NA
Spo2: NA
Resp: NA
Others:

Measurements

QSRD: 94ms

QT: 394ms

QTc: 425ms

PR: 138ms

P-R-T: -13° 33° 26°

ECG Within Normal Limits: Sinus Rhythm, Normal Axis. Please correlate clinically.

REPORTED BY

The

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB,D.CARD Consultant Cardiologist 87714

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Name : Mr ALOSH HARISH KUMAR

Age / Sex : 39 Years/Male

Ref. Dr :

Reg. Location : Borivali West

Authenticity Check

R

 \mathbf{E}

R

T

Use a QR Code Scanner Application To Scan the Code

: 26-Feb-2022 / 10:33

: 26-Feb-2022 / 12:27

USG WHOLE ABDOMEN

Reg. Date

Reported

<u>LIVER:</u> Liver is normal in size with mild generalized increase in parenchymal echotexture. There is no intrahepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. **CBD:** CBD is normal.

<u>PANCREAS:</u> Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.

KIDNEYS:

Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size and echotexture. No evidence of any obvious focal lesion.

No free fluid or size significant lymphadenopathy is seen.

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022022609561260

Page 1of



: Mr ALOSH HARISH KUMAR Name

: 39 Years/Male Age / Sex

Ref. Dr

Reg. Location : Borivali West

Reg. Date

Reported

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 26-Feb-2022 / 10:33

: 26-Feb-2022 / 12:27

R

R

 \mathbf{E}

Opinion:

Grade I fatty infiltration of liver.

For clinical correlation and follow up.

Investigations have their limitations. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Please interpret accordingly.

------End of Report------

This report is prepared and physically checked by Dr. Vikrant Patil before dispatch.

Dr. VIKRANT S. PATIL M. D. Radio Diagnosis Reg No 2014052421



Name : Mr ALOSH HARISH KUMAR

Age / Sex : 39 Years/Male

Ref. Dr :

Reg. Location : Borivali West

 \mathbf{E}

R

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 26-Feb-2022 / 10:17

: 26-Feb-2022 / 13:44

X-RAY CHEST PA VIEW

Reg. Date

Reported

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

End of Report
End of Report

This report is prepared and physically checked by Dr. Vikrant Patil before dispatch.



Dr. VIKRANT S. PATIL M. D. Radio Diagnosis Reg No 2014052421

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022022609561268

Page 1of 1



Name : MR.ALOSH HARISH KUMAR

Age / Gender : 39 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected :26-Feb-2022 / 09:54

Reported :26-Feb-2022 / 11:17

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	14.9	13.0-17.0 g/dL	Spectrophotometric
RBC	5.10	4.5-5.5 mil/cmm	Elect. Impedance
PCV	44.3	40-50 %	Measured
MCV	87	80-100 fl	Calculated
MCH	29.2	27-32 pg	Calculated
MCHC	33.6	31.5-34.5 g/dL	Calculated
RDW	15.3	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6200	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND AB	SOLUTE COUNTS		
Lymphocytes	34.2	20-40 %	
Absolute Lymphocytes	2120.4	1000-3000 /cmm	Calculated
Monocytes	8.2	2-10 %	
Absolute Monocytes	508.4	200-1000 /cmm	Calculated
Neutrophils	54.3	40-80 %	
Absolute Neutrophils	3366.6	2000-7000 /cmm	Calculated
Eosinophils	2.8	1-6 %	
Absolute Eosinophils	173.6	20-500 /cmm	Calculated
Basophils	0.5	0.1-2 %	
Absolute Basophils	31.0	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	369000	150000-400000 /cmm	Elect. Impedance
MPV	7.1	6-11 fl	Calculated
PDW	11.2	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia Microcytosis -

Page 1 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.ALOSH HARISH KUMAR

Age / Gender : 39 Years / Male

Consulting Dr. : - Collected : 26-Feb-2022 / 09:54

Reg. Location: Borivali West (Main Centre) Reported: 26-Feb-2022 / 10:57

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB 4 2-15 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

_

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

_

Page 2 of 9



Name : MR.ALOSH HARISH KUMAR

Age / Gender : 39 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 26-Feb-2022 / 09:54

Reported :26-Feb-2022 / 12:45

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	96.8	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	97.8	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.74	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.29	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.45	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.5	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	40.8	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	60.7	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	37.5	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	86.1	40-130 U/L	Colorimetric
BLOOD UREA, Serum	20.1	12.8-42.8 mg/dl	Kinetic
BUN, Serum	9.4	6-20 mg/dl	Calculated
CREATININE, Serum	1.02	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	86	>60 ml/min/1.73sqm	Calculated
URIC ACID, Serum	5.8	3.5-7.2 mg/dl	Enzymatic

Page 3 of 9



Name : MR.ALOSH HARISH KUMAR

Age / Gender : 39 Years / Male

Consulting Dr. : -

Reg. Location: Borivali West (Main Centre)

Use a OR Code Scanner

Collected

Reported

Authenticity Check

Application To Scan the Code

: 26-Feb-2022 / 13:43 : 26-Feb-2022 / 16:57

Urine Sugar (Fasting) Absent Absent
Urine Ketones (Fasting) Absent Absent

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 9



Name : MR.ALOSH HARISH KUMAR

Age / Gender : 39 Years / Male

Consulting Dr. Collected

Reported Reg. Location : Borivali West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 26-Feb-2022 / 09:54

:26-Feb-2022 / 16:09

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Glycosylated Hemoglobin **HPLC** 6.4 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

137.0 Estimated Average Glucose mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.MEGHA SHARMA M.D. (PATH), DNB (PATH) **Pathologist**

Page 5 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.ALOSH HARISH KUMAR

: 39 Years / Male Age / Gender

Consulting Dr. Collected : 26-Feb-2022 / 09:54

Reported Reg. Location : Borivali West (Main Centre)



Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

:26-Feb-2022 / 13:26

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.020	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	50	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	<u>N</u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	

Rea Blood Cells / npt Absent 0-2/hpt

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 2-3 Less than 20/hpf

Others









ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **



Name : MR.ALOSH HARISH KUMAR

Age / Gender : 39 Years / Male

Consulting Dr. Collected : 26-Feb-2022 / 09:54

Reported :26-Feb-2022 / 14:39 Reg. Location : Borivali West (Main Centre)

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING **POSITIVE**

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report **



over the page or visit our website.





Dr.SHASHIKANT DIGHADE M.D. (PATH) **Pathologist**

Page 7 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



Name : MR.ALOSH HARISH KUMAR

: 39 Years / Male Age / Gender

Consulting Dr. Collected

Reported :26-Feb-2022 / 13:49 Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner

Application To Scan the Code

:26-Feb-2022 / 09:54

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	203.3	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	128.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	40.2	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	163.1	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	137.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	26.1	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.4	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***









ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.ALOSH HARISH KUMAR

Age / Gender : 39 Years / Male

Consulting Dr. : - Collected : 26-Feb-2022 / 09:54

Reg. Location : Borivali West (Main Centre) Reported :26-Feb-2022 / 11:18

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.0	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.3	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.19	0.35-5.5 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 9 of 9



E

R

CID# : **2205727541** SID# : 177803103787

Name : MR.ALOSH HARISH KUMAR Registered : 26-Feb-2022 / 09:55

Age / Gender : 39 Years/Male Collected : 26-Feb-2022 / 09:55

Consulting Dr. : - Reported : 26-Feb-2022 / 15:42

Reg.Location : Borivali West (Main Centre) Printed : 26-Feb-2022 / 15:52

PHYSICAL EXAMINATION REPORT

History and Complaints:

Asymptomatic

EXAMINATION FINDINGS:

Height (cms):175 cmsWeight (kg):106 kgTemp (0c):AfebrileSkin:NormalBlood Pressure (mm/hg):140/90 mm/hgNails:Normal

Pulse: 78/min Lymph Node: Not palpable

Systems

Cardiovascular: S1S2 audible

Respiratory: AEBE **Genitourinary:** NAD

GI System: Liver & Spleen not palpable

CNS: NAD

IMPRESSION:

ADVICE:

CHIEF COMPLAINTS:

1) **Hypertension:** Yes, since 4 months

2) IHD No
3) Arrhythmia No
4) Diabetes Mellitus No
5) Tuberculosis No

CENTRAL PROCESSING LAB: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



R

CID# SID# : 2205727541 : 177803103787

Name : MR.ALOSH HARISH KUMAR Registered : 26-Feb-2022 / 09:55

Age / Gender : 39 Years/Male Collected : 26-Feb-2022 / 09:55

Consulting Dr. : -Reported : 26-Feb-2022 / 15:42

Printed Reg.Location : 26-Feb-2022 / 15:52 : Borivali West (Main Centre)

6) Asthama No

No 7) Pulmonary Disease

Thyroid/ Endocrine disorders No

9) Nervous disorders No

10) GI system No

11) Genital urinary disorder No

12) Rheumatic joint diseases or symptoms No

13) Blood disease or disorder No

14) Cancer/lump growth/cyst No

15) Congenital disease No 16) Surgeries No

17) Musculoskeletal System No

PERSONAL HISTORY:

1) Alcohol No

2) **Smoking** Yes,2 cig in week since 10 yrs

3) Diet Mix Medication Nil

*** End Of Report ***

Dr.NITIN SONAVANE PHYSICIAN

CENTRAL PROCESSING LAB: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343