Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR Ajay k SINGH	STUDY DATE	29/08/2023 9:28AM
AGE / SEX	58 y / M	HOSPITAL NO.	MH006100794
ACCESSION NO.	R6022872	MODALITY	US
REPORTED ON	29/08/2023 10:02AM	REFERRED BY	Health Check MHD

USG WHOLE ABDOMEN

Results:

Liver is normal in size (~14.5 cm) and **shows grade II fatty changes.** No focal intra-hepatic lesion is detected. Intra-hepatic biliary radicals are not dilated. Portal vein is normal in calibre.

Gall bladder appears echofree with normal wall thickness. Common bile duct is normal in calibre.

Pancreas is normal in size and echopattern.

Spleen is normal in size (~ 9.0 cm) and echopattern.

Both kidneys are normal in position, size (RK \sim 9.5 x 4.3 cm and LK \sim 9.6 x 5.2 cm) and outline. Cortico-medullary differentiation of both kidneys is maintained. Central sinus echoes are compact. No focal lesion or calculus seen. Bilateral pelvicalyceal systems are not dilated.

Urinary bladder is normal in wall thickness with clear contents. No significant intra or extraluminal mass is seen.

The pre void urine volume is 187 cc.

The post void urine volume is 3.56 cc.

Prostate is post op status (volume 22.8 cc).

No significant free fluid is detected.

Note is made of umbilical hernia with omental fat as content.


IMPRESSION: Grade II fatty liver.

Kindly correlate clinically















Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021



Awarded Clean & Green Hospital IND18.6278/05/12/2018- 04/12/2019

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472

Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR Ajay k SINGH	STUDY DATE	29/08/2023 9:28AM
AGE / SEX	58 y / M	HOSPITAL NO.	MH006100794
ACCESSION NO.	R6022872	MODALITY	US
REPORTED ON	29/08/2023 10:02AM	REFERRED BY	Health Check MHD

Dr. Pankaj Saini MD, DHA DMC No.15796 **CONSULTANT RADIOLOGIST**

*****End Of Report****











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018-04/12/2019

Awarded Clean & Green Hospital

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472

Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR Ajay k SINGH	STUDY DATE	29/08/2023 9:33AM
AGE / SEX	58 y / M	HOSPITAL NO.	MH006100794
ACCESSION NO.	R6022873	MODALITY	CR
REPORTED ON	29/08/2023 9:38AM	REFERRED BY	Health Check MHD

X-RAY CHEST - PA VIEW

Unfolded aorta.

Cardia appears normal.

Lung fields appear normal on both sides.

Both costophrenic angles appear normal.

Both domes of the diaphragm appear normal.

Bony cage appear normal.

IMPRESSION: No significant abnormality noted.

Kindly correlate clinically.

Dr. Simran Singh DNB, FRCR(UK) DMC N0.36404

CONSULTANT RADIOLOGIST

*****End Of Report*****











NABL Accredited Hospital MC/3228/04/09/2019-03/09/2021

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR AJAY K SINGH Age : 58 Yr(s) Sex : Male

Referred By: HEALTH CHECK MHD Reporting Date: 29 Aug 2023 10:47

Receiving Date : 29 Aug 2023 09:42

BIOCHEMISTRY

THYROID PROFILE, Serum Specimen Type : Serum

T3 - Triiodothyronine (ECLIA)	1.070	ng/ml	[0.400-1.810]
T4 - Thyroxine (ECLIA)	8.540	μg/dl	[4.600-10.500]
Thyroid Stimulating Hormone (ECLIA)	3.300	μIU/mL	[0.340-4.250]

Note: TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm.Factors such as change of seasons hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness affect TSH results.

- * References ranges recommended by the American Thyroid Association
- 1) Thyroid. 2011 Oct; 21(10):1081-125.PMID .21787128
- 2) http://www.thyroid-info.com/articles/tsh-fluctuating.html

Lipid Profile (Serum)

TOTAL CHOLESTEROL (CHOD/POD)	187	mg/dl	[<200] Moderate risk:200-239 High risk:>240
TRIGLYCERIDES (GPO/POD)	102	mg/dl	[<150] Borderline high:151-199 High: 200 - 499 Very high:>500
HDL - CHOLESTEROL (Direct) Methodology: Homogenous Enzymatic	58	mg/dl	[30-60]
VLDL - Cholesterol (Calculated)	20	mg/dl	[10-40]

(CALCULATED) LDL- CHOLESTEROL 109 #mg/dl [<100]

Near/Above optimal-100-129 Borderline High:130-159 High Risk:160-189

Page 1 of 8



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR AJAY K SINGH Age : 58 Yr(s) Sex : Male

Referred By : HEALTH CHECK MHD Reporting Date : 29 Aug 2023 10:35

Receiving Date : 29 Aug 2023 09:42

BIOCHEMISTRY

T.Chol/HDL.Chol ratio 3.2 <4.0 Optimal

4.0-5.0 Borderline

>6 High Risk

LDL.CHOL/HDL.CHOL Ratio 1.9 <3 Optimal

3-4 Borderline >6 High Risk

Note:

Reference ranges based on ATP III Classifications.

Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.

Technical Notes:

Lipid profile is a panel of blood tests that serves as initial broad medical screening tool for abnormalities in lipids, the results of these tests can identify certain genetic diseases and determine approximate risks for cardiovascular disease, certain forms of pancreatitis and other diseases.

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (Diazonium Ion)	0.32	mg/dl	[0.10-1.20]
BILIRUBIN - DIRECT (Diazotization)	0.16	mg/dl	[0.00-0.30]
BILIRUBIN - INDIRECT (Calculated)	0.16 #	mg/dl	[0.20-1.00]
SGOT/ AST (UV without P5P)	29.1	IU/L	[10.0-50.0]
SGPT/ ALT (UV without P5P)	32.0	IU/L	[0.0-41.0]
ALP (p-NPP, kinetic) *	98	IU/L	[45-135]
TOTAL PROTEIN (Biuret)	7.0	g/dl	[6.0-8.2]
SERUM ALBUMIN (BCG-dye)	4.6	g/dl	[3.5-5.2]
SERUM GLOBULIN (Calculated)	2.4	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio(Calculated)	1.92 #		[1.10-1.80]

Page 2 of 8



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR AJAY K SINGH Age : 58 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD **Reporting Date**: 29 Aug 2023 10:36

Receiving Date : 29 Aug 2023 09:42

BIOCHEMISTRY

Technical Notes:

Liver function test aids in diagnosis of various pre hepatic, hepatic and post hepatic causes of dysfunction like hemolytic anemia's, viral and alcoholic hepatitis and cholestasis of obstructive causes.

Test Name	Result	Unit Bi	Biological Ref. Interval		
KIDNEY PROFILE (Serum)					
BUN (Urease/GLDH)	9.00	mg/dl	[6.00-20.00]		
SERUM CREATININE (Jaffe's method)	0.87	mg/dl	[0.80-1.60]		
SERUM URIC ACID (Uricase)	5.9	mg/dl	[3.5-7.2]		
SERUM CALCIUM (NM-BAPTA)	8.80	mg/dl	[8.00-10.50]		
SERUM PHOSPHORUS (Molybdate, UV)	3.2	mg/dl	[2.5-4.5]		
SERUM SODIUM (ISE)	133.0 #	mmol/l	[134.0-145.0]		
SERUM POTASSIUM (ISE)	4.17	mmol/l	[3.50-5.20]		
SERUM CHLORIDE (ISE Indirect)	98.1	mmol/L	[95.0-105.0]		
eGFR	95.1	ml/min/1.73sq.	.m [>60.0]		

Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page 3 of 8

-----END OF REPORT------

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR AJAY K SINGH Age **:** 58 Yr(s) Sex :Male

Registration No : MH006100794 Lab No 32230810977

Patient Episode : H03000055910 **Collection Date:** 29 Aug 2023 08:58

Referred By : HEALTH CHECK MHD **Reporting Date:** 29 Aug 2023 10:53

Receiving Date : 29 Aug 2023 09:44

BIOCHEMISTRY

Specimen Type : Serum/Plasma

Plasma GLUCOSE-Fasting (Hexokinase) 89 mg/dl [74-106]

Page 4 of 8

----END OF REPORT----

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR AJAY K SINGH Age : 58 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD **Reporting Date**: 29 Aug 2023 15:22

Receiving Date : 29 Aug 2023 10:11

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 10.0 mm/1sthour [0.0-12.0]

Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 - 1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit Bi	ological Ref. Interval
COMPLETE BLOOD COUNT (EDTA Blood)			
WBC Count (Flow cytometry)	4640	/cu.mm	[4000-10000]
RBC Count (Impedence)	4.50	million/cu.mm	[4.50-5.50]
Haemoglobin (SLS Method)	13.5	g/dL	[13.0-17.0]
Haematocrit (PCV)	42.5	%	[40.0-50.0]
(RBC Pulse Height Detector Method)			
MCV (Calculated)	94.4	fL	[83.0-101.0]
MCH (Calculated)	30.0	pg	[25.0-32.0]
MCHC (Calculated)	31.8	g/dL	[31.5-34.5]
Platelet Count (Impedence)	100000 #	/cu.mm	[150000-410000]
RDW-CV (Calculated)	13.2	%	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	51.9	%	[40.0-80.0]
Lymphocytes (Flowcytometry)	31.5	ଖ	[20.0-40.0]

Page 5 of 8



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR AJAY K SINGH Age : 58 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD **Reporting Date**: 29 Aug 2023 15:22

Receiving Date : 29 Aug 2023 10:11

HAEMATOLOGY

Monocytes (Flowcytometry)	11.4 #		8	[2.0-10.0]
Eosinophils (Flowcytometry)	3.7		ે	[1.0-6.0]
Basophils (Flowcytometry)	1.5		ે	[1.0-2.0]
IG	0.20		ે	
Neutrophil Absolute(Flouroscence f	low cytometry)	2.4	/cu mm	$[2.0-7.0] \times 10^{3}$
Lymphocyte Absolute(Flouroscence f	low cytometry)	1.5	/cu mm	$[1.0-3.0] \times 10^{3}$
Monocyte Absolute (Flouroscence flo	w cytometry)	0.5	/cu mm	$[0.2-1.2] \times 10^{3}$
Eosinophil Absolute(Flouroscence f	low cytometry)	0.2	/cu mm	$[0.0-0.5] \times 10^{3}$
Basophil Absolute(Flouroscence flo	w cytometry)	0.1	/cu mm	$[0.0-0.1] \times 10^{3}$

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

Page 6 of 8

-----END OF REPORT-----



Dr. Priyanka Bhatia CONSULTANT PATHOLOGY



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR AJAY K SINGH Age : 58 Yr(s) Sex :Male

Patient Episode: H03000055910Collection Date : 29 Aug 2023 08:56Referred By: HEALTH CHECK MHDReporting Date : 29 Aug 2023 12:44

Receiving Date : 29 Aug 2023 10:52

CLINICAL PATHOLOGY

Test Name	Result	Biological Ref. Interval
ROUTINE URINE ANALYSIS		
MACROSCOPIC DESCRIPTION		
Colour (Visual)	PALE YELLOW	(Pale Yellow - Yellow)
Appearance (Visual)	CLEAR	
CHEMICAL EXAMINATION		
Reaction[pH]	6.5	(5.0-9.0)
(Reflectancephotometry(Indicator Met	hod))	
Specific Gravity	1.010	(1.003-1.035)
(Reflectancephotometry(Indicator Met	hod))	
Bilirubin	Negative	NEGATIVE
Protein/Albumin	Negative	(NEGATIVE-TRACE)
(Reflectance photometry(Indicator Me	thod)/Manual SSA)	
Glucose	NOT DETECTED	(NEGATIVE)
(Reflectance photometry (GOD-POD/Ben	edict Method))	
Ketone Bodies	NOT DETECTED	(NEGATIVE)
(Reflectance photometry(Legal's Test)/Manual Rotheras)	
Urobilinogen	NORMAL	(NORMAL)
Reflactance photometry/Diazonium sal	t reaction	
Nitrite	NEGATIVE	NEGATIVE
Reflactance photometry/Griess test		
Leukocytes	NIL	NEGATIVE
Reflactance photometry/Action of Est	erase	
BLOOD	NIL	NEGATIVE
(Reflectance photometry(peroxidase))		
MICROSCOPIC EXAMINATION (Manual)	Method: Light microscopy on	centrifuged urine
WBC/Pus Cells	1-2 /hpf	(4-6)
Red Blood Cells	NIL	(1-2)
Epithelial Cells	1-2 /hpf	(2-4)
Casts	NIL	(NIL)
Crystals	NIL	(NIL)
Bacteria	NIL	
Yeast cells	NIL	

Page 7 of 8



Interpretation:

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR AJAY K SINGH Age : 58 Yr(s) Sex :Male

Referred By : HEALTH CHECK MHD Reporting Date : 29 Aug 2023 12:44

Receiving Date : 29 Aug 2023 10:52

CLINICAL PATHOLOGY

 $\textit{URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders \\$

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis,

bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in case of hemolytic anemia.

-----END OF REPORT-----

Page 8 of 8

Dr. Asha Preethi V.S. CONSULTANT PATHOLOGY



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR AJAY K SINGH Age : 58 Yr(s) Sex :Male

Referred By : HEALTH CHECK MHD Reporting Date : 29 Aug 2023 11:42

Receiving Date : 29 Aug 2023 09:56

Department of Transfusion Medicine (Blood Bank)

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN) Specimen-Blood

Blood Group & Rh Typing (Agglutinaton by gel/tube technique)

Blood Group & Rh typing B Rh(D) Positive

Antibody Screening (Microtyping in gel cards using reagent red cells)

Final Antibody Screen Result Negative

Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page 1 of 3

-----END OF REPORT-----

Damba

Dr Himanshu Lamba

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR AJAY K SINGH Age : 58 Yr(s) Sex :Male

Referred By : HEALTH CHECK MHD Reporting Date : 29 Aug 2023 10:38

Receiving Date : 29 Aug 2023 09:43

BIOCHEMISTRY

Specimen: EDTA Whole blood

As per American Diabetes Association(ADA) 2010

HbAlc (Glycosylated Hemoglobin) 5.8 % [4.0-6.5]

HbA1c in %

Non diabetic adults : < 5.7 %

Prediabetes (At Risk) : 5.7 % - 6.4 %

Diabetic Range : > 6.5 %

Methodology High-Performance Liquid Chromatography (HPLC)

Estimated Average Glucose (eAG) 120 mg/dl

Use

- 1.Monitoring compliance and long-term blood glucose level control in patients with diabetes.
- 2. Index of diabetic control (direct relationship between poor control and development of complications).
- 3. Predicting development and progression of diabetic microvascular complications.

Limitations :

- 1. AlC values may be falsely elevated or decreased in those with chronic kidney disease.
- 2.False elevations may be due in part to analytical interference from carbamylated hemoglobin formed in the presence of elevated concentrations of urea, with some assays.
- 3. False decreases in measured A1C may occur with hemodialysis and altered red cell turnover, especially in the setting of erythropoietin treatment

References: Rao.L.V., Michael snyder.L.(2021). Wallach's Interpretation of Diagnostic Tests. 11th Edition. Wolterkluwer. NaderRifai, Andrea Rita Horvath, Carl T.wittwer. (2018) Teitz Text book

of Clinical Chemistry and Molecular Diagnostics. First edition, Elsevier, South Asia.

Page 2 of 3

P 011 4967 4967 **E** info@manipalhospitals.com **Emergency** 011 4040 7070

www.hcmct.in www.manipalhospitals.com/delhi/

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR AJAY K SINGH Age : 58 Yr(s) Sex :Male

Referred By : HEALTH CHECK MHD Reporting Date : 29 Aug 2023 10:47

Receiving Date : 29 Aug 2023 09:42

BIOCHEMISTRY

Test Name Result Unit Biological Ref. Interval

TOTAL PSA, Serum (ECLIA) 0.713 ng/mL [<3.500]

Note: PSA is a glycoprotein that is produced by the prostate gland. Normally, very little PSA is secreted in the blood. Increases in glandular size and tissue damage caused by BPH, prostatitis, or prostate cancer may increase circulating PSA levels.

Caution: Serum markers are not specific for malignancy, and values may vary by method.

Immediate PSA testing following digital rectal examination, ejaculation, prostate massage urethral instrumentation, prostate biopsy may increase PSA levels.

Some patients who have been exposed to animal antigens, may have circulating anti-animal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

Page 3 of 3

----END OF REPORT-----

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY

Name:AJAY K SINGHHospital No:MH006100794Age:58Sex:MEpisode No:H03000055910Doctor:Health Check MHDResult Date:29 Aug 2023 15:19

Order: Tread Mill Test

EXERCISE STRESS TEST REPORT (TMT)

Findings:

Baseline ECG NSR Premedications Nil

Protocol	Bruce	MPHR	162
Duration of exercise	07 Minutes 01 sec	85% OF MPHR	137
Reason for termination	THR achieved	METS	10.10
Peak achieved	160	%of MPHR achieved	98%

Stage	Time	Heart rate (bpm)	BP (mmHg)	ECG(ST/T changes/arrhythmia)	Sympto
Control	0.00	77	140/90	No ST-T changes	Nil
Stage I	3.00	117	140/90	No ST-T changes	Nil
Stage II	3.00	142	150/90	No ST-T changes	Nil
Stage III	1.01	160	160/90	No ST-T changes	Nil
Recovery	4.00	92	150/90	No ST-T changes	Nil
– ´				•	

Result:

- Normal heart rate and BP response.
- No significant ST-T changes were seen during exercise or recovery period.
- No symptomatic of angina/ chest pain during the test
- No significant arrhythmia during the test

FINAL IMPRESSION.

- Exercise stress test is **Negative** for reversible myocardial Ischemia.
- Good effort tolerance.

AJAY K SINGH Hospital No: Name: MH006100794

Age: Sex: Episode No: 58 H03000055910

Health Check MHD Result Date: 29 Aug 2023 15:19 Doctor:

Tread Mill Test Order:

DR. SARITA GULATI

MD, DM

SENIOR INTERVENTIONAL CARDIOLOGIST

Dr. Sarita Gulati CONSULTANT