Age / Sex : 33 Year(s) / Male

: OP

PID No. : MED120924758 **Register On** : 26/03/2022 10:29 AM : 522212722 **Collection On** : 26/03/2022 11:04 AM SID No.

Report On : 26/03/2022 8:37 PM

Printed On : 31/03/2022 6:19 PM

Ref. Dr : MediWheel

Type

•	MEDALL	

<u>Investigation</u>	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>		
HAEMATOLOGY					
Complete Blood Count With - ESR					
Haemoglobin (EDTA Blood/Spectrophotometry)	15.5	g/dL	13.5 - 18.0		
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	46.0	%	42 - 52		
RBC Count (EDTA Blood/Impedance Variation)	5.52	mill/cu.mm	4.7 - 6.0		
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	83.0	fL	78 - 100		
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	28.0	pg	27 - 32		
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	33.6	g/dL	32 - 36		
RDW-CV (Derived from Impedance)	13.7	%	11.5 - 16.0		
RDW-SD (Derived from Impedance)	39.80	fL	39 - 46		
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	7600	cells/cu.mm	4000 - 11000		
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	63.1	%	40 - 75		
Lymphocytes (Blood/Impedance Variation & Flow Cytometry)	27.2	%	20 - 45		
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	1.7	%	01 - 06		





 PID No.
 : MED120924758
 Register On
 : 26/03/2022 10:29 AM

 SID No.
 : 522212722
 Collection On
 : 26/03/2022 11:04 AM

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (Blood/Impedance Variation & Flow Cytometry)	7.5	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.5	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	4.80	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.07	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.13	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.57	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.04	10^3 / μl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	310	10^3 / μl	150 - 450
MPV (Blood/Derived from Impedance)	10.4	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.32	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Modified Westergren)	12	mm/hr	< 15





PID No. : MED120924758 **Register On** : 26/03/2022 10:29 AM : 522212722 SID No. Collection On : 26/03/2022 11:04 AM Age / Sex : 33 Year(s) / Male

Report On : 26/03/2022 8:37 PM

Printed On : 31/03/2022 6:19 PM

Ref. Dr : MediWheel

: OP

Type



<u>Investigation</u>	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.7	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.3	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.4	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.6	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	5.1	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.5	gm/dL	2.3 - 3.6
A : G Ratio (Serum/ <i>Derived</i>)	2.0		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	18	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	12	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	98	U/L	53 - 128
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	11	U/L	< 55



VERIFIED BY



Age / Sex : 33 Year(s) / Male

PID No. : MED120924758 Register On : 26/03/2022 10:29 AM

: 522212722 Collection On : 26/03/2022 11:04 AM SID No.

Report On

26/03/2022 8:37 PM **Type** : OP : 31/03/2022 6:19 PM **Printed On**

Ref. Dr : MediWheel



Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	169	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	81	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

r · · · · · · · · · · · · · · · · · · ·			
HDL Cholesterol (Serum/Immunoinhibition)	60	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	92.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	16.2	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	109.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



VERIFIED BY



Printed On

Type : OP

PID No.

Ref. Dr : MediWheel



InvestigationObservedUnitBiologicalValueReference Interval

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

: 31/03/2022 6:19 PM

Total Cholesterol/HDL Cholesterol Ratio 2.8

(Serum/Calculated)

Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio 1.4 Optimal: < 2.5

(TG/HDL)

(Serum/Calculated)

LDL/HDL Cholesterol Ratio 1.5 Optimal: 0.5 - 3.0

(Serum/Calculated)

Borderline: 3.1 - 6.0 High Risk: > 6.0

Mild to moderate risk: 2.5 - 5.0

High Risk: > 5.0



VERIFIED BY



Printed On

Type : OP

Ref. Dr : MediWheel

PID No.



Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	5.7	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

: 31/03/2022 6:19 PM

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 116.89 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.



VERIFIED BY



PID No. : MED120924758 Register On : 26/03/2022 10:29 AM

: 522212722 SID No. Collection On : 26/03/2022 11:04 AM

Age / Sex : 33 Year(s) / Male Report On : 26/03/2022 8:37 PM

Printed On

Type : OP

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u> <u>U</u>	<u>Biological</u>
	Value	Reference Interval

: 31/03/2022 6:19 PM

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.52 ng/mL 0.7 - 2.04

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

4.2 - 12.0T4 (Thyroxine) - Total 12.0 μg/dL

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

 $\mu IU/mL$ 0.35 - 5.50TSH (Thyroid Stimulating Hormone) 1.51

(Serum/Chemiluminescent Microparticle

Immunoassay(CMIA))

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



VERIFIED BY



 PID No.
 : MED120924758
 Register On
 : 26/03/2022 10:29 AM

 SID No.
 : 522212722
 Collection On
 : 26/03/2022 11:04 AM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 26/03/2022 8:37 PM

Printed On



Type : OP

Ref. Dr

: 31/03/2022 6:19 PM

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	<u>Value</u>		Reference Interval
CLINICAL PATHOLOGY			

PHYSICAL EXAMINATION

: MediWheel

Colour (Urine)	Pale Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	20	mL	
<u>CHEMICAL EXAMINATION(Automated-Urineanalyser)</u>			
pH (Urine/AUTOMATED URINANALYSER)	6.0		4.5 - 8.0
Specific Gravity (Urine)	1.020		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein	Negative		Negative



(Urine)

VERIFIED BY



PID No. : MED120924758 Register On : 26/03/2022 10:29 AM : 522212722 SID No. Collection On : 26/03/2022 11:04 AM Age / Sex : 33 Year(s) / Male Report On : 26/03/2022 8:37 PM

Printed On



Type : OP

Ref. Dr : MediWheel

: 31/03/2022 6:19 PM

<u>Investigation</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine)	Negative		Negative
Leukocytes (Urine)	Negative	leuco/uL	Negative
MICROSCOPY(URINE DEPOSITS)			
Pus Cells (Urine/Flow cytometry)	2-4	/hpf	3-5
Epithelial Cells (Urine)	0-1	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil



VERIFIED BY



PID No. : MED120924758 Register On : 26/03/2022 10:29 AM

: 522212722 SID No. Collection On : 26/03/2022 11:04 AM

Age / Sex : 33 Year(s) / Male Report On : 26/03/2022 8:37 PM

Ref. Dr

: OP

Type

: MediWheel



Investigation <u>Observed</u> <u>Unit</u> **Biological** Reference Interval **Value**

: 31/03/2022 6:19 PM

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'B' 'Positive'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

Printed On



VERIFIED BY



PID No. : MED120924758

SID No. : 522212722

Age / Sex : 33 Year(s) / Male

Type : OP

Ref. Dr : MediWheel

Register On : 26/03/2022 10:29 AM

Collection On : 26/03/2022 11:04 AM

Report On : 26/03/2022 8:37 PM

Printed On : 31/03/2022 6:19 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
BIOCHEMISTRY			
BUN / Creatinine Ratio	11		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	89	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	130	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	8	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.7	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc

Uric Acid 5.1 mg/dL 3.5 - 7.2

(Serum/Uricase/Peroxidase)



VERIFIED BY



APPROVED BY

-- End of Report --

Name	KUMAR AMIT	ID	MED120924758
Age & Gender	33/Male	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		



ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size (13.5 cms) and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size (10.7 cms) and echopattern.

No demonstrable Para-aortic lymphadenopathy.

KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cm)	Parenchymal thickness (cm)
Right Kidney	10.4	1.7
Left Kidney	11.8	2.1

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 3.8 x 3.0 x 3.1cm, volume: 18.3cc

No evidence of ascites.

IMPRESSION:

• No significant abnormality detected.

DR. H.K. ANAND DR. C.R RAMACHANDRA DR. LOHITH H.P DR. VARSHA KALE CONSULTANT RADIOLOGISTS

Lh/Ss

Name	KUMAR AMIT	ID	MED120924758
Age & Gender	33/Male	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		



Name	KUMAR AMIT	ID	MED120924758
Age & Gender	33/Male	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		



2D ECHOCARDIOGRAPHIC STUDY

M-mode measurement:

AORTA 3.04 cms. LEFT ATRIUM 3.08 cms. AVS 1.48 cms. LEFT VENTRICLE (DIASTOLE) 4.63 cms. (SYSTOLE) 3.04 cms. **VENTRICULAR SEPTUM** (DIASTOLE) 1.21 cms. (SYSTOLE) 1.54 cms. POSTERIOR WALL (DIASTOLE) 0.92 cms. (SYSTOLE) 1.23 cms. **EDV** 98 ml. **ESV** 38 ml. FRACTIONAL SHORTENING 30 % **EJECTION FRACTION** 60 % **EPSS** cms.

DOPPLER MEASUREMENTS:

RVID

MITRAL VALVE: E - 0.8 m/s A - 0.6 m/s NO MR.

1.80

cms.

AORTIC VALVE: 1.1 m/s NO AR.

TRICUSPID VALVE: E - 0.4 m/s A - 0.3 m/s NO TR.

PULMONARY VALVE: 0.8 m/s NO PR.

Name	KUMAR AMIT	ID	MED120924758
Age & Gender	33/Male	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		



2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle : Normal size, Normal systolic function.

: No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral Valve : Normal. No mitral valve prolapsed.

Aortic Valve : Normal.Trileaflet.

Tricuspid Valve : Normal.

Pulmonary Valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

Name	KUMAR AMIT	ID	MED120924758
Age & Gender	33/Male	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		



DR. ANAND KUMAR M MD DM CONSULTANT INTERVENTIONAL CARDIOLOGIST

Name	KUMAR AMIT	ID	MED120924758
Age & Gender	33/Male	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		



X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

• No significant abnormality detected.

	Name	KUMAR AMIT	ID	MED120924758
	Age & Gender	33/Male	Visit Date	26-03-2022 00:00:00
- 1	Ref Doctor Name	MediWheel		



TEST COMPLETED