

PHYSICAL EXAMINATION REPORT

R

E

0

D. C. LAY	Pavindos	Maria	
Patient Name	Ravindra	Mane	Sex/Age M J
Date	2	4623	Location Thate
History and C	omplaints		
	aconomic violence	Demonstration of the second	vigereonal GET ymX Into G
		PIC	
EVAMINATIO	AL EUNIDINICO		
EXAMINATIO	N FINDINGS:		
Height (cms):	158	Temp (0c):	Mreb .
Weight (kg):	54	Skin:	NAn
Blood Pressure	110/80	Nails:	
Pulse	601-	Lymph Node:	NP
	a p		
Systems:	EXPERISE		S PASSA TO THE PASSA OF THE PAS
Cardiovascular:			
Respiratory:		~	A1)
Genitourinary:			
GI System:			
CNS:			
mpression:			INOMHOL
56e-	Chest X-	ray- H	azivess in 12. Lon
ratouregaly	Vice Closelis		zoure;
/ F (INP	De Co	profic s	B. MADAICTEONE
PP	Elle-LA	DI RBB	B. MADAIC

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.



Advi	ice: LOW fat,	Lowsugar Diet. eg: Exemuse. consultation for. xray changes. e after 6 Months.
	n)	y txemise.
	- Physicians	consultation tor.
Pe	POOR SUGAR PROCE	xxay chauges.
1)	Hypertension:	Edites (P) Monter B.
2)	IHD	
3)	Arrhythmia	
4)	Diabetes Mellitus	
5)	Tuberculosis	
6)	Asthama	
7)	Pulmonary Disease	
8)	Thyroid/ Endocrine disorders	
9)	Nervous disorders	
10)	GI system	NAD
11)	Genital urinary disorder	
12)	Rheumatic joint diseases or symptoms	
13)		n 0
	Blood disease or disorder	
14)	Cancer/lump growth/cyst	
15)	Congenital disease	
16)	Surgeries	
17)	Musculoskeletal System	AD
PERS	ONAL HISTORY:	
1)	Alcohol	o pear to weary.
2)	Smoking	2 pegs thince
3)	Diet	mos
4)	Medication	NO

R

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

2005/09/3439



E 0

R

Date: 24/6/27 CID:
Name: Raviulia Mare Sex/Age: 49 509

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision: 12 12 6/9 2166/12 \$1VBE 21/2

Aided Vision: 13 le Ea XIVBUY 6

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Vear								

Colour Vision: Normal / Abpormal

Remark: USC ou Speaks

MR. PRAKASH KUDVA



CID : 2317521384

Name : MR.MANE RAVINDRA AMJI

Age / Gender : 59 Years / Male

Consulting Dr. :

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 24-Jun-2023 / 09:29 : 24-Jun-2023 / 14:00 R

E

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

		te Blood Count), Blood	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	14.6	13.0-17.0 g/dL	Spectrophotometric
RBC	4.65	4.5-5.5 mil/cmm	Elect. Impedance
PCV	42.3	40-50 %	Measured
MCV	91.1	80-100 fl	Calculated
MCH	31.4	27-32 pg	Calculated
MCHC	34.4	31.5-34.5 g/dL	Calculated
RDW	13.2	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	5870	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		
Lymphocytes	36.5	20-40 %	
Absolute Lymphocytes	2142.6	1000-3000 /cmm	Calculated
Monocytes	7.3	2-10 %	
Absolute Monocytes	428.5	200-1000 /cmm	Calculated
Neutrophils	53.7	40-80 %	
Absolute Neutrophils	3152.2	2000-7000 /cmm	Calculated
Eosinophils	2.5	1-6 %	
Absolute Eosinophils	146.8	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes			
WBC Differential Count by Abs	orbance & Impedance method	d/Microscopy.	
PLATELET PARAMETERS			

Platelet Count	254000	150000-400000 /cmm	Floot Impodance
MEN	10 May 1 May 1	130000 400000 / CHIIII	Elect. Impedance
MPV	8.0	6-11 fl	Calculated
PDW	0.0		catcatatea
PDVV	9.0	11-18 %	Calculated
PRC MOPPHOLOCY			Jaicanated

RBC MORPHOLOGY

Hypochromia - Microcytosis -

Page 1 of 12



: 2317521384

Name

: MR. MANE RAVINDRA AMJI

Age / Gender

: 59 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Collected

Reported

Use a QR Code Scanner Application To Scan the Code : 24-Jun-2023 / 09:29

Authenticity Check

:24-Jun-2023 / 12:30

R

E

0

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

2-20 mm at 1 hr.

Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist and AVP(Medical Services)

Page 2 of 12



: 2317521384

Name

: MR.MANE RAVINDRA AMJI

Age / Gender

: 59 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Collected

Reported

: 24-Jun-2023 / 09:29

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

:24-Jun-2023 / 12:38

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

PARAMETER

RESULTS

BIOLOGICAL REF RANGE

METHOD

GLUCOSE (SUGAR) FASTING,

Fluoride Plasma

122.4

Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose:

Hexokinase

Hexokinase

100-125 mg/dl

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 168.7

Plasma PP/R

Non-Diabetic: < 140 mg/dl

Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting)

Absent

Absent

Urine Ketones (Fasting)

Absent

Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Mujawar

Dr.IMRAN MUJAWAR M.D (Path) **Pathologist**

Page 3 of 12



: 2317521384

Name

: MR. MANE RAVINDRA AMJI

Age / Gender

: 59 Years / Male

Consulting Dr. Reg. Location

. .

: G B Road, Thane West (Main Centre)

Collected

Use a QR Code Scanner Application To Scan the Code : 24-Jun-2023 / 09:29

Authenticity Check

R

E

R

Reported

:24-Jun-2023 / 16:52

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT KIDNEY FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	23.6	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	11.0	6-20 mg/dl	Calculated
CREATININE, Serum	1.12	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	71	>60 ml/min/1.73sqm	Calculated
Note: eGFR estimation is calculated	using MDRD (Modification of die	t in renal disease study group) equa	ation
TOTAL PROTEINS, Serum	7.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
URIC ACID, Serum	4.6	3.5-7.2 mg/dl	Uricase
PHOSPHORUS, Serum	3.0	2.7-4.5 mg/dl	Ammonium molybdate
CALCIUM, Serum	9.3	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	138	135-148 mmol/l	ISE

3.5-5.3 mmol/l

98-107 mmol/l

4.7

99





POTASSIUM, Serum

CHLORIDE, Serum

Thakken

Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist and AVP(Medical Services)

ISE

ISE

Page 4 of 12

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



: 2317521384

Name

: MR.MANE RAVINDRA AMJI

Age / Gender

: 59 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Use a QR Code Scanner Application To Scan the Code : 24-Jun-2023 / 09:29

Authenticity Check

E

Collected Reported

:24-Jun-2023 / 14:00

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE

METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

Estimated Average Glucose

6.6

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 %

Diabetic Level: >/= 6.5 %

HPLC

142.7

mg/dl

Calculated

(eAG), EDTA WB - CC Kindly correlate clinically.

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West ** End Of Report **

ToThakken

Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist and AVP(Medical Services)

Page 5 of 12



: 2317521384

Name

: MR. MANE RAVINDRA AMJI

Age / Gender

: 59 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Collected

: 24-Jun-2023 / 09:29

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

Reported

:24-Jun-2023 / 16:18

R

E

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

TOTAL PSA, Serum

0.621

<4.0 ng/ml

CLIA

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta ,Acute renal failure, Acute myocardial

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab ** End Of Report **





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 6 of 12



CID : 2317521384

Name : MR.MANE RAVINDRA AMJI

Age / Gender

: 59 Years / Male

Consulting Dr. Reg. Location

: -

: G B Road, Thane West (Main Centre)

Collected

Reported

: 24-Jun-2023 / 09:29 : 24-Jun-2023 / 12:38

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

E

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	
Reaction (pH)	Acidic (6.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.010-1.030	Chemical Indicator
Transparency	Clear	Clear	
Volume (ml)	40	BI RESIDE LOCAL	
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	ON		
Leukocytes(Pus cells)/hpf	0-1	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	2-3		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	0-1	Less than 20/hpf	
a contract to the contract of			

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein: (1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose: (1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl, 4+ -1000 mg/dl)
- Ketone: (1+ -5 mg/dl, 2+ -15 mg/dl, 3+ 50 mg/dl, 4+ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 7 of 12



: 2317521384

Name

: MR. MANE RAVINDRA AMJI

Age / Gender

: 59 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

: 24-Jun-2023 / 09:29

R

E

Collected Reported

:24-Jun-2023 / 13:00

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT **BLOOD GROUPING & Rh TYPING**

PARAMETER

RESULTS

ABO GROUP

0

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Note: This sample has also been tested for Bombay group/Bombay phenotype/Oh using anti H lectin

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Thakken

Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist and AVP(Medical Services)

Page 8 of 12



CID : 2317521384

Name : MR. MANE RAVINDRA AMJI

Age / Gender : 59 Years / Male

Consulting Dr.

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 24-Jun-2023 / 09:29 :24-Jun-2023 / 16:52 R

E

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT LIPID PROFILE

	LITTOTAL		
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	188.8	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	88.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	52.7	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	136.1	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	118.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	18.1	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.6	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.2	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West ** End Of Report ***





Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist and AVP(Medical Services)

Page 9 of 12



: 2317521384

Name

: MR. MANE RAVINDRA AMJI

Age / Gender

: 59 Years / Male

Consulting Dr.

. .

Reg. Location : G

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 24-Jun-2023 / 09:29 : 24-Jun-2023 / 14:18 R

E

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT THYROID FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	5.0	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	17.9	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.77	0.35-5.5 microIU/ml	ECLIA

Page 10 of 12



: 2317521384

Name

: MR. MANE RAVINDRA AMJI

Age / Gender

: 59 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 24-Jun-2023 / 09:29 : 24-Jun-2023 / 14:18 R

E

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4/T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti- epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 11 of 12



CID : 2317521384

Name : MR. MANE RAVINDRA AMJI

Age / Gender : 59 Years / Male

Consulting Dr.

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 24-Jun-2023 / 09:29 :24-Jun-2023 / 16:52

R

E

0

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.77	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.35	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.42	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
SGOT (AST), Serum	16.9	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	18.6	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	93.0	3-60 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	81.3	40-130 U/L	PNPP

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Thakken

Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist and AVP(Medical Services)

Page 12 of 12



CID : 2317521384

Name : Mr MANE RAVINDRA AMJI

Age / Sex : 59 Years/Male

Ref. Dr :

Reg. Location : G B Road, Thane West Main Centre

Reg. Date

Reported

Use a QR Code Scanner Application To Scan the Code R

: 24-Jun-2023

: 24-Jun-2023 / 16:16

Authenticity Check

X-RAY CHEST PA VIEW

Haziness noted in left lower zone.

Fibrotic strands noted in bilateral upper zones.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

Kindly correlate clinically and suggest further evaluation.

---End of Report--

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023062408544041

Page no 1 of 1



Reg. No.: 2317521384	Sex : MALE		
Name : MR. RAVINDRA AMJI MANE	Age: 59 YRS		
Ref. By :	Date: 24.06.2023		

USG ABDOMEN AND PELVIS

<u>LIVER</u>: Liver appears enlarged in size (16.3 cm) and shws normal homogenous echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

<u>GALL BLADDER:</u> Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

<u>PANCREAS:</u> Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS: Right kidney measures 8.0 x 3.5 cm. Left kidney measures 9.3 x 3.8 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

<u>URINARY BLADDER:</u> Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size and echotexture and measures 2.9 x 3.9 x 3.2 cm in dimension and 19.7 cc in volume. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.



IMPRESSION:

MILD HEPATOMEGALY.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

Advice:Clinical co-relation and further evaluation.

DR.DEVENDRA PATIL
MD (RADIO DIAGNOSIS)
(CONSULTANT RADIOLOGIST)

R


E

SUBURBAN DIAGNOSTICS

SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

Patient Name: MANE RAVINDRA AMJI Patient ID: 2317521384

Date and Time: 24th Jun 23 11:55 AM



Sinus Rhythm, Left Axis Deviation, Incomplete Right Bundle Branch Block. Please correlate clinically.

DR SHAILAJA PILLAJ MBBS, MD Physican MD Physican 49972

isclaimer: I) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical ysician. 2) Parient vitals are as energed by the clinician and not derived from the ECX1.

Report



1221 (2317521384) / RAVINDRA MANE / 59 Yrs / M / 158 Cms / 64 Kg Date: 24 / 06 / 2023 11:28:28 AM

EINDINGS .			Necovery	0	Recovery	TEGNEX	Dooke	DAUCE Stage	DBIOTOL	ExStart		¥	Carionig	Standing	ouprie	Ciago	Stage	
			06:18		05.18	04:18	2	03:39	0 0	00.30	00.00	00.30	02:00		00:11	lime		
			2:00		1-00	0:39		3:00	0.00	0.00	c.	2	0:09		0:11	Duration		
			00.0	00.0	3	02.5		017	00.0	3	00.0))	00.0	į	00.0	Speed(mph)		
		Č.	000	00.0	3	12.0		100	00.0)	00.0		000	0	0000	Elevation		
	00.0		010	0.0	2	05.2	O+4. /	2 4	01.0		01.0		210	0.0	010	METs		
0	000	0/0	370	100		135	130	2	069		074	000	089	710	070	Rate		
2 2	2000	4/ %	47 07	62 %		84 %	87 %)	43 %		46 %	94 740	200	45 %	47 07	% THR		
1/6	2 3	150/80		150/80	100/00	150/80	140/80		120/80	10000	120/80	08/071)	120/80		BP		
000)	112		150	202	300	182		082	000	000	081		086		RPP D		
00	3 6		8 8		9	2	00	-	00	0	3	00		00	- 40	DVC		
															Comments)		

Initial HR (ExStrt) **Exercise Time**

69 bpm 43% of Target 161 120/80 (mm/Hg)

Max BP Attained 150/80 (mm/Hg)

Max HR Attained 135 bpm 84% of Target 161

Initial BP (ExStrt)

Max WorkLoad Attained : 5.2 Fair response to induced stress

Max ST Dep Lead & Avg ST Value: I & -1.0 mm in PeakEx

Test End Reasons

: Feeling Uncomfortable , Fatigue,

Dr. SHAILAJA PILLAI M.D. (GEN.MED) R.NO. 49972

REPORT



EMail: 1221 / RAVINDRA MANE / 59 Yrs / M / 158 Cms / 64 Kg Date: 24 / 06 / 2023 11:28:28 AM

REPORT:

STRESS ECG RESULTS: The initial HR was recorded as 68.0 bpm, and the maximum predicted Target Heart Rate 161.0. The BP increased at the time of generating report as 150.0/80.0 mmHg The Max Dep went upto 0.1. 0.0 Ectopic Beats were observed during the Test.

The Test was completed because of Feeling Uncomfortable, Fatigue. PROCEDURE DONE: Graded exercise treadmill stress test.

- 1. TMT is negative for exercise induced ischemia.
- Accelerated chronotropic and Normal inotropic response.
 No significant ST T changes seen.

Disclaimer: Negative stress test does not rule out CAD.


Dr. SHAILAJA PILLAI
M.D. (GEN.MED)

Doctor: DR SHAILAJA PILLAI
R.NO. 49972

1221 (2317521384) / RAVINDRA MANE / 59 Yrs / M / 158 Cms / 64 Kg / HR : 72

4× Date: 24/06/202311:28:28 AM 80 mS Post J METS: 1.0/72 bpm 45% of THR BP: 120/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz 25 mm/Sec. 1.0 Cm/mV ExTime: 00:00 0.0 mph, 0.0%


SUPINE (00:01)



1221 / RAVINDRA MANE / 59 Yrs / Male / 158 Cm / 64 Kg

6X2 Combine Medians + 1 Rhythm STANDING (00:00)






1221 / RAVINDRA MANE / 59 Yrs / Male / 158 Cm / 64 Kg

6X2 Combine Medians + 1 Rhythm HV (00:00)






1221 / RAVINDRA MANE / 59 Yrs / Male / 158 Cm / 64 Kg

6X2 Combine Medians + 1 Rhythm ExStrt




Date: 24 / 06 / 2023 11:28:28 AM METs: 1.0 HR: 69 Target HR: 43% of 161 BP: 120/80 Post J @80mSec



1221 / RAVINDRA MANE / 59 Yrs / Male / 158 Cm / 64 Kg

6X2 Combine Medians + 1 Rhythm BRUCE: Stage 1 (03:00)

Date: 24 / 06 / 2023 11:28:28 AM METs: 4.7 HR: 130 Target HR: 81% of 161 BP: 150/80 Post J @80mSec




1221 / RAVINDRA MANE / 59 Yrs / Male / 158 Cm / 64 Kg

6X2 Combine Medians + 1 Rhythm PeakEx




Date: 24 / 06 / 2023 11:28:28 AM METs: 5.2 HR: 135 Target HR: 84% of 161 BP: 150/80 Post J @60mSec



1221 / RAVINDRA MANE / 59 Yrs / Male / 158 Cm / 64 Kg

6X2 Combine Medians + 1 Rhythm Recovery: (01:00)





1221 / RAVINDRA MANE / 59 Yrs / Male / 158 Cm / 64 Kg

6X2 Combine Medians + 1 Rhythm Recovery: (02:00)



