Name	: Mrs. Shyla shree	
PID No.	: MED111534685	Register On : 11/03/2023 8:31 AM
SID No.	: 423014200	Collection On : 11/03/2023 9:42 AM
Age / Sex	: 54 Year(s) / Female	Report On : 11/03/2023 7:20 PM
Туре	: OP	Printed On : 13/03/2023 11:13 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	12.5	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	39.3	%	37 - 47
RBC Count (EDTA Blood)	4.68	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	83.8	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	26.7	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	31.8	g/dL	32 - 36
RDW-CV (EDTA Blood)	15.7	%	11.5 - 16.0
RDW-SD (EDTA Blood)	46.05	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	8100	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	53.1	%	40 - 75
Lymphocytes (EDTA Blood)	38.4	%	20 - 45
Eosinophils (EDTA Blood)	2.2	%	01 - 06
Monocytes (EDTA Blood)	5.8	%	01 - 10





Name	: Mrs. Shyla shree	
PID No.	: MED111534685	Register On : 11/03/2023 8:31 AM
SID No.	: 423014200	Collection On : 11/03/2023 9:42 AM
Age / Sex	: 54 Year(s) / Female	Report On : 11/03/2023 7:20 PM
Туре	: OP	Printed On : 13/03/2023 11:13 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Basophils (Blood)	0.5	%	00 - 02
INTERPRETATION: Tests done on Automated Five	Part cell counter. All	abnormal results are re	viewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	4.30	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	3.11	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.18	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.47	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.04	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	380	10^3 / µl	150 - 450
MPV (EDTA Blood)	7.7	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.29	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	45	mm/hr	< 30

|



Name	: Mrs. Shyla shree	
PID No.	: MED111534685	Register On : 11/03/2023 8:31 AM
SID No.	: 423014200	Collection On : 11/03/2023 9:42 AM
Age / Sex	: 54 Year(s) / Female	Report On : 11/03/2023 7:20 PM
Туре	: OP	Printed On : 13/03/2023 11:13 AM
Ref. Dr	: MediWheel	

Investigation BIOCHEMISTRY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.34	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.12	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.22	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i>)	11.86	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i>)	13.52	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	15.44	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	67.3	U/L	53 - 141
Total Protein (Serum/Biuret)	7.28	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.00	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.28	gm/dL	2.3 - 3.6
A : G RATIO	1.22		1.1 - 2.2

(Serum/Derived)





APPROVED BY

Name	: Mrs. Shyla shree	
PID No.	: MED111534685	Register On : 11/03/2023 8:31 AM
SID No.	: 423014200	Collection On : 11/03/2023 9:42 AM
Age / Sex	: 54 Year(s) / Female	Report On : 11/03/2023 7:20 PM
Туре	: OP	Printed On : 13/03/2023 11:13 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	273.02	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	358.58	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	39.73	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	161.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	71.7	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	233.3	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.





Name	: Mrs. Shyla shree	
PID No.	: MED111534685	Register On : 11/03/2023 8:31 AM
SID No.	: 423014200	Collection On : 11/03/2023 9:42 AM
Age / Sex	: 54 Year(s) / Female	Report On : 11/03/2023 7:20 PM
Туре	: OP	Printed On : 13/03/2023 11:13 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	6.9		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	9		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	4.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0





Name	: Mrs. Shyla shree	
PID No.	: MED111534685	Register On : 11/03/2023 8:31 AM
SID No.	: 423014200	Collection On : 11/03/2023 9:42 AM
Age / Sex	: 54 Year(s) / Female	Report On : 11/03/2023 7:20 PM
Туре	: OP	Printed On : 13/03/2023 11:13 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
Glycosylated Haemoglobin (HbA1c)	<u>Value</u>		<u>Reference Interval</u>
HbA1C (Whole Blood/ <i>HPLC</i>)	7.1	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose	157.07	mg/dL
Estimated Trendge Glaeose	107.07	

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.





APPROVED BY

Name	: Mrs. Shyla shree	
PID No.	: MED111534685	Register On : 11/03/2023 8:31 AM
SID No.	: 423014200	Collection On : 11/03/2023 9:42 AM
Age / Sex	: 54 Year(s) / Female	Report On : 11/03/2023 7:20 PM
Туре	: OP	Printed On : 13/03/2023 11:13 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
IMMUNOASSAY			
THYROID PROFILE / TFT			
T3 (Triiodothyronine) - Total (Serum/ <i>ECLIA)</i> INTERPRETATION: Comment : Total T3 variation can be seen in other condition like pre- Metabolically active.	0.782 gnancy, drugs, nepl	ng/ml nrosis etc. In such case	0.4 - 1.81 s, Free T3 is recommended as it is
T4 (Tyroxine) - Total (Serum/ <i>ECLIA</i>)	6.72	μg/dl	4.2 - 12.0
INTERPRETATION: Comment : Total T4 variation can be seen in other condition like pre- Metabolically active.	gnancy, drugs, nepl	nrosis etc. In such case	s, Free T4 is recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	4.26	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iod 2.TSH Levels are subject to circadian variation, reaching of the order of 50%,hence time of the day has influence of 3.Values&lt,0.03 μIU/mL need to be clinically correl	peak levels betwee on the measured ser	en 2-4am and at a mini rum TSH concentration	mum between 6-10PM. The variation can be us.



sh Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Mrs. Shyla shree	
PID No.	: MED111534685	Register On : 11/03/2023 8:31 AM
SID No.	: 423014200	Collection On : 11/03/2023 9:42 AM
Age / Sex	: 54 Year(s) / Female	Report On : 11/03/2023 7:20 PM
Туре	: OP	Printed On : 13/03/2023 11:13 AM
Ref. Dr	: MediWheel	

Investigation CLINICAL PATHOLOGY	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
<u>PHYSICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
Colour (Urine)	Yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	10	
<u>CHEMICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
pH (Urine)	5	4.5 - 8.0
Specific Gravity (Urine)	1.019	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
Blood (Urine)	Negative	Negative
Nitrite (Urine)	Negative	Negative
Bilirubin (Urine)	Negative	Negative
Protein (Urine)	Negative	Negative
Glucose (Urine/GOD - POD)	Negative	Negative





Name	: Mrs. Shyla shree	
PID No.	: MED111534685	Register On : 11/03/2023 8:31 AM
SID No.	: 423014200	Collection On : 11/03/2023 9:42 AM
Age / Sex	: 54 Year(s) / Female	Report On : 11/03/2023 7:20 PM
Туре	: OP	Printed On : 13/03/2023 11:13 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Leukocytes(CP) (Urine)	Negative		
<u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)			
Pus Cells (Urine)	0-2	/hpf	NIL
Epithelial Cells (Urine)	1-3	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	NIL		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL





APPROVED BY

Name	: Mrs. Shyla shree		
PID No.	: MED111534685	Register On	: 11/03/2023 8:31 AM
SID No.	: 423014200	Collection On	: 11/03/2023 9:42 AM
Age / Sex	: 54 Year(s) / Female	Report On	: 11/03/2023 7:20 PM
Туре	: OP	Printed On	: 13/03/2023 11:13 AM
Ref. Dr	: MediWheel		

Investigation

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

<u>Observed</u> <u>Value</u> <u>Unit</u>

<u>Biological</u> <u>Reference Interval</u>

'O' 'Positive'





Name	: Mrs. Shyla shree	
PID No.	: MED111534685	Register On : 11/03/2023 8:31 AM
SID No.	: 423014200	Collection On : 11/03/2023 9:42 AM
Age / Sex	: 54 Year(s) / Female	Report On : 11/03/2023 7:20 PM
Туре	: OP	Printed On : 13/03/2023 11:13 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	13.6		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	118.29	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	158.59	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	10.1	mg/dL	7.0 - 21
Creatinine (Serum/ <i>Modified Jaffe</i>)	0.74	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	5.93	mg/dL	
(Sorum/Fuzumatic)			

(Serum/Enzymatic)





2.6 - 6.0

-- End of Report --

Mahesh Mob:8618385220 ೨901569756 ೨೨,೯ ಪಾರ್ವತಿ ಆಪ್ಟಿಕ್ಸ್

SRI PARVATHI OPTICS

Multi Branded Opticals Store

Computerized Eye Testing & Spectacles Clinic

333.8th Main 5th Cross Near Cambridge & Miranda School HAL 3rd Stage Behind Vishveshvariah Park New Thippasandra, Bangalore - 560075, Email: parvathiopticals@gmail.com / www.sriparvathioptics.in

SPECTACLE PRESCRIPTION

Name:

Shula Shree.

Mobil No:

Age/Gender S4y/f'

Ref. No.

No

2547

Date: 11/3/2023

		RIGHT	EYE		100	LEF	T EYE	1 Part
	SPH	CYL	AXIS	VISION	SPH	CYL	AXIS	VISION
DISTANCE	+	+	143	6/6	+	+	166	6/6
NEAR	Add	+ 112	.5.					

PD

618ek


Advice to use glasses for:

DISTANCE FAR & NEAR READING COMPUTER PURFOSE

We Care Your Eyes

SRI PARVATHI OPTICS

NEW THIPPASANDRA




Package Name : Mediwheel Full Body Health Checkup Female Above 40

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN (BUN)				
2	LAB	CREATININE				
3	LAB	GLUCOSE - FASTING				Careford State
4	LAB	GLUCOSE - POSTPRANDIAL (2 HRS)				
5	LAB	GLYCOSYLATED HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)				
9	LAB	THYROID PROFILE/ TFT(T3, T4, TSH)	- Concession			
10	LAB	URINE GLUCOSE - FASTING				
11	LAB	URINE GLUCOSE - POSTPRANDIAL (2 Hrs)				
12	LAB	COMPLETE BLOOD COUNT WITH ESR				

13	LAB	STOOL ANALYSIS -				
-		ROUTINE			54.27	
14	LAB	URINE ROUTINE				1000
15	LAB	PAP SMEAR BY LBC (LIQUID BASED CYTOLOGY)				
16	LAB	BUN/CREATININE RATIO				
17	LAB	BLOOD GROUP & RH TYPE (Forward Reverse)				
18	ECG	ECG	IND13744931138			
19	OTHERS	Treadmill / 2D Echo	IND137449314690	-		
20	OTHERS	physical examination	IND137449315279			
21	US	ULTRASOUND ABDOMEN	IND137449315292	9	1 mm	-g
22	OTHERS	Gynaecologist consultation	IND137449315704			
23	MAMMOGRAPHY	MAMOGRAPHY-BOTH BREASTS	IND137449316054	Su	mJ	Dy
24	OTHERS	Dental Consultation	IND137449316289			
25	OTHERS	EYE CHECKUP	IND137449317756			
26	X-RAY	X RAY CHEST	IND137449318659			
27	OTHERS	Consultation Physician	IND137449318736	1	100	

Registerd By

(HARI.O)



Name	MRS.SHYLA SHREE	ID	MED111534685
Age & Gender	54Y/FEMALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA			: 2.8cms
LEFT ATRIUM			: 2.7cms
AVS			:
LEFT VENTRICLE	(DIASTOLE))	: 4.1cms
(SYS	TOLE)	: 2.8cm	ns
VENTRICULAR SEPTUM	(DIASTOLE)		: 0.7cms
(SYS	TOLE)	: 1.2cm	ns
POSTERIOR WALL	(DIASTOLE)		: 0.6cms
(SYS)	FOLE)	: 1.4cr	ns
EDV			: 76ml
ESV			: 30ml
FRACTIONAL SHORTENI	NG		: 32%
EJECTION FRACTION			: 61%
EPSS			:
RVID			: 1.9cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	: E' 0.80 m/s	A' 1.00 m/s	NO MR
AORTIC VALVE	: 1.09 m/s		NO AR
TRICUSPID VALVE	: E' - m/s	A' - m/s	NO TR
PULMONARY VALVE	: 0.86 m/s		NO PR

Name	MRS.SHYLA SHREE	ID	MED111534685
Age & Gender	54Y/FEMALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel	-	

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function. No regional wall motion abnormalities.

Left Atrium	: Normal.
Right Ventricle	: Normal.
Right Atrium	: Normal.
Mitral valve	: Normal, No mitral valve prolapsed.
Aortic valve	: Normal, Trileaflet.
Tricuspid valve	: Normal.
Tricuspid valve Pulmonary valve	: Normal. : Normal.
-	
Pulmonary valve	: Normal.

IMPRESSION:

- > L V DIASTOLIC DYSFUNCTION.
- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF:61 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST Kss/da

Name	MRS.SHYLA SHREE	ID	MED111534685
Age & Gender	54Y/FEMALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

<u>Note:</u> * Report to be interpreted by qualified medical professional. * To be correlated with other clinical findings. * Parameters may be subjected to inter and intra observer variations. *Any discrepancy in reports due to typing errors should be corrected as soon as possible.

Name	MRS.SHYLA SHREE	ID	MED111534685
Age & Gender	54Y/FEMALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in size and shows diffuse fatty changes. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.7	1.5
Left Kidney	10.8	1.2

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and normal in size. It has uniform myometrial echopattern.Endometrial thickness measures 3mmUterus measures as follows: LS: 7.2cmsAP: 3.0cmsTS: 3.7cms.

OVARIES are small and atrophic

POD & adnexae are free.

No evidence of ascites/pleural effusion.

IMPRESSION:

- ► FATTY LIVER.
- > NO OTHER SIGNIFICANT ABNORMALITY DETECTED.

DR. APARNA CONSULTANT RADIOLOGIST

Name	MRS.SHYLA SHREE	ID	MED111534685
Age & Gender	54Y/FEMALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

A/da

Name	MRS.SHYLA SHREE	ID	MED111534685
Age & Gender	54Y/FEMALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

X-ray mammogram (mediolateral oblique and craniocaudal views) followed by Sonomammography was performed. MAMMOGRAPHY OF BOTH BREASTS

Both breasts show symmetrical fibro glandular fatty tissue.

No evidence of focal soft tissue lesion.

No evidence of cluster micro calcification.

Subcutaneous fat deposition is within normal limits.

SONOMAMMOGRAPHY OF BOTH BREASTS

Both breasts show normal echopattern.

No evidence of focal solid / cystic areas in either breast.

No evidence of ductal dilatation.

Few lymphnodes with maintained fatty hilum are noted in both axillae.

IMPRESSION:

> NO SIGNIFICANT ABNORMALITY.

ASSESSMENT: BI-RADS CATEGORY -1

DR. APARNA CONSULTANT RADIOLOGIST

A/da

BI-RADS CLASSIFICATION CATEGORY RESULT

CATEGORY	RESULI
0	Assessment incomplete. Need additional imaging evaluation
1	Negative. Routine mammogram in 1 year recommended.
2	Benign finding. Routine mammogram in 1 year recommended.
3	Probably benign finding. Short interval follow-up suggested.
4	Suspicious. Biopsy should be considered.
5	Highly suggestive of malignancy. Appropriate action should be taken.

Name	MRS.SHYLA SHREE	ID	MED111534685
Age & Gender	54Y/FEMALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

Name	Shyla shree	Customer ID	MED111534685
Age & Gender	54Y/F	Visit Date	Mar 11 2023 8:30AM
Ref Doctor	MediWheel	-	

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. APARNA CONSULTANT RADIOLOGIST