B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019


Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



General Physical Examination

Date of Examination: 18 12 22
Name: NAMES VOJANIYA Age: 37 Sex: Male
DOB: 26 05 /1988
Referred By: BANK OF Bascoda
Photo ID: ID #: _attached.
Ht: 170 (cm) Wt: Kg)
Chest (Expiration): 104 (cm) Abdomen Circumference: (cm)
Blood Pressure: 17/ 18 mm Hg PR: 82/min RR: 16/min Temp: Alebric
вмі 30-
Eye Examination:
No Colour blendnes
Other: Not significant.
On examination he/she appears physically and mentally fit: Yes / No
Que de la constante de la cons
Signature Of Examine :Name of Examinee:
Signature Of Examine: Walle of Examine: Name of Examine:
Signature Medical Examine M. RMC Reg No -017996 Name Medical Examiner





Overl

Dr Riyush Goyal M.B. S. D.M.R.D RMC Red No -017998

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date NAME :- Mr. MANEESH UJJAINIYA

:- 18/12/2022 09:07:09

Patient ID: -122228600

Sex / Age :- Male

Sample Type :- EDTA

37 Yrs 6 Mon 25 Days

Ref. By Dr:- BOB

Lab/Hosp:-

Company :- MediWheel

Sample Collected Time 18/12/2022 09:52:38

Final Authentication: 18/12/2022 11:46:47

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BOB PACKAGE BELOW 40MALE			
HAEMOGARAM	142	- / 41	12.0 17.0
HAEMOGLOBIN (Hb)	14.3	g/dL	13.0 - 17.0
TOTAL LEUCOCYTE COUNT	7.77	/cumm	4.00 - 10.00
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHIL	58.2	%	40.0 - 80.0
LYMPHOCYTE	36.5	%	20.0 - 40.0
EOSINOPHIL	2.2	%	1.0 - 6.0
MONOCYTE	2.9	%	2.0 - 10.0
BASOPHIL	0.2	%	0.0 - 2.0
NEUT#	4.53	10^3/uL	1.50 - 7.00
LYMPH#	2.83	10^3/uL	1.00 - 3.70
EO#	0.17	10^3/uL	0.00 - 0.40
MONO#	0.22	10^3/uL	0.00 - 0.70
BASO#	0.02	10^3/uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	4.89	x10^6/uL	4.50 - 5.50
HEMATOCRIT (HCT)	40.10	%	40.00 - 50.00
MEAN CORP VOLUME (MCV)	81.9 L	fL	83.0 - 101.0
MEAN CORP HB (MCH)	29.2	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	34.5	g/dL	31.5 - 34.5
PLATELET COUNT	301	x10^3/uL	150 - 410
RDW-CV	13.3	%	11.6 - 14.0
MENTZER INDEX	16.75		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

AJAYSINGH Technologist

Page No: 1 of 11





B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 18/12/2022 09:07:09 Date

NAME :- Mr. MANEESH UJJAINIYA

Sex / Age :- Male

37 Yrs 6 Mon 25 Days

Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 18/12/2022 09:52:38

Final Authentication: 18/12/2022 11:46:47

HAEMATOLOGY

Value **Test Name** Unit **Biological Ref Interval**

Lab/Hosp:-

Erythrocyte Sedimentation Rate (ESR)

16 H

mm/hr.

Patient ID: -122228600

Ref. By Dr:- BOB

00 - 13

(ESR) Methodology: Measurment of ESR by cells aggregation.

Instrument Name : Indepedent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation : ESR test is a non-specific indicator ofinflammatory disease and abnormal protein states.

The test in used to detect, follow course of a certain disease (e.g.-tuberculosis, rheumatic fever, myocardial infarction

Levels are higher in pregnency due to hyperfibrinogenaemia.

The "3-figure ESR " x>100 value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia (CBC) to the dology of the d

AJAYSINGH Technologist

Page No: 2 of 11



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgovalspathlab.com | E-mail: drgovalpiyush@gmail.com



Date

·- 18/12/2022 09·07·09

NAME :- Mr. MANEESH UJJAINIYA

Sex / Age :- Male

Sample Type :- EDTA, KOx/Na FLUORIDE-PP, Signific Collected Time 18/12/2022 09:52:38

Company :- MediWheel

37 Yrs 6 Mon 25 Days

Patient ID: -122228600 Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 18/12/2022 12:35:41

HAEMATOLOGY

Test Name

Value

Unit

Biological Ref Interval

BLOOD GROUP ABO

"O" POSITIVE

BLOOD GROUP ABO Methodology: Haemagglutination reaction Kit Name: Monoclonal agglutinating antibodies (Span clone).

BLOOD SUGAR PP (Plasma)

Method:- GOD PAP

266.5 H

mg/dl

70.0 - 140.0

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels(hypoglycemia) may result from excessive insulin therapy or various liver diseases.

URINE SUGAR (FASTING)
Collected Sample Received

Nil

Nil

AJAYSINGH, SURESHSAINI, VIJENDRAMEENA **Technologist**

Page No: 3 of 11



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 18/12/2022 09:07:09 Date

Patient ID: -122228600 NAME :- Mr. MANEESH UJJAINIYA

Ref. By Dr:- BOB

Lab/Hosp:-

Company :- MediWheel

Sample Type :- STOOL

Sex / Age :- Male

Sample Collected Time 18/12/2022 09:52:38

Final Authentication: 18/12/2022 12:28:36

CLINICAL PATHOLOGY

Value Unit **Biological Ref Interval Test Name**

/HPF

STOOL ANALYSIS

PHYSICAL EXAMINATION

MUCUS

BLOOD

MICROSCOPIC EXAMINATION

/HPF RBC's

37 Yrs 6 Mon 25 Days

WBC/HPF

OVA **CYSTS**

OTHERS Collected Sample Received

VIJENDRAMEENA **Technologist**

Page No: 4 of 11



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 18/12/2022 09:07:09

Patient ID :-122228600

NAME :- Mr. MANEESH UJJAINIYA

Ref. By Dr:- BOB

Sex / Age :- Male

37 Yrs 6 Mon 25 Days

Lab/Hosp:-

Sex / Age .- Iviale

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 18/12/2022 09:52:38

Final Authentication: 18/12/2022 12:35:41

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	277.33 H	mg/dl	Desirable <200 Borderline 200-239 High> 240
TRIGLYCERIDES Method:- GPO-PAP	670.01 H	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	37.27	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	128.39	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
VLDL CHOLESTEROL Method:- Calculated	134.00 H	mg/dl	0.00 - 80.00
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	7.44 H		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	3.44		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	1316.99 H	mg/dl	400.00 - 1000.00

TOTAL CHOLESTEROL InstrumentName: Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatments of lipid lipoprotein metabolism disorders.

TRIGLYCERIDES InstrumentName: Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction.

DIRECT HDLCHOLESTERO InstrumentName: Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.

DIRECT LDL-CHOLESTEROLInstrumentName: Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.

TOTAL LIPID AND VLDL ARE CALCULATED

SURESHSAINI

Page No: 5 of 11





B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 18/12/2022 09:07:09

Patient ID: -122228600

NAME :- Mr. MANEESH UJJAINIYA

Ref. By Dr:- BOB

Sex / Age :- Male

37 Yrs 6 Mon 25 Days

Lab/Hosp:-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 18/12/2022 09:52:38

Final Authentication: 18/12/2022 12:35:41

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIVER PROFILE WITH GGT			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.32	mg/dl	Up to - 1.0 Cord blood <2 Premature < 6 days <16 Full-term < 6 days= 12 1month - <12 months <2 1-19 years <1.5 Adult - Up to - 1.2 Ref-(ACCP 2020)
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.12	mg/dL	Adult - Up to 0.25 Newborn - <0.6 mg/dL >- 1 month - <0.2 mg/dL
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.20	mg/dl	0.30-0.70
SGOT Method:- IFCC	26.4	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	46.1 H	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:-AMP Buffer	105.20	IU/L	30.00 - 120.00
SERUM GAMMA GT Method:- IFCC	202.40 H	U/L	11.00 - 50.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	7.24	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.60	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	2.64	gm/dl	2.20 - 3.50
A/G RATIO	1.74		1.30 - 2.50

Total BilirubinMethodology:Colorimetric method InstrumentName:Randox Rx Imola Interpretation An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC InstrumentName:Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of hur ALT Alanine Aminotransferase Methodology: IFCCInstrumentName:Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular dystrophy and organ damage.

Alkaline Phosphatase Methodology: AMP Buffer InstrumentName: Randox Rx Imola Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobilary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology: Biuret Reagent InstrumentName: Randox Rx Imola Interpretation: Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology: Bromocresol Green InstrumentName: Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidneys. Globulin & A/G ratio is calculated.

Instrument Name Randox Rx Imola Interpretation: Elevations in GGT levels are seen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 5 to 30 times normal levels in intra-or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal)

SURESHSAINI

Page No: 6 of 11



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 18/12/2022 09:07:09

NAME :- Mr. MANEESH UJJAINIYA

Sex / Age :- Male

Sample Type :- PLAIN/SERUM

37 Yrs 6 Mon 25 Days

Company :- MediWheel

Patient ID: -122228600

Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 18/12/2022 12:35:41

BIOCHEMISTRY

Sample Collected Time 18/12/2022 09:52:38

Test Name Value Unit **Biological Ref Interval** SERUM CREATININE 1.21 mg/dl Men - 0.6-1.30 Method:- Colorimetric Method Women - 0.5-1.20 SERUM URIC ACID 5.76 Men - 3.4-7.0 mg/dl Method:- Enzymatic colorimetric Women - 2.4-5.7

SURESHSAINI

Page No: 7 of 11



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Sample Type :- PLAIN/SERUM

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 18/12/2022 09:07:09 Date

NAME :- Mr. MANEESH UJJAINIYA

37 Yrs 6 Mon 25 Days Lab/Hosp :-

Sex / Age :- Male Company:- MediWheel

Patient ID :-122228600

Ref. By Dr:- BOB

Final Authentication: 18/12/2022 12:35:41

BIOCHEMISTRY

Sample Collected Time 18/12/2022 09:52:38

Test Name	Value	Unit	Biological Ref Interval

BLOOD UREA NITROGEN (BUN)

11.2

mg/dl

0.0 - 23.0

SURESHSAINI

Page No: 8 of 11



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 18/12/2022 09:07:09

NAME :- Mr. MANEESH UJJAINIYA

Sex / Age :- Male 37 Yrs 6 Mon 25 Days

Company :- MediWheel

Sample Type :- EDTA

Patient ID :-122228600

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 18/12/2022 09:52:38 Final Authentication: 18/12/2022 11:46:47

HAEMATOLOGY

Test Name Value Unit Biological Ref Interval

GLYCOSYLATED HEMOGLOBIN (HbA1C)

Method:- HPLC

9.6 H %

Non-diabetic: < 5.7

Pre-diabetics: 5.7-6.4 Diabetics: = 6.5 or higher

ADA Target: 7.0 Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose overthe period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasmaglucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHbdepends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to themean of HbA1C. Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1c meethod.

Ref by ADA 2020

MEAN PLASMA GLUCOSE

Method:- Calculated Parameter

229 H

mg/dL

Non Diabetic < 100 mg/dL Prediabetic 100- 125 mg/dL Diabetic 126 mg/dL or Higher

AJAYSINGH Technologist

Page No: 9 of 11



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 18/12/2022 09:07:09 Date

NAME :- Mr. MANEESH UJJAINIYA

Sex / Age :- Male

37 Yrs 6 Mon 25 Days

Company :- MediWheel Sample Type :- URINE

Patient ID: -122228600 Ref. By Dr:- BOB

Lab/Hosp:-

Sample Collected Time 18/12/2022 09:52:38 Final Authentication: 18/12/2022 12:28:36

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
Urine Routine			
PHYSICAL EXAMINATION			
	DATE VELLO		BALL BALLET COM
COLOUR	PALE YELLO)W	PALE YELLOW
APPEARANCE	Clear		Clear
CHEMICAL EXAMINATION			
REACTION(PH)	5.5		5.0 - 7.5
SPECIFIC GRAVITY	1.025		1.010 - 1.030
PROTEIN	NIL		NIL
SUGAR	NIL		NIL
BILIRUBIN	NEGATIVE		NEGATIVE
UROBILINOGEN	NORMAL		NORMAL
KETONES	NEGATIVE		NEGATIVE
NITRITE	NEGATIVE		NEGATIVE
MICROSCOPY EXAMINATION			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3	/HPF	2-3
EPITHELIAL CELLS	2-3	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		

VIJENDRAMEENA **Technologist**

Page No: 10 of 11





B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 18/12/2022 09:07:09 Date

NAME :- Mr. MANEESH UJJAINIYA

37 Yrs 6 Mon 25 Days

Sample Type :- PLAIN/SERUM

Sex / Age :- Male

Company :- MediWheel

Patient ID: -122228600

Ref. By Dr:- BOB

Lab/Hosp :-

Final Authentication: 18/12/2022 11:30:17

IMMUNOASSAY

Sample Collected Time 18/12/2022 09:52:38

Test Name	Value	Unit	Biological Ref Interval
TOTAL THYROID PROFILE			
SERUM TOTAL T3 Method:- Chemiluminescence(Competitive immunoassay)	1.160	ng/ml	0.970 - 1.690
SERUM TOTAL T4 Method:- Chemiluminescence(Competitive immunoassay)	7.870	ug/dl	5.530 - 11.000
SERUM TSH ULTRA Method:- Enhanced Chemiluminescence Immunoassay	3.045	μIU/mL	0.400 - 4.649

Interpretation: Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

Interpretation: The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

Interpretation :TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

INTERPRETATION


PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

*** End of Report ***

MUKESHSINGH **Technologist**

Page No: 11 of 11





Allengers ECG (Pisces)(PIS218210312)



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 18/12/2022 09:07:09

NAME

:- Mr. MANEESH UJJAINIYA

Sex / Age :- Male

37 Yrs 6 Mon 25 Days

Company :-

MediWheel

Patient ID :-122228600 Ref. By Doctor:-BOB

Lab/Hosp:-

Final Authentication: 18/12/2022 10:55:24

BOB PACKAGE BELOW 40MALE

X RAY CHEST PA VIEW:

Expiratory film.

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P. angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Impression :- Normal Study

(Please correlate clinically and with relevant further investigations)

*** End of Report ***

Page No: 1 of 1

Dr. Poonam Gupta MBBS, MD (Radio Diagnosis) RMC No. 32495

Dr. Ashish Choudhary MBBS, MD (Radio Diagnosis) Fetal Medicine Consultant

Dr. Abhishek Jain MBBS, DNB, (Radio-Diagnosis) RMC No. 21687

Transcript by.

BILAL

Dr. Piyush Goyal (D.M.R.D.)

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996

FMF ID - 260517 | RMC No 22430



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Final Authentication: 18/12/2022 10:53:20

Date

:- 18/12/2022 09:07:09

NAME :- Mr. MANEESH UJJAINIYA

Sex / Age :- Male

37 Yrs 6 Mon 25 Days

Company :-

MediWheel

Patient ID :-122228600 Ref. By Doctor:-BOB

Lab/Hosp :-

BOB PACKAGE BELOW 40MALE

USG WHOLE ABDOMEN

Liver is of normal size. Echo-texture is bright. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is contracted (Postmeal status) . Common bile duct is not dilated.

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary bladder is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Prostate is normal in size (~18cc) with normal echo-texture and outline.

No enlarged nodes are visualised. No retro-peritoneal lesion is identified No significant free fluid is seen in peritoneal cavity.

IMPRESSION:

* Grade I fatty liver.

Needs clinical correlation for further evaluation

*** End of Report ***

Page No: 1 of 1

BILAL

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996

Dr. Poonam Gupta MBBS, MD (Radio Diagnosis) RMC No. 32495

Dr. Ashish Choudhary MBBS, MD (Radio Diagnosis) Fetal Medicine Consultant FMF ID - 260517 | RMC No 22430

Dr. Abhishek Jain MBBS, DNB, (Radio-Diagnosis) RMC No. 21687 Transcript by.



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 18/12/2022 09:07:09

Sex / Age :- Male

NAME :- Mr. MANEESH UJJAINIYA 37 Yrs 6 Mon 25 Days

Company :- MediWheel

Patient ID: -122228600 Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication: 18/12/2022 11:19:45

BOB PACKAGE BELOW 40MALE 2D ECHO OPTION TMT (ADULT/CHILD)

2D-ECHOCARDIOGRAPHY M.MODE WITH DOPPLER STUDY:

FAIR TRANSTHORACIC ECHOCARIDIOGRAPHIC WINDOW MORPHOLOGY:

MITRAL VALVE	,	NOR	MAL		TRICUSPI	D VALVE		NORMAL	
AORTIC VALVE		NOR	MAL	}	PULMON	ARY VALVE		NORMAL	
		M.MODE	EXAMITATION:						
AO	23	mm	LA	32	2	Mm	IVS-D	6	mm
IVS-S	12	mm	LVID	35	5	Mm	LVSD	23	mm
LVPW-D	10	mm	LVPW-S	14	4	Mm	RV		mm
RVWT		mm	EDV			МІ	LVVS		ml
LVEF	62%			RI	WMA		ABSENT		
					CHAN	IRFRS.			

PERICARDIUN	М	NORMAL		
LV	NORMAL	RV	NORMAL	
LA	NORMAL	RA	NORMAL	

COLOUR DOPPLER:

	MI	TRAL VALV	E					
E VELOCITY	1.0	m/sec	PEAK	GRADIENT		Mm	/hg	
A VELOCITY	0.50	m/sec	MEAN	GRADIEN	г	Mm/hg		
MVA BY PHT		Cm2	MVA	BY PLANIM	ETRY	Cm2	2	
MITRAL REGURGITAT	ION				ABSENT	137.418		
	. AC	RTIC VALV	E					
PEAK VELOCITY	1.1	m/	'sec	PEAK GR	RADIENT	mr	n/hg	
AR VMAX		m/	'sec	ec MEAN GRADIENT			mm/hg	
AORTIC REGURGITAT	ION			ABSENT				
	TRIC	CUSPID VAL	VE					
PEAK VELOCITY	0.73	5	m/sec	PEAK G	PEAK GRADIENT		mm/hg	
MEAN VELOCITY			m/sec	MEAN GRADIENT		mm/hg		
VMax VELOCITY								
TRICUSPID REGURGI	TATION			ABSENT				
	PU	LMONARY	VALVE		,			
PEAK VELOCITY		0.98		M/sec.	PEAK GRADIENT		Mm/hg	
MEAN VALOCITY					MEAN GRADIENT		Mm/hg	
PULMONARY REGUR	GITATION			•	ABSENT			

Page No: 1 of 2

AHSAN



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 18/12/2022 09:07:09 Date

NAME :- Mr. MANEESH UJJAINIYA

Sex / Age :- Male

Company :- MediWheel

Patient ID: -122228600 Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication: 18/12/2022 11:19:45

Impression--

1. Normal LV size & contractility

37 Yrs 6 Mon 25 Days

- 2. No RWMA, LVEF 62 %.
- 3. Normal cardiac chamber.
- 4. Normal valve
- 5. No clot, no vegetation, no pericardial effusion. (Cardiologist)

*** End of Report ***

AHSAN



ame: MANEESH UJJAINIA / M

