Name : Mr. ANKIT TIWARI (33 /M) Date : 14/10/2023

Address : DURGAPUR, OTHER, BARDDHAMAN, WEST BENGAL, INDIA

Examined by: Dr.SHARMISTHA MALLIK UHID : AMHL.0002232919

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK AHC No : AMHLAH185148



For corporate health checkup Loss of libido

PRESENT KNOWN ILLNESS

No history of - Diabetes mellitus,

Hypertension, Thyroid disorder, Heart disease,

Stroke, Asthma

Dyslipidaemia Medication - regular; -

Rosucor EZ



NO KNOWN ALLERGY :14/10/2023



Cardiovascular system

- Nil Significant

Respiratory system

- Nil Significant

Oral and dental

- Nil Significant

Gastrointestinal system

- Nil Significant

Genitourinary system

- Nil Significant

Central nervous system

- Nil Significant

Eyes

Vision - normal

ENT

- Nil Significant

Musculoskeletal system

Spine and joints

- Nil Significant

Skin

- Nil Significant

Past medical history

Covid 19 - Yes Hospitalization for - No

Covid 19

Typhoid - yes



Surgical history

Circumcision - yes



Personal history

Marital status - Married
Diet - Mixed Diet

Alcohol - stopped consuming alcohol

Smoking - Ex.Smoker

Stopped since - 2 yrs
Chews tobacco - No
Physical activity - Mild



Family history

Father - alive

Mother - alive

Coronary artery - mother

disease

Cancer - grandfather
Type - Stomach

PHYSICAL EXAMINATION



, General

Build - over weight
Height - 160
Weight - 75
BMI - 29.3
Pallor - No
Oedema - no

Name : Mr. ANKIT TIWARI (33 /M) UHID : AMHL.0002232919 Date : 14/10/2023

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH185148

Cardiovascular system

Heart rate (Per minute) - 72

Rhythm - Regular

- B.P. Sitting

Systolic(mm of Hg) - 122
Diastolic(mm of Hg) - 76
Heart sounds - S1S2+

Respiratory system

Breath sounds - Normal vesicular breath

sounds



Appearance - Normal
Organomegaly - No
Tenderness - No

Opthalmology consultation

Opthalmology findings - UCVA:RE:6/9 LE:6/6P

NVA:RE:N6 LE:N6

OCULAR MOVEMENT:WNL

ANT.SEG:WNL

ACCPT: SPECTACLE PWR RE:-0.50/-0.25X45*(6/6,N6) LE:-0.50/-0.25X130*(6/6,N6) ADVICE: *Glass Rx.*Review

after 1yr/SOS

Printed By: Benazir Begaum

Name : Mr. ANKIT TIWARI (33 /M) UHID : AMHL.0002232919 Date : 14/10/2023

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH185148

COMPLETE HAEMO	OGRAM PI	KOFIL	E.		Crystals:	Not Fou	ınd		
Test Name	Result	Unit	Level	Range					
Hemoglobin	14.3	g/dl		13.0-17.0	URINE SUGAR - POS	T PRAN	DIAL		
RBC COUNT	4.69	Millio ul	on/	4.5-5.5	(QUALITATIVE) Test Name	Result	Unit	Level	Range
Hematocrit - Hct:	41.4	%		41-53	URINE GLUCOSE(POST	Nil			
MCV	88.2	fl		83-101	PRANDIAL)				
MCH	30.4	pg		27-32	LIDINE CLICAD EACT	INC/OU	A I ITA	FIV/E\	
MCHC	34.4	%		31.5-34.5	URINE SUGAR- FASTING(QUALITATIVE) Test Name Result Unit Level F URINE Nil	Rang			
RDW	13.0	%		11.8-14.0		rtung			
WBC Count	6700	/cu n	nm 🗨	4000-10000	GLUCOSE(FASTING)				
Platelet Count	2.15	lacs/ mm	cu •	1.5-4.0	BLOOD GROUPING A		•		
Neutrophils	54.4	%		40-80	Test Name		Unit	Level	Rang
Lymphocytes	35.8	%		20-40	ABO Group:	0	./-		
Monocytes	7.6	%		2-10	Rh (D) Type:	POSITI	VE		
Eosinophils	1.5	%		01-06	LIVER FUNCTION TE	ST (PAC	KAGE)	
Basophils	0.7 *	%	•	0-0	Test Name	Result		Level	
RBC:	Normoc	ytic No	rmochro	mic cells	ALT(SGPT) - SERUM	65 *	U/L	•	0-50
ERYTHROCYTE SEDIMENTATION RATE (ESR)	4	mm/ hr	1st	0-15	ALBUMIN - SERUM	4.6 66	g/dL U/L	•	3.5-5. 43-11
JRINE ROUTINE A	ND MICRO	SCOF	PΥ		ALKALINE PHOSPHATASE - SERUM	00	O/L		43-11
Test Name	Result			Range					
Volume:	40	mL			AST (SGOT) - SERUM	44	U/L		0-50
Colour:	Pale Straw Slightly Turbid				0.5				
Appearance				BILIRUBIN TOTAL - SERUM	0.5	mg/dL	_	0.3-1.	
Specific Gravity	avity 1.010 6.5								
pH:					LIPID PROFILE TEST Test Name	(PACKA Result	•	Level	Dona
Albumin:	Not Detected Not Detected		CHOLESTEROL - SERUM	77	mg/dL	_	0-200		
Glucose				, ,	mg/at	-	0-200		
Ketone:	Not Detected Not Detected				CREATININE - SERUM	л			
Bile Pigments					Test Name	Result	Unit	Level	Rang
RBC	1-3	/hpf			CREATININE - SERUM	0.8 *	mg/dL	_	0.9-1
Pus Cells	Occasio	na/hpf			INCO FINATION TO	OT /D: 0			
Epithelial Cells	Occasionalhpf				LIVER FUNCTION TEST (PACKAGE) Test Name Result Unit Level Range				
Casts:	Not Fou	ınd			IESI Nailie	Nesuil	Uiiil	Level	rang

Name : Mr. ANKIT TIWARI (33 /M) UHID : AMHL.0002232919 **Date** : 14/10/2023 Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK AHC No: AMHLAH185148 22 U/L 0 - 551.00 ng/ml TOTAL T3: TRI 0.87-1.78

GGTP: GAMMA GLUTAMYL **IODOTHYRONINE -**TRANSPEPTIDASE -SERUM **SERUM**

TOTAL T4: 11.8 μg/dL 5.93-13.29 THYROXINE - SERUM

GLUCOSE - PLASMA (FASTING)

Test Name Result Unit Level Range GLUCOSE - PLASMA 89 mg/dL 70-99 (FASTING)

LIPID PROFILE TEST (PACKAGE)

Test Name Result Unit Level Range TRIGLYCERIDES -91 mg/dL 0 - 150**SERUM**

GLUCOSE - PLASMA (POST PRANDIAL)

Test Name Result Unit Level Range GLUCOSE - PLASMA 101 mg/dL 70-140 (POST PRANDIAL)

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name Result Unit Level Range TSH: THYROID 1.3 μIU/mL 0.380-5.330

STIMULATING HORMONE - SERUM

HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE BLOOD

Test Name Result Unit Level Range % HBA1C 5.2 Nondiadetic: 4 (GLYCOSYLATED - 5.6 % HAEMOGLOBIN)-WHO Prediabetics: LE BLOOD 5.7 - 6.4%

URIC ACID - SERUM

Test Name Result Unit Level Range **URIC ACID - SERUM** mg/dL 6.5 2.6-7.2

Diabetes >/= 6.5%

ADA Theraputic goal : <7%

LIVER FUNCTION TEST (PACKAGE)

Test Name Result Unit Level Range **BILIRUBIN** 0.2 mg/dL 0.0-0.2 **CONJUGATED** (DIRECT) - SERUM

LIPID PROFILE TEST (PACKAGE)

Level **Test Name** Result Unit Range HDL CHOLESTEROL -27 * mg/dL 30-70 **SFRUM** LDL CHOLESTEROL 30 mg/dL Optimal: <100 -SFRUM **VLDL CHOLESTEROL -**20 mg/dL 0-35 SERUM (Calculated)

BUN (BLOOD UREA NITROGEN)

Test Name Result Unit Level Range BUN (BLOOD UREA 8.0 mg/dL • 7.0-18.0 NITROGEN)

LIVER FUNCTION TEST (PACKAGE)

Test Name Result Unit Level Range A/G - RATIO 1.7 1.0 - 2.0

LIVER FUNCTION TEST (PACKAGE)

Test Name Result Unit Level Range PROTEIN TOTAL g/dL 7.3 6.4-8.3 **SERUM** GLOBULIN: 2.7 g/dL 1.8-3.6 (CALCULATED) -**SERUM**

BUN/CREATININE RATIO

Test Name Result Unit Level Range **BUN/CREATININE** 10 **RATIO**

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name Result Unit Level Range

ECG

TREADMILL TEST / STRESS TEST

Within Normal Range

Borderline High/Low



Out of Range

NORMAL SINUS RHYTHM, WITHIN NORMAL LIMITS.

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH185148

STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHAEMIA.

ULTRASOUND SCREENING WHOLE ABDOMEN

* Grade-I fatty liver with subcentimetric hepatic cyst as described above.

[NOTE: At times pelvic structures are not well visualized due to inadequate patient preparation / excess bowel gas shadow. However suggested clinical correlation and other investigations if clinically indicated.]

Dr. GAURAV JAIN DNB RESIDENT In consultation with

X-RAY CHEST PA

Chest skiagram does not reveal any significant abnormality.

INVESTIGATIONS NOT DONE / NOT YET REPORTED / NOT PART OF PACKAGE(LAB,RADIOLOGY & CARDIOLOGY)

Histopathology

PAP SMEAR /CERVICAL SMEAR

Name : Mr. ANKIT TIWARI (33 /M) UHID : AMHL.0002232919 Date : 14/10/2023

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH185148

Dr.SHARMISTHA MALLIK

AHC Physician / Consultant Internal Medicine

Note: The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

Printed By:

Name : Mr. ANKIT TIWARI (33 /M) UHID ; AMHL.0002232919 Date ; 14/10/2023

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH185148

AICVD RISK SCORE REPORT

RISK STATUS	YOUR SCORE	ACCEPTABLE SCORE			
Low Risk	3	3			

Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- · Follow your physician's advice regarding follow up tests, consults and annual health assessment

DISCLAIMER

- 1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
- 2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician's or cardiologist's discretion.
- 3. To ensure the information in the report is up to date, accurate and correct, doctor shall be consulted for interpretation of the report.
- 4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side.
- 5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical Al Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515