

PHYSICAL EXAMINATION REPORT

E

k gold that when	midMilygolo mewilyped with the middle state of the control of the
Patient Name	Dagadu Sovawaue Sex/Age M/59
Date	Dagadu Sovawaue Sex/Age M/59 29 623 Location Trave
History and C	omplaints
	Clo-1 Cholesterol since
	4-5 4s.
EXAMINATION	N FINDINGS:
Height (cms):	-162 Temp (0c):
Weight (kg):	
Blood Pressure	160/90 Nails: NAO.
Pulse	60 90 Nails: NAO .
0.4	70 000
Systems:	
Cardiovascular:	
Respiratory:	
Genitourinary:	NAO.
GI System:	engine MAY NUCLEAR CONTROL AND LONG TO MAKE A SECRETAR WAS A SECURIT OF THE SECRETAR OF THE SECURIT
CNS:	
Impression:	1 BP.
al moved of	1) 5 Ge - Moderate enlargement of
1-Void	Prostate.
rue Residue	USG- Moderate enlargement of Prostate Muild Median Lobe Mypertoophy

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.



1 y sicianis consultation for 1 BP o Urologist's consultation of R. Advice:

1)	Hypertension:	
2)	IHD	Committee in the second of the
3)	Arrhythmia	
4)	Diabetes Mellitus	
5)	Tuberculosis	2.
6)	Asthama	100
7)	Pulmonary Disease	
8)	Thyroid/ Endocrine disorders	
9)	Nervous disorders	
10)	GI system	Ho-GB Stones
11)	Genital urinary disorder	
12)	Rheumatic joint diseases or symptoms	
13)	Blood disease or disorder	
14)	Cancer/lump growth/cyst	N ()
15)	Congenital disease	
16)	Surgeries (206) - Cholecystectomy.
17)	Musculoskeletal System	C1. [1.] 2 [6 (0.00)]

PERSONAL HISTORY:

1)	Alcohol	
2)	Smoking	
3)	Di-4	

Medication

Dr. Manasee Kulkarni M.B.B.S. 2005/09/3439



Date: 29/6/23 CID:
Name: Dagalu Sovavaha Sex/Age:

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

312/18 AMBRA1-36 1312 6/6 A/VBAN6

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance		EBITS	eye ii	Visite	OZAE	914		
Near								

Colour Vision: Normal / Abnormat

USI ou Specks Remark:



Name : MR. DAGADU NIMBA SONAWANE

Age / Gender : 59 Years / Male

Consulting Dr.

PDW

RBC MORPHOLOGY

Hypochromia Microcytosis

Reg. Location : G B Road, Thane West (Main Centre)

13.9

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 29-Jun-2023 / 10:12 :29-Jun-2023 / 12:22

R

E

P

0

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

		te Blood Count), Blood	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	16.2	13.0-17.0 g/dL	Spectrophotometri
RBC	5.40	4.5-5.5 mil/cmm	Elect. Impedance
PCV	48.8	40-50 %	Measured
MCV	90.5	80-100 fl	Calculated
MCH	30.0	27-32 pg	Calculated
MCHC	33.2	31.5-34.5 g/dL	Calculated
RDW	13.5	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6500	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		
Lymphocytes	46.2	20-40 %	
Absolute Lymphocytes	3003.0	1000-3000 /cmm	Calculated
Monocytes	7.5	2-10 %	
Absolute Monocytes	487.5	200-1000 /cmm	Calculated
Neutrophils	40.0	40-80 %	
Absolute Neutrophils	2600.0	2000-7000 /cmm	Calculated
Eosinophils	6.0	1-6 %	
Absolute Eosinophils	390.0	20-500 /cmm	Calculated
Basophils	0.3	0.1-2 %	
Absolute Basophils	19.5	20-100 /cmm	Calculated
Immature Leukocytes			
WBC Differential Count by Abs	orbance & Impedance metho	d/Microscopy.	
PLATELET PARAMETERS			
Platelet Count	245000	150000-400000 /cmm	Elect. Impedance
MPV	9.6	6-11 fl	Calculated

11-18 %

Calculated

Page 1 of 12



Name : MR. DAGADU NIMBA SONAWANE

Age / Gender : 59 Years / Male

Consulting Dr. : -

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 29-Jun-2023 / 10:12 : 29-Jun-2023 / 12:26 R

R

Macrocytosis

Anisocytosis

Poikilocytosis

5 1 1

Polychromasia

Basophilic Stippling

Normoblasts

Target Cells

Normobiasi

Others

Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

5

2-20 mm at 1 hr.

Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 2 of 12



Name : MR. DAGADU NIMBA SONAWANE

: 59 Years / Male Age / Gender

Consulting Dr.

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

R

E

R

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 29-Jun-2023 / 11:25 :29-Jun-2023 / 14:20

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	88.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose; 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	137.1	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
Urine Sugar (PP)	Absent	Absent	
Urine Ketones (PP)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Mujawar Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 3 of 12



Name : MR. DAGADU NIMBA SONAWANE

Age / Gender

: 59 Years / Male

Consulting Dr.

Reg. Location : G B Road, Thane West (Main Centre) Authenticity Check

R

E

0

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 29-Jun-2023 / 10:12 :29-Jun-2023 / 13:14

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	16.3	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	7.6	6-20 mg/dl	Calculated
CREATININE, Serum	0.82	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	102	>60 ml/min/1,73sqm	Calculated
Note: eGFR estimation is calcula	ted using MDRD (Modificati	on of diet in renal disease study group) equ	ation
TOTAL PROTEINS, Serum	7.4	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.7	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated

Calculated URIC ACID, Serum 5.3 3.5-7.2 mg/dl Uricase PHOSPHORUS, Serum 3.2 2.7-4.5 mg/dl Ammonium molybdate CALCIUM, Serum 9.4 8.6-10.0 mg/dl N-BAPTA SODIUM, Serum 138 135-148 mmol/l ISE POTASSIUM, Serum 4.4 3.5-5.3 mmol/l ISE CHLORIDE, Serum 99

98-107 mmol/l

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist and AVP(Medical Services)

ISE

Page 4 of 12



Name : MR. DAGADU NIMBA SONAWANE

Age / Gender : 59 Years / Male

Consulting Dr.

Reg. Location : G B Road, Thane West (Main Centre)

E

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 29-Jun-2023 / 10:12 :29-Jun-2023 / 12:22

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.4	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	108.3	Diabetic Level: >/= 6.5 % mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

> Mujawar Dr.IMRAN MUJAWAR M.D (Path) Pathologist

> > Page 5 of 12



: 2318012335

Name

: MR. DAGADU NIMBA SONAWANE

Age / Gender

: 59 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

: 29-Jun-2023 / 10:12 Reported :29-Jun-2023 / 15:02

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

TOTAL PSA, Serum

1.074

<4.0 ng/ml

CLIA

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report **





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 6 of 12



Name : MR. DAGADU NIMBA SONAWANE

Age / Gender : 59 Years / Male

Consulting Dr.

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

E

O

Use a QR Code Scanner Application To Scan the Code

Collected

: 29-Jun-2023 / 10:12 Reported :29-Jun-2023 / 14:15

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	
Reaction (pH)	Acidic (6.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.010-1.030	Chemical Indicator
Transparency	Clear	Clear	enermeat indicator
Volume (ml)	50		
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Others	DEC ALIEXPERA		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose: (1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl, 4+ -1000 mg/dl)
- Ketone:(1+ -5 mg/dl, 2+ -15 mg/dl, 3+ 50 mg/dl, 4+ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report **





Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist and AVP(Medical Services)

Page 7 of 12



: 2318012335

Name

: MR. DAGADU NIMBA SONAWANE

Age / Gender

: 59 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

E

0

Use a QR Code Scanner Application To Scan the Code

Collected

: 29-Jun-2023 / 10:12 Reported :29-Jun-2023 / 13:14

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

PARAMETER

RESULTS

ABO GROUP

B

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist and AVP(Medical Services)

Page 8 of 12



Name : MR. DAGADU NIMBA SONAWANE

Age / Gender : 59 Years / Male

Consulting Dr. :

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 29-Jun-2023 / 10:12 : 29-Jun-2023 / 12:55

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	BECHLE		O a management of the second
TANAMETEN	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	185.6	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	132.6	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	62.8	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	122.8	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	96.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	26.8	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.0	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.5	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Thakken

Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist and AVP(Medical Services)

Page 9 of 12



: 2318012335

Name

: MR. DAGADU NIMBA SONAWANE

Age / Gender

: 59 Years / Male

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 29-Jun-2023 / 10:12 : 29-Jun-2023 / 12:24 R

E

0

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

	THINOID	ONCHON IESIS	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	4.8	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	14.6	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	5	0.35-5.5 microIU/ml mIU/ml	ECLIA

Page 10 of 12



: 2318012335

Name

: MR. DAGADU NIMBA SONAWANE

Age / Gender

: 59 Years / Male

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)

: 29-Jun-2023 / 10:12

R

Collected

:29-Jun-2023 / 12:24

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

Reported

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns. trauma and surgery etc.

TSH	FT4/T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

Interpretation of the thyroid function tests, Dayan et al. THE LANCET. Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Mujawar Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 11 of 12



Name : MR. DAGADU NIMBA SONAWANE

Age / Gender : 59 Years / Male

Consulting Dr. : -

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 29-Jun-2023 / 10:12 : 29-Jun-2023 / 12:55

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	1.42	0.1-1.2 mg/dl	
BILIRUBIN (DIRECT), Serum	0.50	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.92	0.1-1.0 mg/dl	Diazo Calculated
TOTAL PROTEINS, Serum	7.4	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.7	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1-2	Calculated
SGOT (AST), Serum	20.8	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	22.0	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	35.5	3-60 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	112.0	40-130 U/L	PNPP

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Thakken

Dr.,JYOT THAKKER M.D. (PATH), DPB Pathologist and AVP(Medical Services)

Page 12 of 12



: 2318012335

Name

: Mr DAGADU NIMBA SONAWANE

Age / Sex

Reg. Location

: 0 Years/Male

Ref. Dr

: G B Road, Thane West Main Centre

Reg. Date

Reported

: 29-Jun-2023

: 29-Jun-2023 / 11:51



Authenticity Check

Use a QR Code Scanner Application To Scan the Code R

E

X-RAY CHEST PA VIEW

Rotation +

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-End of Report-

Dr Gauri Varma Consultant Radiologist MBBS / DMRE MMC- 2007/12/4113

Grocks

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023062909572235



Name : Mr DAGADU NIMBA SONAWANE

Age / Sex : 0 Years/Male

Ref. Dr

Reg. Location : G B Road, Thane West Main Centre

Reg. Date

Reported

Authenticity Check

Use a QR Code Scanner Application To Scan the Code R

E

0

: 29-Jun-2023

: 29-Jun-2023 / 10:37

USG WHOLE ABDOMEN

<u>LIVER:</u> Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is not visualised (post cholecystectomy status).



: 2318012335

Name

: Mr DAGADU NIMBA SONAWANE

Age / Sex

: 0 Years/Male

Ref. Dr

Reg. Location

: G B Road, Thane West Main Centre

Reg. Date

Reported

Authenticity Check

Use a QR Code Scanner Application To Scan the Code R

E

0

: 29-Jun-2023

: 29-Jun-2023 / 10:37

USG WHOLE ABDOMEN

LIVER: Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is not visualised (post cholecystectomy status).

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS: Right kidney measures 9.2 x 4.1 cm. Left kidney measures 9.5 x 4.4 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

Prevoid volume is 248 cc

Postvoid volume is 79 cc (Significant)

PROSTATE: Prostate is moderately enlarged in size and measures 4.4 x 4.1 x 4.8 cm in dimension and 46 cc in volume. Mild median lobe hypertrophy is noted.

No free fluid or significant lymphadenopathy is seen.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023062909572254

Page no 1 of 2



: 2318012335 CID

: Mr DAGADU NIMBA SONAWANE Name

: 0 Years/Male Age / Sex

Ref. Dr

: G B Road, Thane West Main Centre Reg. Location

Reg. Date

Reported

: 29-Jun-2023

Authenticity Check

R

E

R

T

: 29-Jun-2023 / 10:37

Use a QR Code Scanner

Application To Scan the Code

IMPRESSION:

MODERATE PROSTATOMEGALY WITH MILD MEDIAN LOBE HYPERTROPHY AND SIGNIFICANT POSTVOID URINE RESIDUE.

Advice: Clinical co-relation, further evaluation and follow up.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

End of Report-

PRoces

Dr Gauri Varma **Consultant Radiologist** MBBS / DMRE MMC- 2007/12/4113

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023062909572254

Page no 2 of 2


SUBURBAN

Patient ID:

SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

Patient Name: DAGADU NIMBA SONAWANE 2318012335

Date and Time: 29th Jun 23 10:14 AM



DR SHAILAJA PILLAI MBBS, MD Physican MD Physican 49972