Name	me : Mrs. ALOKA MUKHERJEE (55 /F)				: 22/09/2023			
Address	: 2,B.K.	MOITRA ROAD,BARANAGAR	/EST BENGAL, INDIA					
Examined	by:			UHID	: AGHL.0001473655			
Package	: MEDIWH FEMALE	EEL - FULL BODY ANNUAL F HCK	PLUS CHECK ADVANCE	AHC No	D: AMHLAH183231			
			- Nil Significant					
	F COMPL	AINTS	Musculoskeletal system					
For corporate	health cheo	kup	Spine and joints					
PRESENT M	NOWN IL	LNESS - Diabetes mellitus,	Back - pain; Knee (bilateral) - pain; Shoulder (left) - pain					
,		Hypertension,	Skin					
		Dyslipidemia, Thyroid disorder, Heart disease,	- Nil Significant					
		Asthma	Version Past medical history					
SYST	EMIC RE	VIEW	Past medical history	- nil signifio	cant			
Cardiovascul	ar system		Personal history					
- Nil Significar	ıt		Marital status	- Married				
Respiratory s	ystem		No. of children	-2 Non Vagatarian				
- Nil Significar	-		Diet Alcohol	- Non Vegetarian - does not consume alcohol				
Oral and dent			Smoking	- No				
- Nil Significar			Chews tobacco	- No				
Gastrointesti			Physical activity	- Mild				
	•	osia - yes; Nature -	Family history					
	• • •	cidity, bloating; PPI	Father	- has expir	ed			
treatment for r	nore than 6	weeks - yes; Bowel habits	Mother	- alive	eu			
- incomplete e	vacuation		Coronary artery	- none				
Genitourinary	system		disease	none				
- Nil Significar	ıt		Cancer	- None				
Gynaec histo	ry		PHYSICAL EXAMIN	ATION				
		hild birth - 25 yrs; al delivery; Menopause -	General					
yes			Build	- over wei	ght			
Central nervo	us system		Height	- 166				
- Nil Significar	ıt		Weight BMI	- 73 - 26.49				
Eyes			Pallor	- 20.43 - No				
-	al with alass	es; Glasses - yes; Glasses	Oedema	- no				
for - refractive	•	-	Cardiovascular s	ystem				
ENT			Heart rate (Per minute)	- 64				

UHID : AGHL.0001473655

Date : 22/09/2023

# Package : MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK AHC No : AMHLAH183231

Rhythm	- Regular	
	- B.P. Sitting	
Systolic(mm of Hg)	- 124	
Diastolic(mm of Hg)	- 78	
Heart sounds	- S1S2+	

# **Respiratory system**

Breath sounds

- Normal vesicular breath sounds



Appearance Organomegaly Tenderness

- Normal
- No
- No

Printed By : Benazir Begaum

: 22/09/2023

Date

## Package : MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK AHC No ; AMHLAH183231

Test Name	Result	Unit	Level	Range
Hemoglobin	11.5 *	g/dl	•	12.0-15.0
RBC COUNT	4.51	Million/ ul		3.8-4.8
Hematocrit - Hct:	35.2 *	%	•	36-46
MCV	78.1 *	fl	•	83-101
МСН	25.6 *	pg	•	27-32
MCHC	32.8	%	•	31.5-34.5
RDW	14.7 *	%	•	11.8-14.0
WBC Count	7600	/cu mm	n 🔴	4000-10000
Platelet Count	1.62	lacs/cu mm	•	1.5-4.0
Neutrophils	51.1	%	•	40-80
Lymphocytes	38.9	%	•	20-40
Monocytes	7.5	%	•	2-10
Eosinophils	1.8	%	•	01-06
Basophils	0.7 *	%	•	0-0
RBC:	Microcy	tic Hypoc	hromi	c RBCs.
Platelets:	Adequa	te.		
ERYTHROCYTE SEDIMENTATION RATE (ESR)	18	mm/1s hr	t ●	0-20

## URINE ROUTINE AND MICROSCOPY

Test Name	Result	Unit	Level	Range	
Volume:	10	mL			
Colour:	Pale Straw				
Appearance	Slightly Turbid				
Specific Gravity	1.010				
pH:	5.5				
Albumin:	Not Detected				
Glucose	Not Detected				
Ketone:	Not Detected				
Bile Pigments	Not Detected				
RBC	Nil	/hpf			
Pus Cells	1-3	/hpf			
Epithelial Cells	2-4 /h.p.f	/hpf			

Within Normal Range

	Casts:	Not Fou	Ind		
<b>;</b> 5.0	Crystals:	Not Fou	Ind		
3	URINE SUGAR - POST (QUALITATIVE)			1	Damas
1	<b>Test Name</b> URINE GLUCOSE(POST PRANDIAL)	<b>Result</b> Nil	Unit	Level	Range
4.5	·				
4.0	URINE SUGAR- FAST	NG(QU Result		-	Range
10000 D	URINE GLUCOSE(FASTING)	Nil	onit	Level	Nange
	<b>BLOOD GROUPING A</b>	ND TYP	PING (A	ABO A	ND RH)
	Test Name	Result	Unit	Level	Range
	ABO Group:	0			
	Rh (D) Type:	POSITI	VE		
	LIVER FUNCTION TES	ST (PAC	KAGE	)	
	Test Name	Result	Unit	Level	Range
	ALT(SGPT) - SERUM	58 *	U/L	•	0-35
	ALBUMIN - SERUM	4.2	g/dL	•	3.5-5.1
	ALKALINE PHOSPHATASE - SERUM	138 *	U/L	•	33-98
)	AST (SGOT) - SERUM	38 *	U/L	•	0-35
	BILIRUBIN TOTAL - SERUM	0.7	mg/dl	•	0.3-1.2
	LIPID PROFILE TEST	(PACKA	AGE)		
	Test Name	Result	Unit	Level	Range
	CHOLESTEROL - SERUM	196	mg/dl	•	0-200
	<b>CREATININE - SERUN</b>	I			
	Test Name	Result	Unit	Level	Range
	CREATININE - SERUM	0.8	mg/dl	•	0.6-1.1
	LIVER FUNCTION TES	ST (PAC	KAGE	)	
	Test Name	Result	Unit	Level	Range
Borderlin	ne High/Low 🛛 🔴 Out	of Range	)		

: 22/09/2023

Date

#### Package : N

Package : MEDIW	HEEL - F	ULL B	ODY A	NNUAL PLUS C	HECK ADVANCE FEMAL	E HCK	AHC	No : A	MHLAH183231
GGTP: GAMMA GLUTAMYL TRANSPEPTIDASE - SERUM	92 *	U/L	•	0-38	TOTAL T3: TRI IODOTHYRONINE - SERUM	1.00	ng/ml	•	0.87-1.78
GLUCOSE - PLASMA	(FASTI				TOTAL T4:	12.6	µg/dL	•	5.93-13.29
Test Name	Result		ا مىما	Range	THYROXINE - SERUM				
GLUCOSE - PLASMA	91			70-99	LIPID PROFILE TEST		GE)		
(FASTING)	31	ing/c		70-99	Test Name	Result	•	Level	Range
					TRIGLYCERIDES -	126	mg/dl	•	0-150
GLUCOSE - PLASMA	•			<b>D</b>	SERUM				
Test Name	Result		_	Range	THYROID PROFILE -	I/T2 TA		eп/	
GLUCOSE - PLASMA (POST PRANDIAL)	111	mg/c	JL 🔵	70-140	Test Name	-		-	Range
					TSH: THYROID	5.1	μIU/m	_	0.380-5.330
HBA1C (GLYCOSYLA HAEMOGLOBIN)-WH					STIMULATING	5.1	μιο/π		0.360-5.330
Test Name	Result		Level	Range	HORMONE - SERUM				
HBA1C	5.6	%		Nondiadetic : 4	URIC ACID - SERUM				
(GLYCOSYLATED	5.0	70		- 5.6 %	Test Name	Result	Unit	Level	Range
HAEMOGLOBIN)-WHO LE BLOOD				Prediabetics : 5.7 - 6.4%	URIC ACID - SERUM	5.0	mg/dl	•	2.4-5.7
				Diabetes :	LIVER FUNCTION TE	ST (PAC	KAGE	)	
				>/= 6.5% ADA	Test Name	•		•	Range
				Theraputic goal : <7%	BILIRUBIN CONJUGATED (DIRECT) - SERUM	0.1	mg/dl	•	0.0-0.2
LIPID PROFILE TEST	(PACK	AGE)			(2				
Test Name	Result	Unit	Level	Range	BUN (BLOOD UREA	NITROG	EN)		
HDL CHOLESTEROL -	51	mg/c	JL 🔍	30-70	Test Name	Result	Unit	Level	Range
SERUM					BUN (BLOOD UREA NITROGEN)	11.8	mg/dl	_ ●	7.0-18.0
LDL CHOLESTEROL	116 *	mg/c	JL 🗕	0-100				、	
-SERUM					LIVER FUNCTION TE	•			_
VLDL CHOLESTEROL -	29	mg/c	JL 🔵	0-35	Test Name		Unit		Range
SERUM (Calculated)					A/G - RATIO	1.4		•	1.0-2.0
IVER FUNCTION TE	ST (PAC	KAGE	Ξ)		<b>BUN/CREATININE RA</b>	ΟΙΤΑ			
Test Name	Result	Unit	Level	Range	Test Name	Result	Unit	Level	Range
PROTEIN TOTAL - SERUM	7.3	g/dL	•	6.4-8.3	BUN/CREATININE RATIO	14.9			
GLOBULIN: (CALCULATED) - SERUM	3.1	g/dL	•	1.8-3.6	ECG				
THYROID PROFILE -	I(T3,T4 /	AND T	SH)		SINUS RHYTHM WITH COMPLEXES.	PREMAT	URE A	TRIAL	
Test Name Result Unit Level Range				Range	LOW VOLTAGE T WAVE	ES.			

## LOW VOLTAGE T WAVES.

**Borderline High/Low** 

Out of Range

Within Normal Range

UHID : AGHL.0001473655

Date : 22/09/2023

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK AHC No ; AMHLAH183231

#### **TREADMILL TEST / STRESS TEST**

STRESS TEST IS INCONCLUSIVE FOR PROVOCABLE MYOCARDIAL ISCHAEMIA.

### ULTRASOUND SCREENING WHOLE ABDOMEN

\* Grade-II fatty liver.

\* Simple cyst in liver.

Dr. GAURAV JAIN DNB RESIDENT In consultation with

#### **X-RAY CHEST PA**

Chest skiagram does not reveal any significant abnormality.

#### X-RAY MAMMOGRAPHY BILATERAL (MHC)

INVESTIGATIONS NOT DONE / NOT YET REPORTED / NOT PART OF PACKAGE(LAB,RADIOLOGY & CARDIOLOGY)

#### Histopathology

PAP SMEAR /CERVICAL SMEAR







**Out of Range** 

Date : 22/09/2023

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK AHC No ; AMHLAH183231

Printed By :

AHC Physician / Consultant Internal Medicine

Note :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases. Name : Mrs. ALOKA MUKHERJEE (55 /F)

UHID : AGHL.0001473655

: 22/09/2023

Date

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK AHC No ; AMHLAH183231

AICVD RISK SCORE REPORT								
<b>RISK STATUS</b>	YOUR SCORE	ACCEPTABLE SCORE						
Low Risk	5	6						

#### Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence -based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

#### Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding follow up tests, consults and annual health assessment

#### DISCLAIMER

- 1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
- 2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician 's or cardiologist's discretion.
- 3. To ensure the information in the report is up to date, accurate and correct, doctor shall be consulted for interpretation of the report.
- 4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side .
- 5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

# The Clinical AI Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515