

CERTIFICATE OF MEDICAL FITNESS

O WEDICAL FITNESS
NAME: Diry. Sabra. K.
AGE/GENDER: 394 F.
HEIGHT: 165CM WEIGHT: 62-8 14.
IDENTIFICATION MARK:
BLOOD PRESSURE: 130/80 mm / 14g.
PULSE: 78 mt
CVS:
RS:P Normal.
ANY OTHER DISEASE DIAGNOSED IN THE PAST: Thyroid Tab: Thyronorm son
ANY OTHER DISEASE DIAGNOSED IN THE PAST: Thyroid Tab: Malergies, IF ANY:
LIST OF PRESCRIBED MEDICINES:
ANY OTHER REMARKS:
of Mr. bo of house thick me. Sabraik. son/daughter
of Ms. Ma hand Krishna who has signed in my presence. He/ she has no physical disease and is fit for employment.
Rabale. Dr. BINDURAJ. R
1 Medicine
Place: Signature of Medical Officer Place: Spectrum diagnostic & health Care.
Date: 25 11/23
Disclaimer: The nations has not been as the

Disclaimer: The patient has not been checked for COVID. This certificate does not relate to the covid status of the patient examined



SCAN FOR LOCATION



Dr. Ashok S Bsc., MBBS., D.O.M.S Consultant Opthalmologist KMC No: 31827


DATE: 25:11-23

FYF FYAMINATION

	LAAMINATION	
NAME: MS-Silona-K	AGE: 894	GENDER: F/M
	RIGHT EYE	LEFT EYE
Vision	6/18/00	Asim
Vision With glass	66 in	o Boxos
Color Vision	Normal	Normal
Anterior segment examination	Normal	Normal
Fundus Examination	Normal	Normal
Any other abnormality	Nill	Nill
Diagnosis/ impression	Normal	Normal
	For Company	SAR SUE Lack S B.B. C. D.O.M.S. nt & Surgeon 31827 Sthalmologist)
	Eye Consultant (Or	nt & Surgeon 31827 Halmologist)







SPECTRUM DIAGNOSTICS & HEALTH CARE

#9/1 TEJAS ARCADE, DR. RAJKUMAR ROAD, RAJAJINAGAR-560010 AUDIOGRAM

Patient ID: 1003


Age : 39

Name: SABNA

Gender : Female

CR Number : 20231125120908





	125 Hz	250 Hz	500 Hz	750 Hz	1000 Hz	1500 Hz	2000 Hz	3000 Hz	4000 Hz	6000 Hz	8000 Hz
X - Air Left	35	35	35	35	30	25	20	25	15	15	15
O - Air Right	40	45	40	40	35	30	25	30	25	25	20
> - Bone Left											
< - Bone Right											

Clinical Notes:

https://www.rmsindia.com @ RMS Audiometer(HERMES_v3.0.0.7)

Right Ear;INormal Left Ear:Normal	8 -
	Sipster)
	 BENGALVAU

Print Date: 25-Nov-2023



NAME : MRS.SABINA K	DATE DATE	
AGE/SEX: 39 YEARS/FEMALE	DATE :21/11/202	
	REG NO: 0045	
REF BY : APOLO CLINIC	1123 110. 0043	

CHEST PA VIEW

Lung fields are clear.

Cardiovascular shadows are within normal limits.

Both CP angles are free.

Domes of diaphragm and bony thoracic cage are normal.

IMPRESSION: NORMAL CHEST RADIOGRAPH.

Dr RIKHIT MAGANLAL CONSULTANT RADIOLOGIST

Your suggestion / feedback is a valuable input for improving our services





PATIENT NAME	MRS SABNA K		
AGE		ID NO	2511230045
	39YEARS	SEX	FEMALE
REF BY	DR.APOLO CLINIC		
	CEINIC	DATE	25.11.2023

2D ECHO CARDIOGRAHIC STUDY

M-MODE

N N	1-MODE
AORTA	28mm
LEFT ATRIUM	
RIGHT VENTRICLE	26mm
30-0-1-2017 (1975) (1975) (1975) (1975) (1975)	20mm
LEFT VENTRICLE (DIASTOLE)	42mm
LEFT VENTRICLE(SYSTOLE)	33mm
VENTRICULAR SEPTUM (DIASTOLE)	
VENTRICULAR SEPTUM (SYSTOLE)	08mm
	07mm
POSTERIOR WALL (DIASTOLE)	08mm
POSTERIOR WALL (SYSTOLE)	
RACTIONAL SHORTENING	11mm
The state of the s	30%
JECTION FRACTION	60%

DOPPLER /COLOUR FLOW

Mitral Valve Velocity: MVE- 0.72m/s MVA - 0.53m/s E/A-1.35

Tissue Doppler : e' (Septal) -7cm/s E/e'(Septal) -10

Velocity/ Gradient across the Pulmonic valve : 0.83m/s 3mmHg

Max. Velocity / Gradient across the Aortic valve: 1.19m/s 4mmHg

Velocity / Gradient across the Tricuspid valve : 2.26m/s 25mmHg







PATIENT NAME	MRS SABNA K		
AGE	39YEARS	ID NO	2511230045
REF BY		SEX	FEMALE
	DR.APOLO CLINIC	DATE	25.11.2023

2D ECHO CARDIOGRAHIC STUDY

LEFT VENTRICLE	SIZES THIS WALLES	
	SIZE& THICKNESS	NORMAL
CONTRACTILITY	DECIONAL CO	
	REGIONAL GLOBAL	NO RWMA

RIGHT VENTRICLE	: NORMAL	
LEFT ATRIUM	: NORMAL	
RIGHT ATRIUM	: NORMAL	
MITRAL VALVE	: NORMAL	
AORTIC VALVE	: NORMAL	
PULMONARY VALVE	: NORMAL	
TRICUSPID VALVE	: NORMAL	
INTER ATRIAL SEPTUM	: INTACT	
INTER VENTRICULAR SEPTUI	M: INTACT	
PERICARDIUM	: NORMAL	
OTHERS	: - NIL	

IMPRESSION

- NO REGIONAL WALL MOTION ABNORMALITY PRESENT
- NORMAL VALVES AND DIMENSIONS
- NORMAL LV FUNCTION, LVEF- 60%
- MILD TR/ MILD PAH [RVSP-25mmHg]
- ▶ NO CLOT / VEGETATION / EFFUSION
- NO ASD / VSD / PDA / COA SEEN

ECHO TECHNICIAN

The science of radiology is based upon interpretation of shadows of normal and abnormal tissue. This is neither complete nor accurate; hence, findings should always be interpreted in to the light of clinico-pathological correction.





NAME AND LAB NO	MRS SABNAK		
AGE & SEX		REG -30045	
DATE AND AREA	39 YRS	FEMALE	
DATE AND AREA OF INTEREST	25.11.2023	ABDOMEN & PELVIS	
REF BY			
	C/ O APOLO CLINIC		

USG ABDOMEN AND PELVIS

LIVER:

Measures 15.8cm. Normal in size and echotexture.

No e/o IHBR dilatation. No evidence of SOL.

Portal vein appears normal.

CBD appears normal. . No e/o calculus / SOL

GALL BLADDER:

Well distended. Wall appears normal. No e/o calculus/ neoplasm.

SPLEEN:

Measures 8.8 cm. Normal in size and echotexture. No e/o SOL/ calcification.

PANCREAS:

Normal in size and echotexture.

Pancreatic duct appears normal. No e/o calculus / calcifications.

RETROPERITONEUM:

Poor window.

RIGHT KIDNEY:

Measures 10.7 x3.9cm. Right kidney is normal in size & echotexture

No evidence of calculus/ hydronephrosis.

LEFT KIDNEY:

Measures 10.5 x 4.8cm .Left kidney is normal in size & echotexture

No evidence of calculus/ hydronephrosis.

URETERS:

Bilateral ureters are not dilated.

URINARY BLADDER:

Well distended. No wall thickening/calculi.

UTERUS:

Anteverted, Normal in size and echotexture

Endometrium is normal.ET -9mm.

OVARIES:

B/L ovaries normal in size and echotexture.

No evidence of ascites/pleural effusion.

IMPRESSION:

No significant sonological abnormality detected in the abdomen and pelvis.

DR.AKSHATHA R BHAT MDRD DNB FRCR



Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru - 560010 🌑 +91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org www.spectrumdiagnostics.org





Name : MRS. SABNA K Age / Gender

: 39 years / Female Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 2511230045 C/o : Apollo Clinic

Bill Date : 2511230045

: 25-Nov-2023 09:51 AM Sample Col. Date: 25-Nov-2023 09:51 AM Result Date : 25-Nov-2023 04:23 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Complete Haemogram-Whole	Rload EDTA			Method
Haemoglobin (HB)	11.50	g/dL	Male: 14.0-17.0 Female:12.0-15.0	Spectrophotmeter
Red Blood Cell (RBC)	4.25	million/cu	Newborn:16.50 - 19.50 umm3.50 - 5.50	Volumetric
Packed Cell Volume (PCV)	33.80	%	Male: 42.0-51.0	Impedance Electronic Pulse
Mean corpuscular volume (MCV)	79.50	fL	Female: 36.0-45.0 78.0- 94.0	Calculated
Mean corpuscular hemoglobii (MCH)		pg	27.50-32.20	Calculated
Mean corpuscular hemoglobin concentration (MCHC)	33.90	%	33.00-35.50	Calculated
Red Blood Cell Distribution Width SD (RDW-SD)	36.30	fL	40.0-55.0	Volumetric
Red Blood Cell Distribution CV (RDW-CV)	14.50	%	Male: 11.80-14.50	Impedance Volumetric
Iean Platelet Volume (MPV)	8.80	fL	Female:12.20-16.10 8.0-15.0	Impedance Volumetric
latelet	3.52	lakh/cumm	1.50-4.50	Impedance Volumetric
latelet Distribution Width 'DW)	11.10	%	8.30 - 56.60	Impedance Volumetric
hite Blood cell Count (WBC)	5870.00	cells/cumm	Male: 4000.0-11000.0 Female 4000.0-11000.0 Children: 6000.0-17500.0	Impedance Volumetric Impedance
utrophils	58.40	%	Infants: 9000.0-30000.0 40.0-75.0	Light
mphocytes	36.10	%	20.0-40.0	scattering/Manual Light
sinophils	2.40	%	0.0-8.0	scattering/Manual Light scattering/Manual

UHID

2511230045

Page 1 of 13



Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru - 560010 +91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org www.spectrumdiagnostics.org





: MRS. SABNA K : 39 years / Female

Ref. By Dr.

: Dr. APOLO CLINIC

Reg. No. C/o

: 2511230045 : Apollo Clinic UHID

: 2511230045

2511230045

Bill Date

: 25-Nov-2023 09:51 AM Sample Col. Date: 25-Nov-2023 09:51 AM

Result Date

: 25-Nov-2023 04:23 PM

Report Status

: Final

Test Name	Result	Unit	Reference Value	
Monocytes	2.80	%	0.0-10.0	Method Light
Basophils 0.30	0.30	%	0.0-1.0	scattering/Manual Light scattering/Manual Calculated Calculated Calculated Calculated Calculated Calculated Westergren
Absolute Neutrophil Count Absolute Lymphocyte Count Absolute Monocyte Count Absolute Eosinophil Count Absolute Basophil Count Erythrocyte Sedimentation Rate (ESR)	3.43 2.11 0.17 140.00 0.02 49	10^3/uL 10^3/uL 10^3/uL cells/cumm 10^3/uL mm/hr	2.0- 7.0 1.0-3.0 0.20-1.00 40-440 0.0-0.10 Female: 0.0-20.0 Male: 0.0-10.0	

Peripheral Smear Examination-Whole Blood EDTA

Method: (Microscopy-Manual)

RBC'S

: Normocytic Normochromic.

WBC'S

: Are normal in total number, morphology and distribution.

Platelets

: Adequate in number and normal in morphology.

No abnormal cells or hemoparasites are present.

Impression: Normocytic Normochromic Blood picture.



: spectrum

Printed On

: 25 Nov, 2023 05:15 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Page 2 of 13







Name : MRS. SABNA K

Age / Gender Ref. By Dr.

: 39 years / Female

Reg. No. C/o

: Dr. APOLO CLINIC : 2511230045

: Apollo Clinic

UHID : 2511230045

2511230045

Bill Date

: 25-Nov-2023 09:51 AM

Sample Col. Date: 25-Nov-2023 09:51 AM Result Date : 25-Nov-2023 04:23 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Fasting Urine Glucose-Urine	Negative		Negative	Dipstick/Benedicts (Manual)
Post Prandial Urine Sugar Fasting Blood Sugar (FBS)- Plasma	Negative 73	mg/dL	Negative 60.0-110.0	Dipstick/Benedicts(Manu Hexo Kinase

Comments: Glucose, also called dextrose, one of a group of carbohydrates known as simple sugars (monosaccharides). Glucose has the molecular formula $C_6H_{12}O_6$. It is found in fruits and honey and is the major free sugar circulating in the blood of higher animals. It is the source of energy in cell function, and the regulation of its metabolism is of great importance (fermentation; gluconeogenesis). Molecules of starch, the major energy-reserve carbohydrate of plants, consist of thousands of linear glucose units. Another major compound composed of glucose is cellulose, which is also linear. Dextrose is the molecule D-glucose. Blood sugar, or glucose, is the main sugar found in the blood. It comes from the food you eat, and it is body's main source of energy. The blood carries glucose to all of the body's cells to use for energy. Diabetes is a disease in which your blood sugar levels are too high.Usage: Glucose determinations are useful in the detection and management of Diabetes mellitus.

Note: Additional tests available for Diabetic control are Glycated Hemoglobin (HbA1c), Fructosamine & Microalbumin urine

Comments: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric

Probable causes: Early Type II Diabetes / Glucose intolerance, Drugs like Salicylates, Beta blockers, Pentamidine etc., Alcohol , Dietary - Intake of excessive carbohydrates and foods with high glycemic index? Exercise in between samples? Family history of Diabetes, Idiopathic, Partial / Total

Post prandial Blood Glucose (PPBS)-Plasma

mg/dL

70-140

Hexo Kinase



Page 3 of 13





Name

: MRS. SABNA K

Age / Gender

: 39 years / Female

Ref. By Dr. Reg. No.

: Dr. APOLO CLINIC : 2511230045

C/o

: Apollo Clinic

UHID

: 2511230045

2511230045

Bill Date

: 25-Nov-2023 09:51 AM

Sample Col. Date: 25-Nov-2023 09:51 AM : 25-Nov-2023 04:23 PM

Result Date Report Status

: Final

Test Name

Result

Unit

Reference Value

Method

Comments: Glucose, also called dextrose, one of a group of carbohydrates known as simple sugars (monosaccharides). Glucose has the molecular formula C₆H₁₂O₆. It is found in fruits and honey and is the major free sugar circulating in the blood of higher animals. It is the source of energy in cell function, and the regulation of its metabolism is of great importance (fermentation; gluconeogenesis). Molecules of starch, the major energy-reserve carbohydrate of plants, consist of thousands of linear glucose units. Another major compound composed of glucose is cellulose, which is also linear. Dextrose is the molecule D-glucose. Blood sugar, or glucose, is the main sugar found in the blood. It comes from the food you eat, and it is body's main source of energy. The blood carries glucose to all of the body's cells to use for energy. Diabetes is a disease in which your blood sugar levels are too high. Usage: Glucose determinations are useful in the detection and management of Diabetes mellitus.

Note: Additional tests available for Diabetic control are Glycated Hemoglobin (HbA1c), Fructosamine & Microalbumin urine

Comments: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric

Probable causes: Early Type II Diabetes / Glucose intolerance, Drugs like Salicylates, Beta blockers, Pentamidine etc., Alcohol , Dietary - Intake of excessive carbohydrates and foods with high glycemic index? Exercise in between samples? Family history of Diabetes, Idiopathic, Partial / Total



Printed By

: spectrum

Printed On

: 25 Nov, 2023 05:15 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Page 4 of 13

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru - 560010

info@spectrumdiagnostics.org

www.spectrumdiagnostics.org







: MRS. SABNA K

Ref. By Dr.

: 39 years / Female : Dr. APOLO CLINIC

Reg. No.

: 2511230045

C/o

: Apollo Clinic

UHID

: 2511230045

2511230045

Bill Date

: 25-Nov-2023 09:51 AM

Result Date

Sample Col. Date: 25-Nov-2023 09:51 AM : 25-Nov-2023 04:23 PM

Report Status

: Final

Test Name	Result	Unit	Reference Value	Method
Glycosylated Haemoglobin (HbA1c)-Whole Blood EDTA				
Glycosylated Haemoglobin (HbA1c)	5.10	%	Non diabetic adults:<5.7 At risk (Prediabetes): 5.7 - 6.4 Diagnosing Diabetes:>= 6.5 Diabetes Excellent Control: 6-7 Fair to good Control: 7-8 Unsatisfactory Control:8-10	HPLC
Estimated Average Glucose(eAG)	99.66	mg/dL	Poor Control :>10	Calculated

Note: 1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled.

2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targeting a goal of < 7.0 % may not

Comments: HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic



Printed By

: spectrum

Printed On


: 25 Nov, 2023 05:15 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Page 5 of 13

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru - 560010 +91 77604 97644 | 080 2337 1555

lnfo@spectrumdiagnostics.org









: MRS. SABNA K

Ref. By Dr.

: 39 years / Female : Dr. APOLO CLINIC

Reg. No.

: 2511230045

C/o

: Apollo Clinic

UHID

: 2511230045

2511230045

Bill Date

: 25-Nov-2023 09:51 AM

Result Date

Sample Col. Date: 25-Nov-2023 09:51 AM : 25-Nov-2023 04:23 PM

Report Status

: Final

Test Name	Result	Unit	Reference Value	Method
KFT (Kidney Function Test) Blood Urea Nitrogen (BUN)- Serum	10.00	mg/dL	7.0-18.0	GLDH,Kinetic Assay
Creatinine-Serum	0.72 mg/dL Male: 0.70-1.30		Modified	
Uric Acid-Serum	3.33	mg/dL	Female: 0.55-1.02 Male: 3.50-7.20	kinetic Jaffe Uricase PAP
Sodium (Na+)-Serum	141.0	mmol/L	Female: 2.60-6.00 135.0-145.0	Ion-Selective
Potassium (K+)-Serum	4.11	mmol/L	3.5 to 5.5	Electrodes (ISE) Ion-Selective Electrodes
Chloride(Cl-)-Serum	103.60	mmol/L	94.0-110.0	(ISE) Ion-Selective Electrodes (ISE)



Printed By

: spectrum

Printed On

: 25 Nov, 2023 05:15 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Page 6 of 13







: MRS. SABNA K

Ref. By Dr.

: 39 years / Female

Reg. No.

: Dr. APOLO CLINIC : 2511230045

C/o

: Apollo Clinic

UHID

: 2511230045

2511230045

Bill Date

: 25-Nov-2023 09:51 AM

Result Date

Sample Col. Date: 25-Nov-2023 09:51 AM : 25-Nov-2023 04:23 PM

Report Status

: Final

Test Name	ame Result		Reference Value	Method
LFT-Liver Function Test -Ser	um			
Bilirubin Total-Serum	0.61	mg/dL	0.2-1.0	Caffeine
Bilirubin Direct-Serum	0.07	mg/dL	0.0-0.2	Benzoate Diazotised
Bilirubin Indirect-Serum Aspartate Aminotransferase (AST/SGOT)-Serum	0.54 18.00	mg/dL U/L	0.0-1.10 15.0-37.0	Sulphanilic Acid Direct Measure UV with Pyridoxal - 5 -
Alanine Aminotransferase (ALT/SGPT)-Serum	14.00	U/L	Male:16.0-63.0 Female:14.0-59.0	Phosphate UV with Pyridoxal - 5 - Phosphate PNPP,AMP- Buffer Biuret/Endpoint-
Alkaline Phosphatase (ALP)- Serum	86.00	U/L	Adult: 45.0-117.0 Children: 48.0-445.0	
Protein, Total-Serum	7.42	g/dL	Infants: 81.90-350.30 6.40-8.20	
lbumin-Serum	4.45	g/dL	3.40-5.00	With Blank Bromocresol
lobulin-Serum lbumin/Globulin Ratio-Serum amma-Glutamyl Transferase GGT)-Serum	2.97 1.50 32.00	g/dL Ratio U/L	2.0-3.50 0.80-1.20 Male: 15.0-85.0 Female: 5.0-55.0	Purple Calculated Calculated Other g-Glut-3- carboxy-4 nitro

SCAN FOR LOCATION





: MRS. SABNA K

Ref. By Dr.

: 39 years / Female : Dr. APOLO CLINIC

Reg. No.

: 2511230045

: Apollo Clinic

UHID : 2511230045

> 2511230045

Bill Date

: 25-Nov-2023 09:51 AM

Result Date

Sample Col. Date: 25-Nov-2023 09:51 AM : 25-Nov-2023 04:23 PM

Report Status

: Final

Test Name

C/o

Result

Unit

Reference Value

Method

Comments: Gamma-glutamyltransferase (GGT) is primarily present in kidney, liver, and pancreatic cells. Small amounts are present in other tissues. Even though renal tissue has the highest level of GGT, the enzyme present in the serum appears to originate primarily from the hepatobiliary system, and GGT activity is elevated in any and all forms of liver disease. It is highest in cases of intra- or posthepatic biliary obstruction, reaching levels some 5 to 30 times normal. GGT is more sensitive than alkaline phosphatase (ALP), leucine aminopeptidase, aspartate transaminase, and alanine aminotransferase in detecting obstructive jaundice, cholangitis, and cholecystitis; its rise occurs earlier than with these other enzymes and persists longer. Only modest elevations (2-5 times normal) occur in infectious hepatitis, and in this condition, GGT determinations are less useful diagnostically than are measurements of the transaminases. High elevations of GGT are also observed in patients with either primary or secondary (metastatic) neoplasms. Elevated levels of GGT are noted not only in the sera of patients with alcoholic cirrhosis but also in the majority of sera from persons who are heavy drinkers. Studies have emphasized the value of serum GGT levels in detecting alcohol-induced liver disease. Elevated serum values are also seen in patients receiving drugs such as phenytoin and phenobarbital, and this is thought to reflect induction of new enzyme activity.



Printed By

: spectrum


Printed On


: 25 Nov, 2023 05:15 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Page 8 of 13











: MRS. SABNA K

Ref. By Dr.

: 39 years / Female : Dr. APOLO CLINIC

Reg. No.

: 2511230045

C/o

: Apollo Clinic

UHID

: 2511230045

2511230045

Bill Date

: 25-Nov-2023 09:51 AM

Result Date

Sample Col. Date: 25-Nov-2023 09:51 AM : 25-Nov-2023 04:23 PM

Report Status

Test Name	Result	Unit	Reference Value	Method
Lipid Profile-Serum				
Cholesterol Total-Serum	214.00	mg/dL	Female: 0.0 - 200	Cholesterol
Triglycerides-Serum	132.00	mg/dL	Female: 0.0 - 150	Oxidase/Peroxidase Lipase/Glycerol
High-density lipoprotein (HDL) Cholesterol-Serum	46.00	mg/dL	Female: 40.0 - 60.0	Dehydrogenase Accelerator/Selective
Non-HDL cholesterol-Serum Low-density lipoprotein (LDL) Cholesterol-Serum	168 136.00	mg/dL mg/dL	Female: 0.0 - 130 Female: 0.0 - 100.0	Detergent Calculated Cholesterol esterase and cholesterol
Very-low-density lipoprotein VLDL) cholesterol-Serum	26	mg/dL	Female: 0.0 - 40	oxidase Calculated
Cholesterol/HDL Ratio-Serum	4.65	Ratio	Female: 0.0 - 5.0	Calculated

Interpretation:

Parameter	Desirable	h 1 11 11 11 11 11 11 11 11 11 11 11 11		
Total Cholesterol		Borderline High	High	Very High
Triglycerides	<200	200-239	>240	1
	<150	150-199	200-499	
Non-HDL cholesterol	<130	160 100	200-499	>500
Low-density lipoprotein (LDL) Cholesterol		160-189	190-219	>220
y "Poprotein (EBE) Cholesterol	<100	100-129	160-189	>190

Comments: As per Lipid Association of India (LAI), for routine screening, overnight fasting preferred but not mandatory. Indians are at very high risk of developing Atherosclerotic Cardiovascular (ASCVD). Among the various risk factors for ASCVD such as dyslipidemia, Diabetes Mellitus, sedentary lifestyle, Hypertension, smoking etc., dyslipidemia has the highest population attributable risk for MI both because of direct association with disease pathogenesis and very high prevalence in Indian population. Hence monitoring lipid profile regularly for effective management of dyslipidemia remains one of the most important healthcare targets for prevention of ASCVD. In addition, estimation of ASCVD risk is an essential, initial step in the management of individuals requiring primary prevention of ASCVD. In the context of lipid management, such a risk estimate forms the basis for several key therapeutic decisions, such as the need for and aggressiveness of statin therapy.



Printed By

: spectrum

Printed On


: 25 Nov, 2023 05:15 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Page 9 of 13

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru - 560010 🌑 +91 77604 97644 | 080 2337 1555

info@spectrumdiagnostics.org







Name : MRS. SABNA K

Age / Gender Ref. By Dr.

: 39 years / Female : Dr. APOLO CLINIC

Reg. No. C/o

: 2511230045 : Apollo Clinic UHID

: 2511230045

Bill Date

: 25-Nov-2023 09:51 AM

Sample Col. Date: 25-Nov-2023 09:51 AM

Result Date

: 25-Nov-2023 04:23 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Thyroid function tests (TF Serum	T)-			
Tri-Iodo Thyronine (T3)-S	erum 0.93	ng/mL	Female: 0.60 - 1.81	Chemiluminescence Immunoassay
Thyroxine (T4)-Serum	9.60	μg/dL	Female: 5.50 - 12.10	(CLIA) Chemiluminescence Immunoassay
Thyroid Stimulating Horm TSH)-Serum	one 14.00	μΙU/mL	Female: 0.35 - 5.50	(CLIA) Chemiluminescence Immunoassay (CLIA)

Comments: Triiodothyronine (T3) assay is a useful test for hyperthyroidism in patients with low TSH and normal T4 levels. It is also used for the diagnosis of T3 toxicosis. It is not a reliable marker for Hypothyroidism. This test is not recommended for general screening of the population without

Reference range: Cord: (37 Weeks): 0.5-1.41, Children:1-3 Days: 1.0-7.40,1-11 Months: 1.05-2.45,1-5 Years: 1.05-2.69,6-10 Years: 0.94-2.41,11-15

Reference range: Adults: 20-50 Years: 0.70-2.04, 50-90 Years: 0.40-1.81,

Reference range in Pregnancy: First Trimester: 0.81-1.90,Second Trimester: 1.0-2.60

Increased Levels: Pregnancy, Graves disease, T3 thyrotoxicosis, TSH dependent Hyperthyroidism, increased Thyroid-binding globulin (TBG). Decreased Levels: Nonthyroidal illness, hypothyroidism, nutritional deficiency, systemic illness, decreased Thyroid-binding globulin (TBG).

Comments: Total T4 levels offer a good index of thyroid function when TBG is normal and non-thyroidal illness is not present. This assay is useful for monitoring treatment with synthetic hormones (synthetic T3 will cause low total T4).It also helps to monitor treatment of Hyperthyroidism with

Reference Range: Males: 4.6-10.5, Females: 5.5-11.0, > 60 Years: 5.0-10.70, Cord: 7.40-13.10, Children: 1-3 Days: 11.80-22.60, 1-2 Weeks: 9.90-

1-15 Years: 5.60-11.70, Newborn Screen: 1-5 Days: >7.5,6 Days :>6.5

Increased Levels: Hyperthyroidism, increased TBG, familial dysalbuminemic hyperthyroxinemia, Increased transthyretin, estrogen therapy, pregnancy. Decreased Levels: Primary hypothyroidism, pituitary TSH deficiency, hypothalamic TRH deficiency, non thyroidal illness, decreased TBG.

Comments:TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH is a labile hormone & is secreted in a pulsatile manner throughout the day and is subject to several non-thyroidal pituitary influences. Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, caloric intake, medication & circulating antibodies. It is important to confirm any TSH abnormality in a fresh specimen drawn after ~ 3 weeks before assigning a diagnosis, as the cause of an isolated TSH abnormality. Reference range in Pregnancy: I- trimester:0.1-2.5; II -trimester:0.2-3.0; III- trimester:0.3-3.0

Reference range in Newborns: 0-4 days: 1.0-39.0; 2-20 Weeks:1.7-9.1

Increased Levels: Primary hypothyroidism, Subclinical hypothyroidism, TSH dependent Hyperthyroidism and Thyroid hormone resistance. els: Graves disease, Autonomous thyroid hormone secretion, TSH defic

Printed By


: spectrum

Printed On

: 25 Nov, 2023 05:15 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Page 10 of 13









Name : MRS. SABNA K Age / Gender : 39 years / Female

C/o

Ref. By Dr. : Dr. APOLO CLINIC Reg. No.

: 2511230045 : Apollo Clinic UHID : 2511230045

> 2511230045

Bill Date : 25-Nov-2023 09:51 AM

Sample Col. Date: 25-Nov-2023 09:51 AM Result Date : 25-Nov-2023 04:23 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Calcium, Total- Serum	9.20	mg/dL	8.50-10.10	Spectrophotometry (O- Cresolphthalein complexone)



Printed By

+91 77604 97644 | 080 2337 1555

: spectrum

Printed On : 25 Nov, 2023 05:15 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Page 11 of 13

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru - 560010 www.spectrumdiagnostics.org



info@spectrumdiagnostics.org





Name

: MRS. SABNA K

Age / Gender Ref. By Dr.

: 39 years / Female

Reg. No.

: Dr. APOLO CLINIC : 2511230045

C/o

: Apollo Clinic

UHID

: 2511230045

2511230045

Bill Date

: 25-Nov-2023 09:51 AM

Sample Col. Date: 25-Nov-2023 09:51 AM

Result Date Report Status

: 25-Nov-2023 05:09 PM : Final

Test Name

Unit

Reference Value

Result

Method

Blood Group & Rh Typing-Whole Blood EDTA Blood Group

Rh Type

Positive

Slide/Tube

agglutination

Slide/Tube

agglutination

Note: Confirm by tube or gel method.

Comments: ABO blood group system, the classification of human blood based on the inherited properties of red blood cells (erythrocytes) as determined by the presence or absence of the antigens A and B, which are carried on the surface of the red cells. Persons may thus have type A, type



Printed By

: spectrum

Printed On


: 25 Nov, 2023 05:15 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Page 13 of 13

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru - 560010) +91 77604 97644 | 080 2337 1555

info@spectrumdiagnostics.org







Name : MRS. SABNA K

Age / Gender : 39 years / Female

Ref. By Dr. Reg. No.

C/o

: Dr. APOLO CLINIC

: 2511230045

: Apollo Clinic

Bill Date

: 25-Nov-2023 09:51 AM

Result Date

Sample Col. Date: 25-Nov-2023 09:51 AM : 25-Nov-2023 04:23 PM

Report Status

: Final

Test Name	Result	Unit	Reference Value	Method
Urine Routine Examinati	ion-Urine			
Physical Examination				
Colour	Pale Yellow	,	Pale Yellow	Visual
Appearance	Clear		Clear	Visual
Reaction (pH)	6.0		5.0-7.5	Dipstick
Specific Gravity	1.020		1.000-1.030	Dipstick
Biochemical Examination	n			Action of the second of the se
Albumin	Negative		Negative	Dipstick/Precipitation
Glucose	Negative		Negative	Dipstick/Benedicts
Bilirubin	Negative		Negative	Dipstick/Fouchets
Ketone Bodies	Negative		Negative	Dipstick/Rotheras
Urobilinogen	Normal		Normal	Dipstick/Ehrlichs
Nitrite	Negative		Negative	Dipstick
Microscopic Examinatio				
Pus Cells	4-6	hpf	0.0-5.0	Microscopy
Epithelial Cells	2-4	hpf	0.0-10.0	Microscopy
RBCs	Absent	hpf	Absent	Microscopy
Casts	Absent	190.4000	Absent	Microscopy
Crystals	Absent		Absent	Microscopy
Others	Absent		Absent	Microscopy

UHID

: 2511230045

2511230045

Comments: The kidneys help infiltration of the blood by eliminating waste out of the body through urine. They also regulate water in the body by conserving electrolytes, proteins, and other compounds. But due to some conditions and abnormalities in kidney function, the urine may encompass some abnormal constituents, which are not normally present. A complete urine examination helps in detecting such abnormal constituents in urine. Several disorders can be detected by identifying and measuring the levels of such substances. Blood cells, bilirubin, bacteria, pus cells, epithelial cells may be present in urine due to kidney disease or infection. Routine urine examination helps to diagnose kidney diseases, urinary tract infections, diabetes and other metabolic disorders.



Printed By

: spectrum

Printed On

: 25 Nov, 2023 05:15 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Page 12 of 13





