



Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206



Patient Name : Miss.RIYA VERMA-PKG10000239 Registered On : 26/Jun/2021 10:04:22 Age/Gender : 25 Y 0 M 0 D /F Collected : 26/Jun/2021 11:15:55 UHID/MR NO : CVAR.0000019831 : 26/Jun/2021 11:24:39 Received Visit ID : CVAR0038082122 Reported : 26/Jun/2021 14:44:50

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method
HAEMOGRAM * , Blood				
Haemoglobin	12.90	g/dl	13.5-17.5	PHOTOMETRIC
Blood Group (ABO & Rh typing)	O POSITIVE			
TLC (WBC)	10,300	/Cu mm	4000-10000	MICROSCOPIC
				EXAMINATION
DLC		ÿ.		
Polymorphs (Neutrophils)	64.00	%	55-70	MICROSCOPIC
				EXAMINATION
Lymphocytes	28.00	%	25-40	MICROSCOPIC
				EXAMINATION
Monocytes	5.00	%	3-5	MICROSCOPIC
Facinanhila	2.00	0/	1.6	EXAMINATION
Eosinophils	3.00	%	1-6	MICROSCOPIC EXAMINATION
Basophils	0.00	%	<1	MICROSCOPIC
Вазоринз	0.00	76	A A A A	EXAMINATION
ESR				
Observed	20.00	Mm for 1st hr.	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
Corrected	10.00	Mm for 1st hr.		
PCV (HCT)	34.70	cc %	40-54	
GBP		55.15		
Company Display Display C.D.D. D.D.	- \			

General Blood Picture (G.B.P. / P.B.S.)

- 1. RBCs are Normocytic and normochromic.
- 2. Leucocytes are adequate in numbers and reveal normal distribution.
- 3. Platelets are within normal limits.
- 4. Smears are Negative for Malarial and Microfilarial Parasite.
- 5. There are no blasts (precursor cells).

Ρ	la	te	let	СО	unt
---	----	----	-----	----	-----

Platelet Count	2.52	LACS/cu mm	1.5-4.0	MICROSCOPIC EXAMINATION
RBC Count				
RBC Count	3.89	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
M.C.V.	89.20	fl	80-100	CALCULATED PARAMETER









Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206



Patient Name : Miss.RIYA VERMA-PKG10000239 Age/Gender : 25 Y 0 M 0 D /F Registered On Collected : 26/Jun/2021 10:04:22 : 26/Jun/2021 11:15:55

UHID/MR NO : CVAR.0000019831 Visit ID : CVAR0038082122 Received Reported

: 26/Jun/2021 11:24:39 : 26/Jun/2021 14:44:50

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method	
M.C.H.	33.20	pg	28-35	CALCULATED	
		. 0		PARAMETER	
M.C.H.C.	37.10	%	30-38	CALCULATED	
				PARAMETER	



S.N. Sinha (MD Path)









Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206



Patient Name : Miss.RIYA VERMA-PKG10000239 : 26/Jun/2021 10:04:22 Registered On Age/Gender : 25 Y 0 M 0 D /F Collected : 26/Jun/2021 11:15:55 UHID/MR NO : CVAR.0000019831 Received : 26/Jun/2021 11:24:39 Visit ID : CVAR0038082122 Reported : 26/Jun/2021 16:18:38

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

Test Name	Result	Unit	Bio. Ref. Interval	Method

Glucose Fasting
Sample:Plasma

98.10

mg/dl

< 100 Normal

GOD POD

100-125 Pre-diabetes

≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP

120.00

mg/dl

<140 Normal

GOD POD

Sample:Plasma After Meal

140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.00	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (Hb-A1c)	32.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	96	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.



Home Sample Collection 1800-419-0002





Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206



Patient Name : Miss.RIYA VERMA-PKG10000239 : 26/Jun/2021 10:04:22 Registered On Age/Gender : 25 Y 0 M 0 D /F Collected : 26/Jun/2021 11:15:55 UHID/MR NO : CVAR.0000019831 Received : 26/Jun/2021 11:24:39 Visit ID : CVAR0038082122 Reported : 26/Jun/2021 16:18:38 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. : Final Report Status

DEPARTMENT OF BIOCHEMISTRY

Test Name	Result	Unit	Bio. Ref. Interval	Method

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) *

15.00

mg/dL

7.0-23.0

CALCULATED



Sample:Serum



^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-2223232

CIN: U85110DL2003PLC308206



: 26/Jun/2021 10:04:22 Patient Name : Miss.RIYA VERMA-PKG10000239 Registered On Age/Gender : 25 Y 0 M 0 D /F Collected : 26/Jun/2021 11:15:55 UHID/MR NO : CVAR.0000019831 : 26/Jun/2021 11:24:39 Received Visit ID : CVAR0038082122 Reported : 26/Jun/2021 16:18:38

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

Test Name	Result	Un	it Bio. Ref. Interva	al Method
Creatinine	0.60	mg/dl	0.5-1.2	MODIFIED JAFFES
Sample:Serum				
e-GFR (Estimated Glomerular Filtration	101.00	ml/min/1.73m	2 - 90-120 Normal	CALCULATED
Rate) Sample:Serum			- 60-89 Near Normal	
Sumple.Setum				
Protein Sample:Serum	7.20	gm/dl	6.2-8.0	BIRUET
Uric Acid	3.30	mg/dl	2.5-6.0	URICASE
Sample:Serum	0.00	8,		
L.F.T.(WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	28.60	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	34.50	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	44.50	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.20	gm/dl	6.2-8.0	BIRUET
Albumin	4.00	gm/dl	3.8-5.4	B.C.G.
Globulin	3.20	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.25		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	120.20	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.60	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.20	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.40	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	202.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	33.20	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	155	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High	CALCULATED
VLDL	13.90	mg/dl	10-33	CALCULATED
Triglycerides	69.50	mg/dl	< 150 Normal 150-199 Borderline High	GPO-PAP
			200-499 High >500 Very High	S.N. Sinla
			- 550 VCI y IIIgii	Dr.S.N. Sinha (MD Path)









Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206



: 26/Jun/2021 10:04:22 Patient Name : Miss.RIYA VERMA-PKG10000239 Registered On Age/Gender : 25 Y 0 M 0 D /F Collected : 26/Jun/2021 11:15:55 UHID/MR NO : CVAR.0000019831 Received : 26/Jun/2021 11:24:39 Visit ID : CVAR0038082122 Reported : 26/Jun/2021 14:56:55

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method

URINE EXAMINATION, ROUTINE *, Urine				
Color Specific Gravity	PALE YELLOW 1.030			DIDOTION
Reaction PH Protein	Acidic (6.5) ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++)	DIPSTICK DIPSTICK
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT			DIPSTICK
Bile Salts	ABSENT	1 1 1		
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution) Microscopic Examination:	ABSENT			
Epithelial cells	2-4/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	2-3/h.p.f			MICROSCOPIC EXAMINATION
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		

S

Interpretation:

< 0.5 (+)

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2









Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206



Patient Name : Miss.RIYA VERMA-PKG10000239 Registered On : 26/Jun/2021 10:04:22 Age/Gender : 25 Y 0 M 0 D /F Collected : 26/Jun/2021 11:15:55 UHID/MR NO : CVAR.0000019831 : 26/Jun/2021 11:24:39 Received Visit ID : CVAR0038082122 Reported : 26/Jun/2021 14:56:55

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

Test Name Result Unit Bio. Ref. Interval Method

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

S. M. Sinha (MD Path)









Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-2223232

CIN: U85110DL2003PLC308206



Patient Name : Miss.RIYA VERMA-PKG10000239 : 26/Jun/2021 10:04:22 Registered On Age/Gender : 25 Y 0 M 0 D /F Collected : 26/Jun/2021 11:15:55 UHID/MR NO : CVAR.0000019831 Received : 26/Jun/2021 11:29:24 Visit ID : CVAR0038082122 : 26/Jun/2021 17:13:27 Reported Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	101.00	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	4.45	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.79	μIU/mL	0.27 - 5.5	CLIA
Interpretation:		v		
		0.3-4.5 μIU/	mL First Trimest	er
		0.4-4.2 µIU/		21-54 Years
		•	mL Second Trim	
		0.5-8.9 μIU/		55-87 Years
		0.7-64 μIU/	,	
		0.7-27 μIU/		28-36 Week
		0.8-5.2 μIU/		
		1-39 μΙU/		0-4 Days
		1.7-9.1 μIU/		2-20 Week
		$2.3-13.2 \mu IU/$	mL Cord Blood	> 37Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

S.N. Sinha (MD Path)









Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206



Patient Name : Miss.RIYA VERMA-PKG10000239 Registered On : 26/Jun/2021 10:04:22

 Age/Gender
 : 25 Y 0 M 0 D /F
 Collected
 : N/A

 UHID/MR NO
 : CVAR.0000019831
 Received
 : N/A

Visit ID : CVAR0038082122 Reported : 26/Jun/2021 12:32:52

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY

X-RAY DIGITAL CHEST PA * (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION: NORMAL SKIAGRAM











Ph: 9235447795,0542-2223232 CIN: U85110DL2003PLC308206



Patient Name : Miss.RIYA VERMA-PKG10000239 Registered On : 26/Jun/2021 10:04:22

 Age/Gender
 : 25 Y 0 M 0 D /F
 Collected
 : N/A

 UHID/MR NO
 : CVAR.0000019831
 Received
 : N/A

Visit ID : CVAR0038082122 Reported : 26/Jun/2021 10:45:36

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

The liver measures 11.8 cm in mid clavicular line. It is normal in shape and echogenecity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

Gall bladder is well distended and is normal.

Portal vein measures 10.1 mm in caliber, CBD measures 2.5 mm in caliber.

Pancreas is normal in size, shape and echogenecity.

Spleen is normal in size (7.7 cm in its long axis), shape and echogenecity.

Right kidney is normal in size, shape and echogenecity. No focal lesion or calculus seen. Right pelvicalyceal system is not dilated. Right kidney measures: 9.9 x 3.2 cm.

Left kidney is normal in size, shape and echogenecity. No focal lesion or calculus seen. Left pelvicalyceal system is not dilated. Left kidney measures: 8.9 x 3.4 cm.

Urinary bladder is almost empty.

Uterus is anteverted. Size 65 x 38 x 33 mm /43 cc. No focal myometrial lesion seen. Endometrium thickness 9 mm.

Bilateral ovaries are normal in size, shape and echogenecity.

No free fluid is seen in the abdomen/pelvis.

IMPRESSION: No significant abnormality seen.

Please correlate clinically.

*** End Of Report ***

Result/s to Follow:

STOOL R/M. ECG / EKG. GENERAL PHYSICAL EXAM

Dr. Raveesh Chandra Roy (MD-Radio)


This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location



Page 10 of 10







CHANDAN DIAGNOSTIC CENTRE

Name of Company: Med Whell But

Name of Executive: Pigg Verng.

Sex: Ferrale, Date of Birth: 16 - 0 2 - 1996

Height: 159 C-

BMI (Body Mass Index) : 21, S Weight: 55 Kg

Chest (Expiration / Inspiration) 8 3 | 01 + C

Abdomen: 32

Blood Pressure: 110/30

Pulse: Ay 68m.

RR: 20 Port (Mis)
Ident Mark: Mole were the Course Los.

Any Allergies: MA

Vertigo: Noon

Any Medications: NA

Any Surgical History:

Habite of alcoholism/smoking/tobacco:

Chief Complaints if any:

Lab Investigation Reports: Yes Att con-

Left eye: horsel Eye Check up vision & Color vision: Warned

Right eye: North

Mear vision:







CHANDAN DIAGNOSTIC CENTRE

Far vision: Pontal check up: Nond,

Pinal impression

MBBS., MD. (Radio Diagnosis)
Reg. No.-26918

Signature of Medical Examiner
Name & Qualification

Client Signature:

Name & Qualification R.C. For C. Ress , Man. J. Place Volume A. C. Place Volume A. Place Volume A. C. Place







Clasdas Liagonistic Centre

I kiya Verma sevely confirming That I don't work to give my specife Sample for pest.

Chandan Diagnostic Center 99, Shivaji Nagar, Mahmoorganj Varanasi-221010 (U.P.) Phone No.: 0542-2223232

- Fysik wel



Chandan Diagnostic Centre, Varanasi



Patient ID: Age / Gender: 25/Female

Patient Name:

Miss.RIYA VERMA-PKG10000239

CVAR0038082122

Date and Time: 26th Jun 21 11:03 AM

AR: 81 bpm Ш VR: 81 bpm 25.0 mm/s 10.0 mm/mV QRSD: 68 aVF aVL aVR ms QT: 366 ms 0-20Hz, 50Hz QTc: 425 ms PRI: 132 ms **Y**3 2 **V1** P-R-T: 41° 80° 43° **V6 V**5 **V4**

ECG Within Normal Limits: Sinus Rhythm, Normal Axis. Please correlate clinically.

AUTHORIZED BY

Dr. Charit MD, DM: Cardiology

63382

REPORTED BY

Dr Kavitha Girish



P- 93, Shivaji Nagar Colony, Mahmoorganj, Varanasi, Uttar Pradesh 221010, India

Latitude Longitude

25.305434° 82.979096°

LOCAL 10:28:49SATURDAY 26.06.2021 GMT 04:58:49 ALTITUDE 18 METER