

# PACE HOSPITALS

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shoping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF BIOCHEMISTRY

<b>Patient Name</b> : Mrs. JYOTI CHANDRA	<b>Age /Sex</b> : 34 Y(s)/Female
<b>Ref By</b> : Dr.GENERAL PHYSICIAN	<b>UMR No</b> : UMR68355
<b>Bill Date</b> : 21-Mar-22 09:58 am	<b>Bill No</b> : BIL119871
<b>Lab No</b> : BIO/22/3/908	<b>Result No</b> : RES303758
<b>Samp.Coll</b> : 21-Mar-22 10:13 am	<b>Auth. Tim</b> : 21-Mar-2022 11:54 am
<b>Reported On</b> : 21-Mar-22 11:54 am	

### Parameter

### Result

### Biological Reference Interval

### Method

Serum Creatinine

:

0.7 mg/dl

0.3 - 1.2 mg/dl

Jaffe Kinetic

--- End Of Report ---

PHH516

Verified by



Dr. B PRATHYUSHA, MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.M. VISWANATH  
MD(PATHOLOGIST)  
CONSULTANT PATHOLOGIST

Dr.B PRATHYUSHA  
MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.SAMATHA  
MD Microbiology  
CONSULTANT MICROBIOLOGIST

## DEPARTMENT OF RADIOLOGY

<b>Patient Name</b> :Mrs. JYOTI CHANDRA	<b>Age / Gender</b> : 34 Y(s) / Female
<b>Requested Date</b> :21-Mar-2022 9:58 AM	<b>UMR No</b> : UMR68355
<b>Reported Date</b> :21-Mar-2022 12:10 PM	<b>Result/ Bill No</b> : RES303791 / BIL119871
<b>Referred By</b> :Walk-In	<b>Lab No</b> : 0
<b>Advised By</b> :Dr.GENERAL PHYSICIAN	

### US ABDOMEN AND PELVIS

#### FINDINGS

LIVER: Normal in size and echotexture. No focal lesions noted. No intra hepatic biliary dilatation. CBD (3mm)and Portal vein (11mm)appear normal in course and calibre.

GALL BLADDER: Well distended. No intraluminal echoes. No evidence of wall thickening / pericholecystic collection.

PANCREAS: Normal in size and echotexture. Pancreatic duct appears normal. No peri pancreatic collection.

SPLEEN: Normal in size and echotexture.No focal lesion.SPV normal.

BOTH KIDNEYS: Right : 9.3 x 4.4cms. Left : 10 x 4.4cms. Both are normal in size and echotexture. CMD is maintained. No evidence of calculi. Pelvicalyceal system normal on both sides.

URINARY BLADDER: Well distended. Wall thickness is normal.

UTERUS: Normal in size(76 x 38x 35mm) and echotexture. IUCD in Endometrium

OVARIES: Both ovaries are normal in size and echotexture.

No evidence of ascites. Aorta and IVC: Visualized portions are normal.

No evidence of para-aortic or paracaval lymphadenopathy.

#### IMPRESSION

NO OBVIOUS ABNORMALITY.

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shopping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF RADIOLOGY

<b>Patient Name</b> :Mrs. JYOTI CHANDRA	<b>Age / Gender</b> : 34 Y(s) / Female
<b>Requested Date</b> :21-Mar-2022 9:58 AM	<b>UMR No</b> : UMR68355
<b>Reported Date</b> :21-Mar-2022 12:10 PM	<b>Result/ Bill No</b> : RES303791 / BIL119871
<b>Referred By</b> :Walk-In	<b>Lab No</b> : 0
<b>Advised By</b> :Dr.GENERAL PHYSICIAN	

Suggested clinical correlation.

**Dr. G S B RAO, MBBS, DMRD  
CONSULTANT RADIOLOGIST**

# PACE HOSPITALS

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shoping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF BIOCHEMISTRY

<b>Patient Name</b> : Mrs. JYOTI CHANDRA	<b>Age /Sex</b> : 34 Y(s)/Female
<b>Ref By</b> : Dr.GENERAL PHYSICIAN	<b>UMR No</b> : UMR68355
<b>Bill Date</b> : 21-Mar-22 09:58 am	<b>Bill No</b> : BIL119871
<b>Lab No</b> : 119871	<b>Result No</b> : RES303786
<b>Samp.Coll</b> : 21-Mar-22 10:13 am	<b>Auth. Tim</b> : 21-Mar-2022 12:18 pm
<b>Reported On</b> : 21-Mar-22 12:18 pm	

### Parameter

### Result

### Biological Reference Interval

Method  
Immuno-turbidimetry

HbA1c

:


4.5

Non Diabetic : 4 - 6  
Good Control : 6 - 7  
Fair Control : 7 - 8  
Poor Control : 8 - 10

--- End Of Report ---

PHH8575

Verified by



Dr. B PRATHYUSHA, MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.M. VISWANATH  
MD(PATHOLOGIST)  
CONSULTANT PATHOLOGIST

Dr.B PRATHYUSHA  
MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.SAMATHA  
MD Microbiology  
CONSULTANT MICROBIOLOGIST

# PACE HOSPITALS

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shopping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF HAEMATOLOGY

<b>Patient Name</b> : Mrs. JYOTI CHANDRA	<b>Age /Sex</b> : 34 Y(s)/Female
<b>Ref By</b> : Dr.GENERAL PHYSICIAN	<b>UMR No</b> : UMR68355
<b>Bill Date</b> : 21-Mar-22 09:58 am	<b>Bill No</b> : BIL119871
<b>Lab No</b> : HEM/22/3/596	<b>Result No</b> : RES303730
<b>Samp.Coll</b> : 21-Mar-22 10:13 am	<b>Auth. Tim</b> : 21-Mar-2022 12:39 pm
<b>Reported On</b> : 21-Mar-22 12:39 pm	

### COMPLETE BLOOD PICTURE

<u>Parameter</u>	<u>Result</u>	<u>Biological Reference Interval</u>
Haemoglobin	: 12.3 gm%	11.0 - 13.0 gm%
RBC Count	: * 4.1 Millions/cumm	4.5-6.5 Millions/cumm
PCV	: * 36 Vol%	38 - 45 Vol%
Platelet count	: * 1.10 /cumm	1.5 - 4.5 Lakhs/Cumm
WBC Count	: 7,000 cells/cumm	4000 - 11000 cells/cumm

### DIFFERENTIAL COUNT

NEUTROPHILS	: 62 %	40-75 %
LYMPHOCYTES	: 31 %	20 - 45 %
EOSINOPHILS	: 03 %	2-6 %
MONOCYTES	: 04 %	2-8 %
BASOPHILS	: 00 %	0 - 2 %

### SMEAR EXAMINATION

RBC	: Normocytic Normochromic
WBC	: Within Normal limits
Platelets	: Thrombocytopenia

--- End Of Report ---

PHT8136

Verified by



**Dr. Y NIHARIKA REDDY, M.D PATHOLOGY**  
**CONSULTANT PATHOLOGIST**

**Dr.M. VISWANATH**  
MD(PATHOLOGIST)  
CONSULTANT PATHOLOGIST

**Dr.B PRATHYUSHA**  
MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

**Dr.SAMATHA**  
MD Microbiology  
CONSULTANT MICROBIOLOGIST

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shopping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF RADIOLOGY

<b>Patient Name</b> :Mrs. JYOTI CHANDRA	<b>Age / Gender</b> : 34 Y(s) / Female
<b>Requested Date</b> :21-Mar-2022 9:58 AM	<b>UMR No</b> : UMR68355
<b>Reported Date</b> :21-Mar-2022 03:40 PM	<b>Result/ Bill No</b> : RES303872 / BIL119871
<b>Referred By</b> :Walk-In	<b>Lab No</b> : 0
<b>Advised By</b> :Dr.GENERAL PHYSICIAN	

### X-RAY CHEST PA VIEW

#### FINDINGS

Heart size is normal.

Both lung fields clear.

Both hila normal.

Both CP angles free.

Soft tissue chest wall and bony cage normal.

Suggested clinical correlation.

**Dr. G S B RAO, MBBS, DMRD  
CONSULTANT RADIOLOGIST**

---

Hitech City: Beside Avasa Hotel, Pillar No. 18,  
Hyderabad - 81. T: 040 4848 6868  
India Shopping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF HAEMATOLOGY


<b>Patient Name</b> : Mrs. JYOTI CHANDRA	<b>Age /Sex</b> : 34 Y(s)/Female
<b>Ref By</b> : Dr. GENERAL PHYSICIAN	<b>UMR No</b> : UMR68355
<b>Bill Date</b> : 21-Mar-22 09:58 am	<b>Bill No</b> : BIL119871
<b>Lab No</b> : 119871	<b>Result No</b> : RES303750
<b>Samp.Coll</b> : 21-Mar-22 10:13 am	<b>Auth. Tim</b> : 21-Mar-2022 11:54 am
<b>Reported On</b> : 21-Mar-22 11:54 am	

### BLOOD GROUPING & RH TYPING

<u>Parameter</u>		<u>Result</u>	<u>Method</u>
BLOOD GROUP	:	" O "	Agglutination
RH TYPING	:	POSITIVE	

--- End Of Report ---

PHT8119  
Verified by



Dr. Y N:

*Nihauka*

OGY

CONSULTANT PATHOLOGIST

**Dr.M. VISWANATH**  
MD(PATHOLOGIST)  
CONSULTANT PATHOLOGIST

**Dr.B PRATHYUSHA**  
MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

**Dr.SAMATHA**  
MD Microbiology  
CONSULTANT MICROBIOLOGIST

# PACE HOSPITALS

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shopping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF CLINICAL PATHOLOGY

<b>Patient Name</b> : Mrs. JYOTI CHANDRA	<b>Age /Sex</b> : 34 Y(s)/Female
<b>Ref By</b> : Dr.GENERAL PHYSICIAN	<b>UMR No</b> : UMR68355
<b>Bill Date</b> : 21-Mar-22 09:58 am	<b>Bill No</b> : BIL119871
<b>Lab No</b> : 119871	<b>Result No</b> : RES303846
<b>Samp.Coll</b> : 21-Mar-22 10:13 am	<b>Auth. Tim</b> : 21-Mar-2022 2:15 pm
<b>Reported On</b> : 21-Mar-22 02:15 pm	

### COMPLETE URINE EXAMINATION

<u>Parameter</u>	<u>Result</u>	<u>Biological Reference Interval</u>	<u>Method</u>
<b>PHYSICAL EXAMINATION:</b>			
Colour	: Pale Yellow		
Appearance	: Clear		
pH	: * 5.0	5.5 - 7.0	pH indicator
Specific gravity	: 1.015	1.010 - 1.025	Bromthymol blue indicator
<b>CHEMICAL EXAMINATION:</b>			
Urine for Sugar	: Nil mmol/L	0 - 2.8 mmol/L	GOD-POD
Protein	: Nil g/L	0 - 0.15 g/L	protein error of indicator
Blood	: Nil Cells/ $\mu$ L	0 - 10 Cells/ $\mu$ L	
Bilirubin	: Nil $\mu$ mol/L	0 - 0 $\mu$ mol/L	Diazonium method
Ketone bodies	: Negative mmol/L	0 - 0 mmol/L	Nitroprusside reaction
<b>MICROSCOPIC EXAMINATION:</b>			
Pus Cells	: * 6-8 /HPF	0 - 5 /HPF	
Epithelial Cells	: * 2-3 /HPF	0 - 8 /HPF	
RBC COUNT	: Nil /HPF	0 - 2 /HPF	
Casts	: Nil		
Crystals	: Nil		
Others	: Nil		

--- End Of Report ---

PHH8575

Verified by



**Dr. M. VISWANATH, MD(PATHOLOGIST)**  
**CONSULTANT PATHOLOGIST**

**Dr.M. VISWANATH**  
MD(PATHOLOGIST)  
CONSULTANT PATHOLOGIST

**Dr.B PRATHYUSHA**  
MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

**Dr.SAMATHA**  
MD Microbiology  
CONSULTANT MICROBIOLOGIST



# PACE HOSPITALS

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shoping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF BIOCHEMISTRY

<b>Patient Name</b> : Mrs. JYOTI CHANDRA	<b>Age /Sex</b> : 34 Y(s)/Female
<b>Ref By</b> : Dr.GENERAL PHYSICIAN	<b>UMR No</b> : UMR68355
<b>Bill Date</b> : 21-Mar-22 09:58 am	<b>Bill No</b> : BIL119871
<b>Lab No</b> : BIO/22/3/908	<b>Result No</b> : RES303908
<b>Samp.Coll</b> : 21-Mar-22 10:13 am	<b>Auth. Tim</b> : 21-Mar-2022 4:52 pm
<b>Reported On</b> : 21-Mar-22 04:52 pm	


### THYROID PROFILE

<u>Parameter</u>	<u>Result</u>	<u>Biological Referend</u>	<u>Method</u>
		<u>Interval</u>	
T3-Free (Tri-iodothyronine-Free) :	3.0 pg/mL	2.0 - 4.2 pg/mL	C L I A
T4-Free (Thyroxine - Free) :	14.5 pg/ml	8.9 - 17.2 pg/ml	C L I A
TSH(Thyroid Stimulating Hormone). :	* 6.2 $\mu$ IU/ml	0.3 - 4.5 $\mu$ IU/ml	C L I A

--- End Of Report ---

PHH552

Verified by



Dr. B PRATHYUSHA, MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.M. VISWANATH  
MD(PATHOLOGIST)  
CONSULTANT PATHOLOGIST

Dr.B PRATHYUSHA  
MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.SAMATHA  
MD Microbiology  
CONSULTANT MICROBIOLOGIST

# PACE HOSPITALS

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shopping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF BIOCHEMISTRY

<b>Patient Name</b> : Mrs. JYOTI CHANDRA	<b>Age /Sex</b> : 34 Y(s)/Female
<b>Ref By</b> : Dr.GENERAL PHYSICIAN	<b>UMR No</b> : UMR68355
<b>Bill Date</b> : 21-Mar-22 09:58 am	<b>Bill No</b> : BIL119871
<b>Lab No</b> : BIO/22/3/908	<b>Result No</b> : RES303758
<b>Samp.Coll</b> : 21-Mar-22 10:13 am	<b>Auth. Tim</b> : 21-Mar-2022 11:54 am
<b>Reported On</b> : 21-Mar-22 11:54 am	


### LFT- LIVER FUNCTION TESTS

<u>Parameter</u>	<u>Result</u>	<u>Biological Reference Interval</u>	<u>Method</u>
Total Bilirubin :	0.5 mg/dl	0.2 - 1.2 mg/dl	Diazo
Direct Bilirubin :	0.3 mg/dl	0.0 - 0.3 mg/dl	
Indirect Bilirubin :	0.2 mg/dL	0.2 - 0.7 mg/dL	
SGPT :	23 IU/L	05 - 40 IU/L	IFCC - Kinetic
SGOT :	19 IU/L	05 - 40 IU/L	IFCC - Kinetic
AST / ALT -Ratio :	0.83		
Alkaline Phosphatase :	90 U/L	70 - 110 U/L	DGKC
Total Protein :	7.6 gm/dl	6.4 - 8.3 gm/dl	Biuret Method
Serum Albumin :	4.8 gm/dl	3.5 - 5.2 gm/dl	BCG Dye
Serum Globulin :	2.8 g/dL	2.0 - 3.5 g/dL	
Albumin / Globulin Ratio :	1.71	1.2 - 2.2	

--- End Of Report ---

PHH516

Verified by



**Dr. B PRATHYUSHA, MD BIOCHEMIST**  
**CONSULTANT BIOCHEMIST**

**Dr.M. VISWANATH**  
MD(PATHOLOGIST)  
CONSULTANT PATHOLOGIST

**Dr.B PRATHYUSHA**  
MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

**Dr.SAMATHA**  
MD Microbiology  
CONSULTANT MICROBIOLOGIST

# PACE HOSPITALS

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shoping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF BIOCHEMISTRY

<b>Patient Name</b> : Mrs. JYOTI CHANDRA	<b>Age /Sex</b> : 34 Y(s)/Female
<b>Ref By</b> : Dr.GENERAL PHYSICIAN	<b>UMR No</b> : UMR68355
<b>Bill Date</b> : 21-Mar-22 09:58 am	<b>Bill No</b> : BIL119871
<b>Lab No</b> : BIO/22/3/908	<b>Result No</b> : RES303758
<b>Samp.Coll</b> : 21-Mar-22 10:13 am	<b>Auth. Tim</b> : 21-Mar-2022 3:04 pm
<b>Reported On</b> : 21-Mar-22 03:04 pm	


### BLOOD SUGAR FASTING AND POST PRANDIAL

<u>Parameter</u>	<u>Result</u>	<u>Biological Referend</u>	<u>Method</u>
Fasting Blood Sugar :	93 mg/dl	60 - 110 mg/dl	GOD-POD
Blood Sugar Post Prandial :	* 84 mg/dl	110 - 140 mg/dl	

--- End Of Report ---

PHH516

Verified by



Dr. B PRATHYUSHA, MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.M. VISWANATH  
MD(PATHOLOGIST)  
CONSULTANT PATHOLOGIST

Dr.B PRATHYUSHA  
MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.SAMATHA  
MD Microbiology  
CONSULTANT MICROBIOLOGIST

# PACE HOSPITALS

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shopping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF BIOCHEMISTRY

<b>Patient Name</b> : Mrs. JYOTI CHANDRA	<b>Age /Sex</b> : 34 Y(s)/Female
<b>Ref By</b> : Dr.GENERAL PHYSICIAN	<b>UMR No</b> : UMR68355
<b>Bill Date</b> : 21-Mar-22 09:58 am	<b>Bill No</b> : BIL119871
<b>Lab No</b> : BIO/22/3/908	<b>Result No</b> : RES303758
<b>Samp.Coll</b> : 21-Mar-22 10:13 am	<b>Auth. Tim</b> : 21-Mar-2022 11:54 am
<b>Reported On</b> : 21-Mar-22 11:54 am	


### LIPID PROFILE: SERUM

<u>Parameter</u>	<u>Result</u>	<u>Biological Reference Interval</u> <u>Method</u>
Triglycerides :	* 110 mg/dl	BorderLine : 150 - 199 mg/dl GPO-Trinder End Point High : 200 - 500 mg/dl Normal : < 150 mg/dl
Total Cholesterol :	143 mg/dl	< 200 mg/dl CHOD-PAP End Point
HDL Cholesterol :	30	Undesirable : < 40 Enzymatic Optimal : 40 - 59
VLDL Cholesterol :	22 mg/dl	Desirable : > 60 2 - 30 mg/dl
LDL Cholesterol :	91 mg/dl	0 - 100 mg/dl
Cholestrol / HDL Ratio :	* 4.77	1.0 - 3.5

--- End Of Report ---

PHH516

Verified by



Dr. B PRATHYUSHA, MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.M. VISWANATH  
MD(PATHOLOGIST)  
CONSULTANT PATHOLOGIST

Dr.B PRATHYUSHA  
MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.SAMATHA  
MD Microbiology  
CONSULTANT MICROBIOLOGIST

# PACE HOSPITALS

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shoping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF HAEMATOLOGY

<b>Patient Name</b> : Mrs. JYOTI CHANDRA	<b>Age /Sex</b> : 34 Y(s)/Female
<b>Ref By</b> : Dr.GENERAL PHYSICIAN	<b>UMR No</b> : UMR68355
<b>Bill Date</b> : 21-Mar-22 09:58 am	<b>Bill No</b> : BIL119871
<b>Lab No</b> : 119871	<b>Result No</b> : RES303763
<b>Samp.Coll</b> : 21-Mar-22 10:13 am	<b>Auth. Tim</b> : 21-Mar-2022 12:35 pm
<b>Reported On</b> : 21-Mar-22 12:35 pm	



### ESR - ERYTHROCYTE SEDIMENT RATE

<u>Parameter</u>	<u>Result</u>	<u>Biological Reference Interval</u>
ESR - ERYTHROCYTE SEDIMENTATION RATE	: *40 mm	< 15 mm

--- End Of Report ---

PHH8262

Verified by



Dr. Y NIHARIKA REDDY, M.D PATHOLOGY  
CONSULTANT PATHOLOGIST

Dr.M. VISWANATH  
MD(PATHOLOGIST)  
CONSULTANT PATHOLOGIST

Dr.B PRATHYUSHA  
MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.SAMATHA  
MD Microbiology  
CONSULTANT MICROBIOLOGIST

# PACE HOSPITALS

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shoping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF BIOCHEMISTRY

<b>Patient Name</b> : Mrs. JYOTI CHANDRA	<b>Age /Sex</b> : 34 Y(s)/Female
<b>Ref By</b> : Dr.GENERAL PHYSICIAN	<b>UMR No</b> : UMR68355
<b>Bill Date</b> : 21-Mar-22 09:58 am	<b>Bill No</b> : BIL119871
<b>Lab No</b> : 119871	<b>Result No</b> : RES303760
<b>Samp.Coll</b> : 21-Mar-22 10:13 am	<b>Auth. Tim</b> : 21-Mar-2022 11:54 am
<b>Reported On</b> : 21-Mar-22 11:54 am	

### Parameter

### Result

### Biological Reference Interval

### Method

Serum Uric Acid

:

4.2 mg/dl

2.6 - 6.0 mg/dl

Uricase-Peroxidase

--- End Of Report ---

PHH516

Verified by



Dr. B PRATHYUSHA, MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.M. VISWANATH  
MD(PATHOLOGIST)  
CONSULTANT PATHOLOGIST

Dr.B PRATHYUSHA  
MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

Dr.SAMATHA  
MD Microbiology  
CONSULTANT MICROBIOLOGIST

# PACE HOSPITALS

Hitech City: Beside Avasa Hotel, Pillar No. 18, Hyderabad - 81. T: 040 4848 6868  
Miyapur: Beside South India Shoping, Madinaguda, Hyderabad - 50, T:040 48486767

## DEPARTMENT OF BIOCHEMISTRY

<b>Patient Name</b> : Mrs. JYOTI CHANDRA	<b>Age /Sex</b> : 34 Y(s)/Female
<b>Ref By</b> : Dr.GENERAL PHYSICIAN	<b>UMR No</b> : UMR68355
<b>Bill Date</b> : 21-Mar-22 09:58 am	<b>Bill No</b> : BIL119871
<b>Lab No</b> : 119871	<b>Result No</b> : RES303760
<b>Samp.Coll</b> : 21-Mar-22 10:13 am	<b>Auth. Tim</b> : 21-Mar-2022 11:54 am
<b>Reported On</b> : 21-Mar-22 11:54 am	

### Parameter

### Result


### Biological Reference Interval

Blood Urea Nitrogen(BUN) : 10.2 mg/dl 6 - 21 mg/dl

--- End Of Report ---

PHH516

Verified by



**Dr. B PRATHYUSHA, MD BIOCHEMIST**  
**CONSULTANT BIOCHEMIST**

**Dr.M. VISWANATH**  
MD(PATHOLOGIST)  
CONSULTANT PATHOLOGIST

**Dr.B PRATHYUSHA**  
MD BIOCHEMIST  
CONSULTANT BIOCHEMIST

**Dr.SAMATHA**  
MD Microbiology  
CONSULTANT MICROBIOLOGIST