


NAME : Mr. KUMAR HIMANSHU	MR NO. : 22090910
AGE/SEX : 33 Yrs / Male	VISIT NO. : 162873
REFERRED BY :	DATE OF COLLECTION : 24-09-2022 at 07:38 AM
	DATE OF REPORT : 24-09-2022 at 01:35 PM
REF CENTER : MEDIWHEEL	

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

HAEMATOLOGY

COMPLETE BLOOD COUNT (CBC) WITH ESR

HAEMOGLOBIN <i>Colorimetric Method</i>	16.0 gm/dL	13 - 18 gm/dL
HEMATOCRIT (PCV) <i>Calculated</i>	47.8 %	40 - 54 %
RED BLOOD CELL (RBC) COUNT <i>Electrical Impedance</i>	5.6 million/cu.mm	4.5 - 5.9 million/cu.mm
PLATELET COUNT <i>Electrical Impedance</i>	2.2 Lakhs/cumm	1.5 - 4.5 Lakhs/cumm
MEAN CELL VOLUME (MCV) <i>Calculated</i>	85.6 fl	80 - 100 fl
MEAN CORPUSCULAR HEMOGLOBIN (MCH) <i>Calculated</i>	28.7 pg	26 - 34 pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) <i>Calculated</i>	33.6 %	31 - 35 %
TOTAL WBC COUNT (TC) <i>Electrical Impedance</i>	6180 cells/cumm	4000 - 11000 cells/cumm
NEUTROPHILS <i>VCS Technology/Microscopic</i>	44 %	40 - 75 %
LYMPHOCYTES <i>VCS Technology/Microscopic</i>	42 %	25 - 40 %
DIFFERENTIAL COUNT		
EOSINOPHILS <i>VCS Technology/Microscopic</i>	06 %	0 - 7 %
MONOCYTES <i>VCS Technology/Microscopic</i>	08 %	1 - 8 %
BASOPHILS <i>Electrical Impedance</i>	00 %	
ESR <i>Westergren Method</i>	15 mm/hr	0 - 15 mm/hr
BLOOD GROUP & Rh TYPING <i>Tube Agglutination (Forward and Reverse)</i>	"O" Positive	

Krishna M. Murthy



A. Vamseedhar


Dr. KRISHNA MURTHY

MD
BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME	: Mr. KUMAR HIMANSHU	MR NO.	: 22090910
AGE/SEX	: 33 Yrs / Male	VISIT NO.	: 162873
REFERRED BY :		DATE OF COLLECTION	: 24-09-2022 at 07:38 AM
		DATE OF REPORT	: 24-09-2022 at 01:35 PM
REF CENTER	: MEDIWHEEL		

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
GLYCATED HAEMOGLOBIN (HbA1C) <i>HPLC</i>	5.1 %	American Diabetic Association (ADA) recommendations: Non diabetic adults : <5.7 % At risk (Pre diabetic): 5.7 – 6.4% Diabetic : >= 6.5% Therapeutic goal for glycemic control : Goal for therapy: < 7.0% Action suggested: > 8.0%	

ESTIMATED AVERAGE GLUCOSE (eAG) 99.67 mg/dL

Calculation

Comments:

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.

CLINICAL BIOCHEMISTRY

BLOOD UREA <i>UREASE-GLUTAMATE DEHYDROGENASE (GLDH)</i>	14.9 mg/dL	15 - 50 mg/dL
CREATININE <i>Jaffe Kinetic</i>	0.95 mg/dL	0.4 - 1.4 mg/dL
URIC ACID <i>Uricase-Peroxidase</i>	4.5 mg/dL	3 - 7.2 mg/dL
SERUM ELECTROLYTES		
SODIUM <i>Ion Selective Electrode (ISE)</i>	137 mmol/L	136 - 145 mmol/L
POTASSIUM <i>Ion Selective Electrode (ISE)</i>	4.1 mmol/L	3.5 - 5.2 mmol/L
CHLORIDE <i>Ion Selective Electrode (ISE)</i>	102 mmol/L	97 - 111 mmol/L

Krishna. u.



A. Vamseedhar

Dr. KRISHNA MURTHY

MD
BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME : **Mr. KUMAR HIMANSHU** MR NO. : 22090910
AGE/SEX : 33 Yrs / Male VISIT NO. : 162873
REFERRED BY : DATE OF COLLECTION : 24-09-2022 at 07:38 AM
DATE OF REPORT : 24-09-2022 at 01:35 PM
REF CENTER : MEDIWHEEL



TEST PARAMETER RESULT REFERENCE RANGE SPECIMEN

LIVER FUNCTION TEST (LFT)

TOTAL BILIRUBIN <i>Colorimetric Diazo Method</i>	0.97 mg/dL	0.2 - 1.2 mg/dL	
DIRECT BILIRUBIN <i>Colorimetric Diazo Method</i>	0.34 mg/dL	0 - 0.4 mg/dL	
INDIRECT BILIRUBIN <i>Calculation</i>	0.63 mg/dl	0.2 - 0.8 mg/dl	
S G O T (AST) <i>IFCC Without Pyridoxal Phosphates</i>	24.9 U/L	up to 35 U/L	
S G P T (ALT) <i>IFCC Without Pyridoxal Phosphates</i>	25.6 U/L	up to 50 U/L	
ALKALINE PHOSPHATASE <i>p-Nitrophenyl Phosphate</i>	59 U/L	36 - 113 U/L	
SERUM GAMMA GLUTAMYLTRANSFERASE (GGT) <i>GCNA-IFCC</i>	25.1 U/L	15 - 85 U/L	
TOTAL PROTEIN <i>Biuret Colorimetric</i>	6.59 g/dl	6.2 - 8 g/dl	
S.ALBUMIN <i>Bromocresol Green (BCG)</i>	3.99 g/dl	3.5 - 5.2 g/dl	
S.GLOBULIN <i>Calculation</i>	2.6 g/dl	2.5 - 3.8 g/dl	
A/G RATIO <i>Calculation</i>	1.5	1 - 1.5	
CREATININE <i>Jaffe Method</i>	1.09 mg/dL	0.8 - 1.4 mg/dL	

Krishna M.



A. Vamseedhar

Dr. KRISHNA MURTHY

MD
BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME	: Mr. KUMAR HIMANSHU	MR NO.	: 22090910
AGE/SEX	: 33 Yrs / Male	VISIT NO.	: 162873
REFERRED BY :		DATE OF COLLECTION :	24-09-2022 at 07:38 AM
		DATE OF REPORT :	24-09-2022 at 01:35 PM
REF CENTER	: MEDIWHEEL		



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

LIPID PROFILE TEST

TOTAL CHOLESTEROL <i>Cholesterol Oxidase-Peroxidase (CHOD-POD)</i>	211 mg/dL	up to 200 mg/dL Border Line: 200 – 240 mg/dL High: > 240 mg/dL	
TRIGLYCERIDES <i>Glycerol Peroxidase-Peroxidase (GPO-POD)</i>	138.3 mg/dL	up to 150 mg/dL Desirable: <150 mg/dL Border Line: 150 – 200 mg/dL High: >200 – 500 mg/dL Very High: > 500 mg/dL	
HDL CHOLESTEROL - DIRECT <i>PEG-Cholesterol Esterase</i>	43.6 mg/dl	40 - 60 mg/dl >= 60mg/dL - Excellent (protects against heart disease) 40-59 mg/dL - Higher the better <40 mg/dL - Lower than desired (major risk for heart disease)	
LDL CHOLESTEROL - DIRECT <i>Cholesterol Esterase-Cholesterol Oxidase</i>	139.7 mg/dL	up to 100 mg/dL 100-129 mg/dL- Near optimal/above optimal 130-159 mg/dL- Borderline High 160-189 mg/dL- High 190->190 mg/dL - Very High	
VLDL CHOLESTEROL <i>Calculation</i>	27.7 mg/dL	2 - 30 mg/dL	
TOTAL CHOLESTROL/HDL RATIO <i>Calculation</i>	4.8	up to 3.5 3.5-5.0 - Moderate >5.0 - High	
LDL/HDL RATIO <i>Calculation</i>	3.2	up to 2.5 2.5-3.3 - Moderate >3.3 - High	
POST PRANDIAL BLOOD SUGAR <i>Hexokinase</i>	108.0 mg/dl	80 - 150 mg/dl	
FASTING BLOOD SUGAR <i>Hexokinase</i>	92.1 mg/dl	70 - 110 mg/dl	

Krishna M.



A. Vamseedhar


Dr. KRISHNA MURTHY

MD
BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME : Mr. KUMAR HIMANSHU	MR NO. : 22090910
AGE/SEX : 33 Yrs / Male	VISIT NO. : 162873
REFERRED BY :	DATE OF COLLECTION : 24-09-2022 at 07:38 AM
	DATE OF REPORT : 24-09-2022 at 01:35 PM
REF CENTER : MEDIWHEEL	

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

CLINICAL PATHOLOGY

URINE ROUTINE & MICROSCOPIC

PHYSICAL EXAMINATION

Colour <i>Visual Method</i>	Pale Yellow	Pale yellow- yellow
Appearance <i>Visual Method</i>	Clear	Clear/Transparent
Specific Gravity <i>Strips Method</i>	1.010	1.005-1.035
pH	6.0	4.6-8.5

CHEMICAL EXAMINATION (DIPSTICK)

Protein <i>Strips Method</i>	Nil	Nil -Trace
Glucose <i>Strips Method</i>	Nil	Nil
Blood <i>Strips Method</i>	Negative	Negative
Ketone Bodies <i>Strips Method</i>	Absent	Negative
Urobilinogen <i>Strips Method</i>	Normal	Normal
Bile Salt <i>Strips Method</i>	Negative	Negative
Bilirubin <i>Strips Method</i>	Negative	Negative
Bile Pigments	Negative	NIL

MICROSCOPY

Pus Cells (WBC) <i>Light Microscopic</i>	4 - 5 /hpf	0-5/hpf
Epithelial Cells <i>Light Microscopic</i>	1 - 2 /hpf	0-4/hpf
RBC <i>Light Microscopic</i>	Not Seen /hpf	0-2/hpf
Cast <i>Light Microscopic</i>	NIL	NIL
Crystal <i>Light Microscopic</i>	NIL	Nil

FASTING URINE SUGAR (FUS)	NIL	NIL
---------------------------	-----	-----

Krishna M.



A. Vamseedhar

Dr. KRISHNA MURTHY

MD
BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME	: Mr. KUMAR HIMANSHU	MR NO.	: 22090910
AGE/SEX	: 33 Yrs / Male	VISIT NO.	: 162873
REFERRED BY :		DATE OF COLLECTION	: 24-09-2022 at 07:38 AM
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 24-09-2022 at 01:35 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
POSTPRANDIAL URINE SUGAR	NIL	NIL	

STOOL ROUTINE EXAMINATION

MACROSCOPIC EXAMINATION

COLOUR <i>Manual</i>	Brownish	Light to Dark brown
CONSISTENCY <i>Manual</i>	Semi Solid	Well formed-semi solid
MUCUS <i>Manual</i>	Absent	Absent
BLOOD <i>Manual</i>	Absent	Absent

CHEMICAL EXAMINATION

PUS CELLS <i>Light Microscopy</i>	3 - 4	Absent
EPITHELIAL CELLS <i>Light Microscopy</i>	1-2	Few
BACTERIA <i>Light Microscopy</i>	Present (+)	

MICROSCOPIC EXAMINATION

CYST <i>Light Microscopy</i>	Not Seen	Absent
OVA <i>Light Microscopy</i>	Not Seen	Absent

Krishna M.



A. Vamseedhar

Dr. KRISHNA MURTHY


MD
BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME	: Mr. KUMAR HIMANSHU	MR NO.	: 22090910
AGE/SEX	: 33 Yrs / Male	VISIT NO.	: 162873
REFERRED BY :		DATE OF COLLECTION	: 24-09-2022 at 07:38 AM
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 24-09-2022 at 01:35 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

IMMUNOASSAY

THYROID PROFILE


TOTAL TRIIODOTHYRONINE (T3) CMA	1.22 ng/mL	0.87 - 1.78 ng/mL
TOTAL THYROXINE (T4) CMA	7.10 µg/dL	6.09 - 12.23 µg/dL
THYROID STIMULATING HORMONE (TSH) CMA	3.99 µIU/mL	0.38 - 5.33 µIU/mL 1st Trimester: 0.05 - 3.70 2nd Trimester: 0.31 - 4.35 3rd Trimester: 0.41 - 5.18

Note:

- TSH levels are subject to circadian variation, reaching peak levels between 2 - 4 a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Clinical Use:

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic - Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood



Dr. KRISHNA MURTHY

MD
BIOCHEMIST



Lab Seal



Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME	: Mr. KUMAR HIMANSHU	MR NO.	: 22090910
AGE/SEX	: 33 Yrs / Male	VISIT NO.	: 162873
REFERRED BY :		DATE OF COLLECTION	: 24-09-2022 at 07:38 AM
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 24-09-2022 at 01:35 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

PROSTATIC SPECIFIC ANTIGEN (PSA)

PROSTATIC SPECIFIC ANTIGEN (PSA) <small>CMA</small>	0.60 ng/mL	Up to 4ng/mL: Normal 4-10 ng/mL Hypertrophy & benign genito urinary conditions. >10 ng/mL Suspicious of malignancy.	
--	------------	--	--

PSA is used for monitoring patients with a history of prostate cancer and as an early indicator of recurrence and response to treatment. The test is commonly used for Prostate cancer screening.

Dispatched by: Sumalatha

**** End of Report ****

Printed by: Sumalatha on 24-09-2022 at 01:36 PM



Krishna M. Murthy

Dr. KRISHNA MURTHY

MD
BIOCHEMIST



Lab Seal

A. Vamseedhar

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME	: Mr. KUMAR HIMANSHU	MR/VISIT NO	: 22090910 / 162873
AGE/SEX	: 33 Yrs / Male	BILLED TIME	: 24-09-2022 at 07:34 AM
REFERRED BY	:	BILL NO	: 194397
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 24-09-2022 at 09:57 AM

RADIOLOGY

X-RAY CHEST PA VIEW

OBSERVATIONS:

The lung fields are clear bilaterally.

CP angles are clear.

Both the hila appear normal.

Cardiac diameter is within normal limits.

Tracheal is mid line.

Visible bony thoracic cage is normal.

Adjacent soft tissues appear normal.

IMPRESSION:

- **No significant abnormality in the visualized lung fields.**



NAME	: Mr. KUMAR HIMANSHU	MR/VISIT NO	: 22090910 / 162873
AGE/SEX	: 33 Yrs / Male	BILLED TIME	: 24-09-2022 at 07:34 AM
REFERRED BY	:	BILL NO	: 194397
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 24-09-2022 at 10:41 AM

RADIOLOGY

USG REPORT - ABDOMEN AND PELVIS

OBSERVATION:

LIVER:

Liver is normal in size (13.7 cm) and normal homogenous echotexture. No focal lesion is seen. Intrahepatic biliary radicles not dilated. Hepatic & portal veins are normal. CBD is normal.

GALL BLADDER:

Normal in distension. Lumen echo free. Wall thickness is normal.

PANCREAS:

Body and head appears normal. No focal lesion seen. Pancreatic duct not dilated. Tail not visualized.

SPLEEN:

Normal in size (10.0 cm) with normal homogenous echotexture. No focal lesion is seen.

RIGHT KIDNEY:

Right kidney measures 10.9 x 1.6 cm (Length x parenchymal thickness) with normal echo pattern and cortical thickness.

There is a simple cortical cyst measuring 2.2 x 1.7 cm in the lower pole with no evidence of internal septations / solid component.

The shape, size and contour of the right kidney appear normal. Cortical medullary differentiation is maintained.

No evidence of pelvicalyceal dilatation. No sonological detectable calculi seen.

LEFT KIDNEY:

Left kidney measures 10.8 x 1.5 cm (Length x parenchymal thickness) with normal

Dr. MOHAN S
MDRD
CONSULTANT RADIOLOGIST

NAME	: Mr. KUMAR HIMANSHU	MR/VISIT NO	: 22090910 / 162873
AGE/SEX	: 33 Yrs / Male	BILLED TIME	: 24-09-2022 at 07:34 AM
REFERRED BY	:	BILL NO	: 194397
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 24-09-2022 at 10:41 AM

echo pattern and cortical thickness.

The shape, size and contour of the left kidney appear normal. Cortical medullary differentiation is maintained.

No evidence of pelvicalyceal dilatation. No sonological detectable calculi seen.

URINARY BLADDER:

Is normal in contour. No intraluminal echoes are seen. No calculus or diverticulum is seen. Wall thickness appears normal.

PROSTATE:

Is normal in size (Vol-19.7 cc) with normal echo pattern. No focal lesion seen.

No evidence of free fluid in the abdomen or pelvis.

IMPRESSION:

- **Right renal simple cortical cyst.**
- **No other significant sonographic abnormality detected.**

