

Name : Mrs. S NEELIMA
PID No. : MED110999514
SID No. : 78358243
Age / Sex : 28 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 26/02/2022 9:34 AM
Collection On : 26/02/2022 10:08 AM
Report On : 27/02/2022 6:24 PM
Printed On : 01/03/2022 6:43 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin (Blood/Photometry ~ Cell counter)	11.27	g/dL	12.5 - 16.0
PCV (Packed Cell Volume) / Haematocrit (Blood/Numeric Integration of MCV)	37.98	%	37 - 47
RBC Count (Whole Blood/Electrical Impedance)	04.50	mill/cu.mm	4.2 - 5.4
MCV (Mean Corpuscular Volume) (Blood/Calculated)	84.36	fL	78 - 100
MCH (Mean Corpuscular Haemoglobin) (Blood/Calculated)	25.04	pg	27 - 32
MCHC (Mean Corpuscular Haemoglobin concentration) (Blood/Calculated)	29.68	g/dL	32 - 36
RDW-CV	09.96	%	11.5 - 16.0
RDW-SD	35.22	fL	39 - 46
Total WBC Count (TC) (Whole Blood/Electrical Impedance)	6390	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance and absorbance)	64.60	%	40 - 75
Lymphocytes (Blood/Impedance and absorbance)	28.50	%	20 - 45
Eosinophils (Blood/Impedance and absorbance)	01.90	%	01 - 06
Monocytes (Blood/Impedance and absorbance)	04.90	%	01 - 10

P. Deepthy Saranya
DR. P. Deepthy Saranya
M.B.B.S & M.D. Pathology
Consultant Pathologist
Reg.No: AP/AFMC - FMR 81632


APPROVED BY

Name : Mrs. S NEELIMA
PID No. : MED110999514
SID No. : 78358243
Age / Sex : 28 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 26/02/2022 9:34 AM
Collection On : 26/02/2022 10:08 AM
Report On : 27/02/2022 6:24 PM
Printed On : 01/03/2022 6:43 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Basophils (Blood/Impedance and absorbance)	00.10	%	00 - 02
INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically.			
Absolute Neutrophil count (Blood/Impedance and absorbance)	04.13	10 ³ / μ l	1.5 - 6.6
Absolute Lymphocyte Count (Blood/Impedance and absorbance)	01.82	10 ³ / μ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (Blood/Impedance and absorbance)	00.12	10 ³ / μ l	0.04 - 0.44
Absolute Monocyte Count (Blood/Impedance and absorbance)	00.31	10 ³ / μ l	< 1.0
Absolute Basophil count (Blood/Impedance and absorbance)	00.01	10 ³ / μ l	< 0.2
Platelet Count (Blood/Electrical Impedance)	2.52	lakh/cu.mm	1.4 - 4.5
INTERPRETATION: Platelet count less than 1.5 lakhs will be confirmed microscopically.			
MPV (Blood/Automated Blood cell Counter)	08.70	fL	8.0 - 13.3
PCT	0.15	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated ESR analyser)	10	mm/hr	< 20


DR. P. Deepthy Saranya
M.B.B.S & M.D. Pathology
Consultant Pathologist
Reg.No: AP/AFMC - FMR 81632

APPROVED BY

Name : Mrs. S NEELIMA
PID No. : MED110999514
SID No. : 78358243
Age / Sex : 28 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 26/02/2022 9:34 AM
Collection On : 26/02/2022 10:08 AM
Report On : 27/02/2022 6:24 PM
Printed On : 01/03/2022 6:43 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY

Glycosylated Haemoglobin (HbA1c)

HbA1C (Whole Blood/HPLC)	5.4	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: \geq 6.5
-----------------------------	-----	---	---

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control \geq 8.1 %

Estimated Average Glucose (Whole Blood)	108.28	mg/dL
--	--------	-------

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

K. R. Mukilarasi
Dr. K.R. MUKILARASI M.D., (Path)
Consultant Pathologist
TNMC Reg.No: 116296

APPROVED BY

Name : Mrs. S NEELIMA
PID No. : MED110999514
SID No. : 78358243
Age / Sex : 28 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 26/02/2022 9:34 AM
Collection On : 26/02/2022 10:08 AM
Report On : 27/02/2022 6:24 PM
Printed On : 01/03/2022 6:43 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Liver Function Test</u>			
Bilirubin(Total) (Serum/Diazotized Sulphanilic acid)	0.6	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulphanilic acid)	0.3	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.30	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC without P-5-P)	18	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC without P-5-P)	17	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	33	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/IFCC AMP Buffer)	138 (Rechecked)	U/L	42 - 98
Total Protein (Serum/Biuret)	7.46	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.34	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.12	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Calculated)	1.39		1.1 - 2.2

INTERPRETATION:Enclosure : Graph


Dr. K.R. MUKILARASI M.D.,(Path)
Consultant Pathologist
TNMC Reg.No: 116296

APPROVED BY

Name : Mrs. S NEELIMA
PID No. : MED110999514
SID No. : 78358243
Age / Sex : 28 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 26/02/2022 9:34 AM
Collection On : 26/02/2022 10:08 AM
Report On : 27/02/2022 6:24 PM
Printed On : 01/03/2022 6:43 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	200	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol-phosphate oxidase/Peroxidase)	120	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the usual circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Direct Detergent)	33.73	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	142.3	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	24	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	166.3	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220


Dr. K.R. MUKILARASI M.D., (Path)
Consultant Pathologist
TNMC Reg.No: 116296

APPROVED BY

Name : Mrs. S NEELIMA
PID No. : MED110999514
SID No. : 78358243
Age / Sex : 28 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 26/02/2022 9:34 AM
Collection On : 26/02/2022 10:08 AM
Report On : 27/02/2022 6:24 PM
Printed On : 01/03/2022 6:43 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	5.9		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--	--

Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	3.6		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	4.2		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	--	---


Dr.K.R. MUKILARASI M.D.,(Path)
Consultant Pathologist
TNMC Reg.No: 116296

APPROVED BY

Name : Mrs. S NEELIMA
PID No. : MED110999514
SID No. : 78358243
Age / Sex : 28 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 26/02/2022 9:34 AM
Collection On : 26/02/2022 10:08 AM
Report On : 27/02/2022 6:24 PM
Printed On : 01/03/2022 6:43 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA))	1.39	ng/mL	0.7 - 2.04
---	------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA))	10.0	µg/dL	4.2 - 12.0
--	------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescence)	1.73	µIU/mL	0.35 - 5.50
--	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Dr. JYOSTNALATHA PALA,
MBBS MD (Pathology)
Reg No. : 62150

VERIFIED BY

DR. ARFATHUNNISA M.
MD Pathology
CONSULTANT PATHOLOGIST
Reg.No : APMC/FMR.93509

APPROVED BY

Name : Mrs. S NEELIMA
PID No. : MED110999514
SID No. : 78358243
Age / Sex : 28 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 26/02/2022 9:34 AM
Collection On : 26/02/2022 10:08 AM
Report On : 27/02/2022 6:24 PM
Printed On : 01/03/2022 6:43 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

Colour (Urine/Physical examination)	Pale Yellow		Yellow to Amber
Appearance (Urine/Physical examination)	clear		
Volume(CLU)	30 ml		

CHEMICAL EXAMINATION

Leukocytes(CP)	Negative		
pH (Urine/Double Indicator)	7.0		4.5 - 8.0
Specific Gravity (Urine/Ionic concentration)	1.015		1.002 - 1.035
Ketone (Urine/Dip Stick Reagent strip Method / Rothera's mixture.)	Negative		Negative
Urobilinogen (Urine/Dipstick - Reagent strip method / Ehrlich's Reaction)	Normal		Within normal limits
Blood (Urine/Dip-Stick Method Peroxidase like activity of HB)	Negative		Negative
Nitrite (Urine/Dip Stick - Reagent strip method.)	Negative		Negative



VERIFIED BY

P. Deepthy Saranya
DR. P. Deepthy Saranya
M.B.B.S & M.D. Pathology
Consultant Pathologist
Reg.No: AP/AFMC - FMR 81632

APPROVED BY

Name : Mrs. S NEELIMA
PID No. : MED110999514
SID No. : 78358243
Age / Sex : 28 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 26/02/2022 9:34 AM
Collection On : 26/02/2022 10:08 AM
Report On : 27/02/2022 6:24 PM
Printed On : 01/03/2022 6:43 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Bilirubin (Urine/Dip Stick Diazotized Dichloro aniline/Fouchets method.)	Negative		Negative
Protein (Urine/Dipstick-Error of indicator/ Sulphosalicylic acid method)	Negative		Negative
Glucose (Urine/Dip Stick Method / Glucose Oxidase - Peroxidase / Benedict's semi quantitative method.)	Negative		Negative

Urine Microscopy Pictures

RBCs (Urine/Microscopy exam of urine sediment)	Nil	/hpf	Nil
Pus Cells (Urine/Microscopy exam of urine sediment)	3-4	/hpf	NIL
Casts (Urine/Microscopy exam of urine sediment)	Nil	/hpf	NIL
Epithelial Cells (Urine/Microscopy exam of urine sediment)	5-6	/hpf	Nil
Urine Crystals (Stool)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil

INTERPRETATION:Note: Done with Automated Urine Analyser & microscopy



VERIFIED BY

P. Deepthy Saranya
DR. P. Deepthy Saranya
M.B.B.S & M.D. Pathology
Consultant Pathologist
Reg.No: AP/AFMC - FMR 81632

APPROVED BY

Name : Mrs. S NEELIMA
PID No. : MED110999514
SID No. : 78358243
Age / Sex : 28 Year(s) / Female
Type : OP
Ref. Dr : MediWheel


Register On : 26/02/2022 9:34 AM
Collection On : 26/02/2022 10:08 AM
Report On : 27/02/2022 6:24 PM
Printed On : 01/03/2022 6:43 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Stool Analysis - ROUTINE</u>			
Colour (Stool/Physical examination)	Brown		Brown
Blood (Stool/Saline mount)	Not present		Not present
Mucus (Stool/Saline mount)	Not present		Not present
Reaction (Stool/PH)	Alkaline		Alkaline
Consistency (Stool/Physical examination)	Well Formed		Well Formed
Ova (Stool/Saline mount)	Nil		
Others (Stool/Saline mount)	Nil		Nil
Cysts (Stool/Saline mount)	Nil		
Trophozoites (Stool/Saline mount)	Nil		
RBCs (Stool/Saline mount)	Nil	/hpf	
Pus Cells (Stool/Saline mount)	2-3	/hpf	
Macrophages (Stool/Saline mount)	Nil		
Epithelial Cells (Stool/Saline mount)	1-2	/hpf	



VERIFIED BY



APPROVED BY

Name : Mrs. S NEELIMA
PID No. : MED110999514
SID No. : 78358243
Age / Sex : 28 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 26/02/2022 9:34 AM
Collection On : 26/02/2022 10:08 AM
Report On : 27/02/2022 6:24 PM
Printed On : 01/03/2022 6:43 PM



Investigation

Observed
Value

Unit

Biological
Reference Interval

HAEMATOLOGY

BLOOD GROUPING AND Rh TYPING
(Blood/Agglutination)

'B' 'Negative'

P. Deepthy Saranya
DR. P. Deepthy Saranya
M.B.B.S & M.D. Pathology
Consultant Pathologist
Reg.No: AP/AFMC - FMR 81632

APPROVED BY

Name : Mrs. S NEELIMA
PID No. : MED110999514
SID No. : 78358243
Age / Sex : 28 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 26/02/2022 9:34 AM
Collection On : 26/02/2022 10:08 AM
Report On : 27/02/2022 6:24 PM
Printed On : 01/03/2022 6:43 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BIOCHEMISTRY</u>			
BUN / Creatinine Ratio	24.8		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/Glucose oxidase/Peroxidase)	87	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/Glucose oxidase/Peroxidase)	95	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	15.4	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe - Alkaline Picrate)	0.93	mg/dL	0.6 - 1.1
Uric Acid (Serum/Enzymatic)	4.6	mg/dL	2.6 - 6.0

K. R. Mubilarasi
Dr. K. R. MUKILARASI M.D., (Path)
Consultant Pathologist
TNMC Reg.No: 116296

APPROVED BY

-- End of Report --

ADIVISION OF 4D ULTRASOUND & COLOUR DOPPLER

S.NEELIMA

Date: 26-02-2022

Age / Sex: 28 Y / F

Ref: MEDALL DIAGNOSTICS

ULTRA SONOGRAPHY – ABDOMEN & PELVIS

- LIVER:** Normal in size (14.3 cm) coarse in echotexture of liver parenchyma. No focal diffuse mass lesions. No Intrahepatic / extrahepatic biliary radicle dilatation.
- PV :** Normal in calibre.
- GALL BLADDER:** Normally distended. No wall thickening.
Calculus measuring 6 mm seen in the GB
- CBD:** Normal in calibre (3 mm).
- PANCREAS:** Normal in size & echotexture. No dilatation of Main pancreatic duct.
No parenchymal / ductal calcifications.
- SPLEEN:** Normal in size & echotexture.
- KIDNEYS:** Right kidney: 9.7 X 4.9 cm, Left kidney: 10.1 X 5.7 cm
Normal in size & echotexture.
Normal cortico-medullary differentiation maintained.
No calculi / dilatation of collecting system.
- RETROPERITONEUM:** Normal.
- URINARY BLADDER:** Well distended. Normal wall thickness. No calculi / no focal masses.
- UTERUS:** Anteverted.
Normal myometrial echotexture. No focal lesion.
Endometrial thickness is normal. Cervix is normal.
- OVARIES:** Normal in size & echotexture. No obvious adnexal pathology.
- BOWEL:** Bowel appears grossly normal. No bowel wall edema noted.
No free fluid in peritoneal cavity. No Pleural effusions.
- IMPRESSION:** **Coarse in echotexture of liver parenchyma.**
Cholelithiasis.

For clinical correlation & further evaluation


Dr.S.BHASKARA RAO, MD
Consultant Radiologist
Regd. No:72607

Dr.A.CHENNA RAYUDU, DMRD
Consultant Radiologist
Regd. No: 97975

This is a professional opinion only for the interpretation of referring doctors. This report is not valid for medico- legal purpose



(Medall Healthcare Pvt Ltd)

SASH SELF REFERRAL FORM

Stick the Barcode here

Customer Information

I, give consent to Medall Healthcare Pvt Ltd to perform the SASH Package investigation requested by me. I declare that **my age is 18 years or above 18 years** and I don't have any metal implants inside my body and don't have a pacemaker or stents. I am also aware that the blood tests are done in non-fasting (Random) Sample

Name: Mr/Ms/Mrs

A	.	N	E	E	L	I	M	A											
---	---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--

Company Name Occupation

For Corporate customers only Employee id: Department:

Date of Birth :

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

 or Age: Gender: Male Female

Contact Number :

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

 Pin Code

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Email ID :

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Vitals Observations (to be filled by Medall team)

Place of service : In store Camp – (mention Location) _____

Height

1	6	3	.		
---	---	---	---	--	--

 Cms

--	--	--	--	--	--

 feet

--	--	--	--	--	--

 Inches

Waist

3	3	.		
---	---	---	--	--

 Inches

Hip

4	1	.		
---	---	---	--	--

 Inches

Weight

6	8	.	2	
---	---	---	---	--

 Kgs

Fat

3	5	.	8	
---	---	---	---	--

 %

Visceral Fat

6	.	5	
---	---	---	--

 %

RM

1	3	7	8
---	---	---	---

 Cal

BMI

2	5	.	8
---	---	---	---

Body Age

4	4
---	---

 Yrs

Systolic BP




1	1	2
---	---	---

 mm/Hg

Diastolic BP

7	8
---	---

 mm/Hg



Clinical History / Medicines Taken

(This area is currently blank for clinical history and medicines taken.)

	Use Tobacco Products	Drink Alcohol
Never	<input type="checkbox"/>	<input type="checkbox"/>
Some days	<input type="checkbox"/>	<input type="checkbox"/>
Daily	<input type="checkbox"/>	<input type="checkbox"/>
Check in the appropriate box		

(Always Ensure that the customer is relaxed and in sitting position while doing BP check)

Date _____ Medall Employee Name & Id: _____

Report Language option (English is default) Hindi Kannada Malayalam Odiya Tamil Telugu

How did you come to know about SASH Store Communication Social Media Friends/Family Theatres Radio Posters Others

I have verified and agree with all the data in this sheet. Customer Signature

ADIVISION OF COMPUTED RADIOGRAPHY

S.NEELIMA

Date: 26-02-2022

Age / Sex: 28 Y / F

Ref: MEDALL DIAGNOSTICS


X - RAY CHEST – (PA View)

- * Trachea midline position.
- * Cardiac silhouette appears normal in size and density.
- * Mediastinum and bilateral hila appear normal.
- * Bilateral lung fields appear normal.
- * Bilateral hemi diaphragms and costo-phrenic angles appear normal.
- * Rib cage is normal.

IMPRESSION: No obvious abnormality.

Note: These are COVID-19 pandemic days and no place is secure as also the diagnostic Centre.
For clinical correlation & further evaluation

Dr.S.BHASKARA RAO, MD
Consultant Radiologist
Regd. No:72607


Dr.A.CHENNA RAYUDU, DMRD
Consultant Radiologist
Regd. No: 97975

This is a professional opinion only for the interpretation of referring doctors. This report is not valid for medico-legal purpose