PID No.
 : MUR4603
 Register On
 : 26/08/2023 8:17 AM

 SID No.
 : 223013797
 Collection On
 : 26/08/2023 8:31 AM

 Age / Sex
 : 44 Year(s) / Female
 Report On
 : 28/08/2023 7:19 PM

Printed On



Ref. Dr : MediWheel

: OP

Type

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BLOOD GROUPING AND Rh TYPING	'B' 'Positive'		
(EDTA Blood/Agglutination)			
INTERPRETATION: Reconfirm the Blood group an	d Typing before blood	transfusion	
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	12.6	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	37.5	%	37 - 47
RBC Count (EDTA Blood/Impedance Variation)	4.22	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	88.7	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	29.9	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	33.8	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	12.9	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	40.05	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	8700	cells/cu.m m	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	48.0	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	44.0	%	20 - 45

: 16/10/2023 5:32 PM





 PID No.
 : MUR4603
 Register On
 : 26/08/2023 8:17 AM

 SID No.
 : 223013797
 Collection On
 : 26/08/2023 8:31 AM

: 16/10/2023 5:32 PM

Printed On

Type : OP

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	3.6	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	4.2	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.2	%	00 - 02
INTERPRETATION: Tests done on Automated Fi	ive Part cell counter. Al	l abnormal results are re	eviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	4.18	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.83	10^3 / μ1	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.31	10^3 / μ1	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.37	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.02	10^3 / μ1	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	284	10^3 / μl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	9.0	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.26	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated - Westergren method)	29	mm/hr	< 20





PID No. Register On : MUR4603 : 26/08/2023 8:17 AM : 223013797 Collection On : 26/08/2023 8:31 AM SID No.

Age / Sex : 44 Year(s) / Female Report On 28/08/2023 7:19 PM **Printed On**

Type

Ref. Dr : MediWheel

: OP



<u>Investigation</u>	Observed	<u>Unit</u>	<u>Biological</u>
	<u>Value</u>		Reference Interval
BUN / Creatinine Ratio	11.4		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	90.6	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

: 16/10/2023 5:32 PM

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	101.0	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours)	Negative		Negative
(Urine - PP)			
Blood Urea Nitrogen (BUN)	11.1	mg/dL	7.0 - 21
(Serum/Urease UV / derived)			
Creatinine	0.97	mg/dL	0.6 - 1.1
(Serum/Modified Jaffe)			

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine

Uric Acid (Serum/Enzymatic) Liver Function Test	6.3	mg/dL	2.6 - 6.0
Bilirubin(Total) (Serum/DCA with ATCS)	0.55	mg/dL	0.1 - 1.2





 PID No.
 : MUR4603
 Register On
 : 26/08/2023 8:17 AM

 SID No.
 : 223013797
 Collection On
 : 26/08/2023 8:31 AM

 Age / Sex
 : 44 Year(s) / Female
 Report On
 : 28/08/2023 7:19 PM

: OP **Printed On** : 16/10/2023 5:32 PM

Ref. Dr : MediWheel

Туре



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.10	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.45	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	17.4	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	18.5	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	16.6	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	66.5	U/L	42 - 98
Total Protein (Serum/Biuret)	6.95	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.13	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.82	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.46		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	260.8	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	133.7	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500





PID No. Register On : MUR4603 : 26/08/2023 8:17 AM : 223013797 Collection On : 26/08/2023 8:31 AM SID No.

Age / Sex : 44 Year(s) / Female Report On 28/08/2023 7:19 PM **Type** : OP

Printed On

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	<u>Value</u>		Reference Interval

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

: 16/10/2023 5:32 PM

HDL Cholesterol (Serum/Immunoinhibition)	39.7	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	194.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	26.7	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	221.1	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

(Serum/Calculated)		Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	3.4	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0

6.6





Optimal: < 3.3

APPROVED BY

Total Cholesterol/HDL Cholesterol

 PID No.
 : MUR4603
 Register On
 : 26/08/2023 8:17 AM

 SID No.
 : 223013797
 Collection On
 : 26/08/2023 8:31 AM

 Age / Sex
 : 44 Year(s) / Female
 Report On
 : 28/08/2023 7:19 PM

Type : OP Printed On : 16/10/2023 5:32 PM

Ref. Dr : MediWheel



<u>Investigation</u>	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
LDL/HDL Cholesterol Ratio (Serum/Calculated)	4.9		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/ <i>HPLC</i>)	5.6	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 114.02 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 0.87 ng/ml 0.7 - 2.04

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total 9.44 μ g/dl 4.2 - 12.0

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.





APPROVED BY

The results pertain to sample tested.

Page 6 of 8

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA,.

 PID No.
 : MUR4603
 Register On
 : 26/08/2023 8:17 AM

 SID No.
 : 223013797
 Collection On
 : 26/08/2023 8:31 AM

 Age / Sex
 : 44 Year(s) / Female
 Report On
 : 28/08/2023 7:19 PM

Type : OP Printed On : 16/10/2023 5:32 PM

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Immunometric Assay (CLIA))	2.22	μIU/mL	0.35 - 5.50

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Urine Analysis - Routine

COLOUR (Urine)	Pale yellow		Yellow to Amber
APPEARANCE (Urine)	Clear		Clear
Protein (Urine/Protein error of indicator)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Pus Cells (Urine/Automated 6"Flow cytometry)	1 - 3	/hpf	NIL
Epithelial Cells (Urine/Automated 6"Flow cytometry)	1 - 2	/hpf	NIL
RBCs (Urine/Automated 6"Flow cytometry)	NIL	/hpf	NIL
Casts (Urine/Automated 6"Flow cytometry)	NIL	/hpf	NIL
Crystals (Urine/Automated 6"Flow cytometry)	NIL	/hpf	NIL





APPROVED BY

The results pertain to sample tested.

Page 7 of 8

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA,.

: MediWheel

PID No. : MUR4603 Register On : 26/08/2023 8:17 AM : 223013797 Collection On : 26/08/2023 8:31 AM SID No. Age / Sex : 44 Year(s) / Female

Report On 28/08/2023 7:19 PM

Ref. Dr

: OP

Printed On : 16/10/2023 5:32 PM

Observed <u>Unit</u> **Investigation** <u>Biological</u> **Value** Reference Interval NIL Others

(Urine)

Type

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.





APPROVED BY

-- End of Report --

Name : Ms. HILDA JASMINE.C Register On : 26/08/2023 8:17 AM

PID No. : MUR4603 **Collection On** : 26/08/2023 8:31 AM

Report On SID No. : 223013797 : 28/08/2023 7:19 PM

Printed On Age / Sex : 44 Year(s) / Female : 16/10/2023 5:33 PM

: MediWheel OP / IP Ref. Dr : OP

PAP Smear by LBC(Liquid based Cytology)

SPECIMEN NO: Cy 2372/2023

MICROSCOPIC FINDINGS:

ADEQUACY : Satisfactory.

PREDOMINANT CELLS: Intermediate cells and a few

superficial cells.

BACKGROUND : Scant neutrophils.

ORGANISMS: Fungal organisms, morphologically consistent

with Candida species.

The results pertain to sample tested.

IMPRESSION:

Candidiasis.

Negative for intraepithelial lesion/ malignancy.





Name	HILDA JASMINE.C	ID	MUR4603
Age & Gender	44-Female		8/28/202 3 7:19:48 PM
Ref Doctor Name	MediWheel		



SONOGRAM REPORT

WHOLE ABDOMEN

The liver is normal in size and shows diffuse fatty changes. No focal lesion is seen.

The gall bladder is partially distended.

There is no intra or extra hepatic biliary ductal dilatation.

The pancreas shows a normal configuration and echotexture. The pancreatic duct is normal.

The portal vein and the IVC are normal.

The spleen is normal.

There is no free or loculated peritoneal fluid.

No para aortic lymphadenopathy is seen.

No abnormality is seen in the region of the adrenal glands.

The right kidney measures 9.8 x 5.1 cm.

The left kidney measures 10.3 x 5.1 cm.

Both kidneys are normal in size, shape and position. Cortical echoes are normal bilaterally.

There is no calculus or calyceal dilatation.

The ureters are not dilated.

The bladder is smooth walled and uniformly transonic. There is no intravesical mass or calculus.

The uterus is anteverted, and measures 5.7 x 4.0 x 3.4 cm.

Myometrial echoes are homogeneous. The endometrial thickness is 5.4 mm.

The right ovary measures 2.2 x 1.4 cm.

- 1.This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- $2. \\ The results reported here in are subject to interpretation by qualified medical professionals only.$
- 3.Customer identities are accepted provided by the customer or their representative.
 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc..
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9. Liability is limited to the extend of amount billed.
- 10. Reports are subject to interpretation in their entirety partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennal only.

Name	HILDA JASMINE.C	ID	MUR4603
Age & Gender	44-Female	Visit Date	8/28/202 3 7:19:48 PM
Ref Doctor Name	MediWheel		



The left ovary measures 2.2 x 1.7 cm.

No significant mass or cyst is seen in the ovaries.

Parametria are free.

Iliac fossae are normal.

IMPRESSION:

- Fatty liver.
- Normal study of other organs.

Uma

DR. UMALAKSHMI SONOLOGIST

- 1.This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2.The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6. Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc..
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9. Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennal only.

Name	HILDA JASMINE.C	ID	MUR4603
Age & Gender	44-44-Female		8/28/2023 7:19:48 PM
Ref Doctor Name	MediWheel		



ECHOCARDIOGRAPHY

M-MODE MEASUREMENTS:-

	<u> </u>
<u>VALUES</u>	
AO	2.8 cm
LA	3.1 cm
LVID(D)	4.7 cm
LVID (S)	2.5 cm
IVS (D)	1.1 cm
IVS (S)	1.0 cm
LVPW (D)	1.0 cm
LVPW (S)	0.8 cm
EF	66 %
FS	36 %
TAPSE	19 mm

DOPPLER AND COLOUR FLOW PARAMETERS:-

Aortic Valve Gradient : V max - 1.22 m/sec Pulmonary Valve Gradient : V max - 0.81 m/sec

Mitral Valve Gradient : E: 0.59 m/sec A: 0.90 m/sec

Tricuspid Valve Gradient : V max - 0.41 m/sec

VALVE MORPHOLOGY:-

Aortic valve - Normal
Mitral valve - Normal
Tricuspid valve - Normal
Pulmonary valve - Normal

CHAMBERS

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3. Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- $10. \\ Reports are subject to interpretation in their entirety, partial or selective interpretation may lead to false opinion.$
- 11.Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	HILDA JASMINE.C	ID	MUR4603
Age & Gender	44-44-Female	Visit Date	8/28/2023 7:19:48 PM
Ref Doctor Name	MediWheel		



LEFT ATRIUM	NORMAL
LEFT VENTRICLE	NORMAL
RIGHT ATRIUM	NORMAL
RIGHT VENTRICLE	NORMAL
INTER ATRIAL SEPTUM	INTACT
INTERVENTRICULAR SEPTUM	INTACT

ECHO FINDINGS:

No Regional Wall Motion Abnormality (RWMA)

Normal Left Ventricular systolic function, EF 66%.

Grade I LV Diastolic Dysfunction.

No Mitral Stenosis / Trivial Mitral Regurgitation.

No Aortic Stenosis / Aortic Regurgitation.

Normal RV Function / Trivial Tricuspid Regurgitation (2.2 m/s).

No Pulmonary Artery Hypertension.

No LA/LV Clot.

No Vegetation / Pericardial Effusion.

No ASD/VSD/ PDA/ CoA.

IMPRESSION:

- * STRUCTURALLY NORMAL HEART.
- * NORMAL LEFT VENTRICULAR SYSTOLIC FUNCTION, EF 66%



- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- $3. Customer\ identities\ are\ accepted\ provided\ by\ the\ customer\ or\ their\ representative.$
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10. Reports are subject to interpretation in their entirety partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Ms. HILDA JASMINE.C	ID	MUR4603
Age & Gender	44Y/F	Visit Date	Aug 26 2023 8:16AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

Dr. Rama Krishnan. MD, <u>DNB.</u>, Consultant Radiologist. Medall Healthcare Pvt Ltd.

Name	HILDA JASMINE.C	ID	MUR4603
Age & Gender	44-44-Female		8/28/2023 7:19:48 PM
Ref Doctor Name	MediWheel		



Personal Health Report

General Examination:

Height: 155.0 cms
Weight: 66.6 kg
BMI: 27.7 kg/m²

BP: 130/80 mmhg Pulse: 80/ min, regular

Systemic Examination:

CVS: S1 S2 heard; RS: NVBS +. Abd: Soft. CNS: NAD

Blood report:

ESR- 29 mm/hr- Slightly elevated.

Total cholesterol -260.8 mg/dl - Elevated.

All other blood parameters are well within normal limits. (Report enclosed).

Urine analysis - Within normal limits.

X-Ray Chest - Normal study.

ECHO - Normal.

Dental - Normal.

ECG - Normal ECG.

USG whole abdomen - Fatty liver.

Eye Test - Distant vision defect.

Vision	Right eye	Left eye	
Distant Vision	6/12	6/12	
Near Vision	N6	N6	
Colour Vision	Normal	Normal	

Impression & Advice:

ESR- 29 mm/hr- Slightly elevated. To consult general physician for further evaluation and REPORT DISCLAIMER

- 1.This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- $2. \\ The results reported here in are subject to interpretation by qualified medical professionals only.$
- 3.Customer identities are accepted provided by the customer or their representative.
 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc..
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9. Liability is limited to the extend of amount billed.
- 10. Reports are subject to interpretation in their entirety partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennal only.

Name	HILDA JASMINE.C	ID	MUR4603
Age & Gender	44-44-44-Female	Visit Date	8/28/2023 7:19:48 PM
Ref Doctor Name	MediWheel		



management.

Total cholesterol -260.8 mg/dl - Elevated. To be brought down to the desirable level of 200mg/dl by having low cholesterol, high fiber diet recommended by the dietician.

USG whole abdomen - Fatty liver. To take low fat diet, and high fiber diets. Regular brisk walking for 45 minutes daily, 5 days a week is essential.

Eye Test - Distant vision defect. To consult an ophthalmologist for further evaluation and management.

All other health parameters are well within normal limits.

DR. NOOR MOHAMMED RIZWAN A. M.B.B.S, FDM MHC Physician Consultant

- 1.This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- $2. \mbox{The results}$ reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6. Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9. Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennal only.