BABU

 PID No.
 : MED111534921
 Register On
 : 11/03/2023 9:42 AM

 SID No.
 : 80025398
 Collection On
 : 11/03/2023 10:18 AM

 Age / Sex
 : 32 Year(s) / Male
 Report On
 : 11/03/2023 2:21 PM

Printed On

: 17/03/2023 6:26 PM

medall DIAGNOSTICS

Ref. Dr : MediWheel

: OP

Type

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BLOOD GROUPING AND Rh TYPING	'O' 'Negative'		
(Blood/Agglutination)			
Complete Blood Count With - ESR			
Haemoglobin (Blood/Spectrophotometry)	16.2	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (Blood/Numeric Integration of MCV)	48.7	%	42 - 52
RBC Count (Blood/Electrical Impedance)	5.76	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (Blood/Calculated)	84.5	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (Blood/Calculated)	28.2	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (Blood/Calculated)	33.3	g/dL	32 - 36
RDW-CV (Calculated)	14.6	%	11.5 - 16.0
RDW-SD (Calculated)	43.18	fL	39 - 46
Total Leukocyte Count (TC) (Blood/Electrical Impedance)	10490	cells/cu.mm	4000 - 11000
Neutrophils (Blood/ <i>Impedance and absorbance</i>)	52.53	%	40 - 75
Lymphocytes (Blood/ <i>Impedance and absorbance</i>)	39.80	%	20 - 45
Eosinophils (Blood/Impedance and absorbance)	1.73	%	01 - 06







APPROVED BY

The results pertain to sample tested.

Page 1 of 8

Lab Address: MEDALL HEALTH CARE PVT LTD,#17-11-3/4,DR.GKS MANSION,OFFICIAL COLONY,MAHARANI PETA, VIZAG 530002,.

BABU

 PID No.
 : MED111534921
 Register On
 : 11/03/2023 9:42 AM

 SID No.
 : 80025398
 Collection On
 : 11/03/2023 10:18 AM

 Age / Sex
 : 32 Year(s) / Male
 Report On
 : 11/03/2023 2:21 PM

 Type
 : OP
 Printed On
 : 17/03/2023 6:26 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
Monocytes (Blood/Impedance and absorbance)	5.72	%	01 - 10
Basophils (Blood/Impedance and absorbance)	0.21	%	00 - 02
INTERPRETATION: Tests done on Automated I	Five Part cell counter	er. All abnormal results are re	eviewed and confirmed microscopically.
Absolute Neutrophil count (Blood/Impedance and absorbance)	5.51	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (Blood/Impedance)	4.18	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (Blood/Impedance)	0.18	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (Blood/Impedance)	0.60	10^3 / μl	< 1.0
Absolute Basophil count (Blood/Impedance)	0.02	10^3 / μl	< 0.2
Platelet Count (Blood/Impedance)	2.67	lakh/cu.mm	1.4 - 4.5
INTERPRETATION: Platelet count less than 1.5	lakhs will be confir	med microscopically.	
MPV (Blood/Derived from Impedance)	7.64	fL	7.9 - 13.7
PCT (Calculated)	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated ESR analyser)	08	mm/hr	< 15
BUN / Creatinine Ratio	15.8		
Glucose Fasting (FBS) (Plasma - F/Glucose oxidase/Peroxidase)	93	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126







BABU

 PID No.
 : MED111534921
 Register On
 : 11/03/2023 9:42 AM

 SID No.
 : 80025398
 Collection On
 : 11/03/2023 10:18 AM

 Age / Sex
 : 32 Year(s) / Male
 Report On
 : 11/03/2023 2:21 PM

Printed On

med

Ref. Dr : MediWheel

: OP

Type

<u>Investigation</u>	Observed Unit	<u>Biological</u>
-	Value	Reference Interval

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

: 17/03/2023 6:26 PM

Glucose, Fasting (Urine) (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS)	154	mg/dL	70 - 140

(Plasma - PP/GOD - POD)

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Calculated)	15.8	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe ~Alkaline Picrate)	1	mg/dL	0.9 - 1.3
Uric Acid (Serum/Uricase/Peroxidase)	3.7	mg/dL	3.5 - 7.2
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulphanilic acid)	0.6	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulphanilic acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Calculated)	0.40	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC without P-5-P)	31	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC without P-5-P)	93	U/L	5 - 41









BABU

 PID No.
 : MED111534921
 Register On
 : 11/03/2023 9:42 AM

 SID No.
 : 80025398
 Collection On
 : 11/03/2023 10:18 AM

 Age / Sex
 : 32 Year(s) / Male
 Report On
 : 11/03/2023 2:21 PM

Type : OP Printed On : 17/03/2023 6:26 PM

Ref. Dr : MediWheel



<u>Investigation</u>	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Alkaline Phosphatase (SAP) (Serum/IFCC AMP Buffer)	108	U/L	53 - 128
Total Protein (Serum/Biuret)	7.2	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	3.8	gm/dl	3.5 - 5.2
Globulin (Serum/Calculated)	3.40	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Calculated) INTERPRETATION: Enclosure : Graph	1.12		1.1 - 2.2
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	41	U/L	< 55
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	204	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol-phosphate oxidase/Peroxidase)	153	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.








BABU

: MED111534921 PID No. Register On : 11/03/2023 9:42 AM SID No. : 80025398 Collection On : 11/03/2023 10:18 AM Age / Sex : 32 Year(s) / Male Report On : 11/03/2023 2:21 PM

Type : OP **Printed On** : 17/03/2023 6:26 PM

Ref. Dr : MediWheel



Borderline High: 160 - 189 High: 190 - 219 Very High: ≥ 220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol 3.1

Ratio

(Serum/Calculated)

Triglyceride/HDL Cholesterol Ratio 2.4

(TG/HDL) (Serum/Calculated)

Optimal: < 3.3Low Risk: 3.4 - 4.4

Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Optimal: < 2.5Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0







BABU

PID No. : MED111534921 Register On : 11/03/2023 9:42 AM SID No.

: 80025398 Collection On : 11/03/2023 10:18 AM

Report On

Type : OP **Printed On** : 17/03/2023 6:26 PM

Ref. Dr : MediWheel

Age / Sex : 32 Year(s) / Male

Observed <u>Unit</u> **Investigation Biological** Value Reference Interval LDL/HDL Cholesterol Ratio 1.7 Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 (Serum/Calculated) High Risk: > 6.0

: 11/03/2023 2:21 PM

Glycosylated Haemoglobin (HbA1c)

HbA1C 5.8 % Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 (Whole Blood/HPLC-Ion exchange)

Diabetic: \geq 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Mean Blood Glucose 119.76 mg/dl

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

THYROID PROFILE / TFT

0.7 - 2.041.28 ng/ml T3 (Triiodothyronine) - Total

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total 10.29 µg/dl 4.2 - 12.0

(Serum/Chemiluminescent Immunometric Assay (CLIA))







BABU

Report On

Type : OP Printed On : 17/03/2023 6:26 PM

Ref. Dr : MediWheel

Age / Sex : 32 Year(s) / Male

InvestigationObservedUnitBiologicalValueReference Interval

: 11/03/2023 2:21 PM

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 4.23 µIU/mL 0.35 - 5.50

(Serum/Chemiluminescence)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Urine Analysis - Routine

Others

(Urine/Microscopy)

INTERPRETATION: Note: Done with Automated Urine Analyser & microscopy

Physical Examination(Urine Routine)

Colour PALE YELLOW Yellow to Amber

(Urine/Physical examination)

Appearance Clear Clear

(Urine/Physical examination)

<u>Chemical Examination(Urine Routine)</u>

Protein Trace Negative

(Urine/Dipstick-Error of indicator/ Sulphosalicylic acid method)









APPROVED BY

The results pertain to sample tested.

Page 7 of 8

Lab Address: MEDALL HEALTH CARE PVT LTD,#17-11-3/4,DR.GKS MANSION,OFFICIAL COLONY,MAHARANI PETA, VIZAG 530002,.

BABU

 PID No.
 : MED111534921
 Register On
 : 11/03/2023 9:42 AM

 SID No.
 : 80025398
 Collection On
 : 11/03/2023 10:18 AM

 Age / Sex
 : 32 Year(s) / Male
 Report On
 : 11/03/2023 2:21 PM

Ref. Dr : MediWheel

\Box	
medall	

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Glucose (Urine/Dip Stick Method / Glucose Oxidase - Peroxidase / Benedict s semi quantitative method.)	Negative		Negative
Microscopic Examination(Urine Routine)			
Pus Cells (Urine/Microscopy exam of urine sediment)	2-3	/hpf	0 - 5
Epithelial Cells (Urine/Microscopy exam of urine sediment)	1-2	/hpf	0 - 5
RBCs (Urine/Microscopy exam of urine sediment)	NIL	/hpf	0 - 5







APPROVED BY

-- End of Report --



Name	CHUKKALA SASHIDHAR BABU	ID	MED111534921
Age & Gender	32Y/M	Visit Date	Mar 11 2023 9:41AM
Ref Doctor	MediWheel		

ULTRASOUND WHOLE ABDOMEN

Liver : Mildly enlarged in size (16.9 cm) with diffuse increase in

echotexture.

There is no evidence of IHBR / EHBR dilatation seen.

No focal space occupying lesions seen.

CBD is normal. PV normal.

Gall Bladder : Normal in volume and wall thickness.

No e/o intraluminal calculi seen.

Pancreas : Head, body and tail are identified with normal echopattern and

smooth outlines.

Spleen : Measured 10.7 cm, in size with normal echotexture.

Right kidney: Measured 9.9 x 5.8 cm in size.

Left kidney : Measured 10.1 x 5.4 cm in size.

Both kidneys are normal in size, position, with well preserved cortico medullary differentiation and normal

pelvicalyceal anatomy.

 Thin walled cystic lesion with peripheral speck of calcification measuring approximately 12 mm in diameter is noted in inter pole of left kidney.
 No e/o calculi / space occupying lesion seen.
 No e/o suprarenal / retroperitoneal masses noted.

Urinary : Normal in volume and wall thickness.
bladder : No e/o intraluminal calculi / masses seen.

Prostate : Measured 2.6 x 2.6 x 2.5 cm in size (Vol : 9.1 cc) with normal

echotexture.

No e/o ascites / pleural effusion seen. No e/o detectable bowel pathology seen.



Name	CHUKKALA SASHIDHAR BABU	ID	MED111534921
Age & Gender	32Y/M	Visit Date	Mar 11 2023 9:41AM
Ref Doctor	MediWheel		

IMPRESSION:

- Mild hepatomegaly with Grade II steatosis To correlate with LFT.
- Cortical cyst in left kidney (Bosniak II).
- For clinical correlation.

Dr.Jahn av i Barla, MD (RD)

Consultant Radiologist