

UHID/MR NO

# CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk, Dehradun Ph: 9235501532,01352710192 CIN: U85110DL2003PLC308206





Patient Name : Mr.PRADEEP SHARMA-PKG10000238 Age/Gender

: IDUN.0000163949

Registered On Collected : 38 Y O M O D /M

> Received Reported

: 17/Feb/2022 10:31:21 : 17/Feb/2022 10:56:55

Visit ID : IDUN0444882122 Ref Doctor : Dr.MediWheel Knp

: 17/Feb/2022 11:29:53 Status : Final Report

## **DEPARTMENT OF HAEMATOLOGY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Unit **Test Name** Result Bio. Ref. Interval Method

Blood Group (ABO & Rh typing) \*, Blood

**Blood Group** Rh (Anti-D)

AΒ

**POSITIVE** 

Complete Blood Count (CBC) \*, Blood

Taloud				
Haemoglobin	15.00	g/dl_	Male- 13.5-17.5 g/dl Female-12.0-15.5 g/	
TLC (WBC)	9,490.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils )	56.90	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	31.70	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	7.40	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.40	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.60	%	C<1 / 6 6 6 6	ELECTRONIC IMPEDANCE
ESR				
Observed	12.00	Mm for 1st hr		
Corrected	6.00	Mm for 1st hr	. < 9	
PCV (HCT)	45.20	cc %	40-54	
Platelet count				
Platelet Count	3.33	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	13.40	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	39.10	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.34	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	5.24	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	86.30	fl	80-100	CALCULATED PARAMETER
MCH	28.70	pg	28-35	CALCULATED PARAMETER
च}्छ छ । च	33.20	%	30-38	CALCULATED PARAMETER
	12.00	%	11-16	ELECTRONIC IN 1
	42.50	fL	35-60	ELECTRONIC IN
utrophils Count	5,400.00	/cu mm	3000-7000	DR. RITU KALIA MD (PATHOLOGY)
Count (AFC)	220.00	/ou mm	10 110	WID (PATHOLOGY)

/cu mm

40-440



sinophils Count (AEC)



320.00



Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206





Patient Name : Mr.PRADEEP SHARMA-PKG10000238 : 17/Feb/2022 10:23:53 Registered On Age/Gender : 17/Feb/2022 10:31:21 : 38 Y O M O D /M Collected UHID/MR NO : IDUN.0000163949 Received : 17/Feb/2022 10:56:55 Visit ID : IDUN0444882122 Reported : 17/Feb/2022 14:57:52 Ref Doctor : Final Report : Dr.MediWheel Knp Status

# **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

|--|

**GLUCOSE FASTING**, Plasma

Glucose Fasting 115.60 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

**Interpretation:** 

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP 203.70 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

## **Interpretation:**

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	8.44	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (Hb-A1c)	69.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	196	mg/dl	

#### **Interpretation:**

# NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.







Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN: U85110DL2003PLC308206





Patient Name : 17/Feb/2022 10:23:53 : Mr.PRADEEP SHARMA-PKG10000238 Registered On Collected Age/Gender : 38 Y O M O D /M : 17/Feb/2022 10:31:21 UHID/MR NO : IDUN.0000163949 Received : 17/Feb/2022 10:56:55 Visit ID : IDUN0444882122 Reported : 17/Feb/2022 14:57:52 Ref Doctor : Dr.MediWheel Knp Status : Final Report

#### **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
-----------	--------	------	--------------------	--------	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:
- \*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN: U85110DL2003PLC308206





Patient Name : Mr.PRADEEP SHARMA-PKG10000238 Registered On : 17/Feb/2022 10:23:53 Age/Gender Collected : 17/Feb/2022 10:31:21 : 38 Y O M O D /M UHID/MR NO : IDUN.0000163949 Received : 17/Feb/2022 10:56:55 Visit ID : IDUN0444882122 Reported : 17/Feb/2022 14:57:52 Ref Doctor : Dr.MediWheel Knp Status : Final Report

## **DEPARTMENT OF BIOCHEMISTRY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Un	it Bio. Ref. Inter	val Method
BUN (Blood Urea Nitrogen) * Sample:Serum	11.10	mg/dL	7.0-23.0	CALCULATED
<b>Creatinine</b> Sample:Serum	0.72	mg/dl	0.7-1.3	MODIFIED JAFFES
e-GFR (Estimated Glomerular Filtration Rate) Sample:Serum	118.00	ml/min/1,73m.	2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid Sample:Serum	8.32	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	26.96	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	39.29	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	45.94	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.47	gm/dl	6.2-8.0	BIRUET
Albumin	5.07	gm/dl	3.8-5.4	B.C.G.
Globulin	2.40	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	2.11		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	83.20	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.84	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.32	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.52	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum				
Cholesterol (Total)	270.69	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	57.98	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	162	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline Hig	
			160-189 High > 190 Very High	jii
	51.03	mg/dl	10-33	CALCULAT /
	255.17	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP ph Dr. Smriti Gupta (Md pathologist)







Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206





Patient Name : Mr.PRADEEP SHARMA-PKG10000238 Registered On : 17/Feb/2022 10:23:53 Age/Gender : 38 Y O M O D /M Collected : 17/Feb/2022 12:59:24 UHID/MR NO Received : 17/Feb/2022 13:09:15 : IDUN.0000163949 Visit ID : IDUN0444882122 Reported : 17/Feb/2022 16:35:36

Ref Doctor : Dr.MediWheel Knp Status : Final Report

## **DEPARTMENT OF CLINICAL PATHOLOGY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
JRINE EXAMINATION, ROUTINE * ,	Urine			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (6.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		, 3	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
	ADOFNIT		> 2 (++++)	DIO OLIEN MOTEV
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells ·	ABSENT			MICROSCOPIC
				EXAMINATION
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
UGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
T 4 4.		,		

## **Interpretation:**

(+)< 0.5

(++)0.5 - 1.0

(+++) 1-2









UHID/MR NO

# CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206





Patient Name : Mr.PRADEEP SHARMA-PKG10000238 Age/Gender : 38 Y 0 M 0 D /M

: 38 Y 0 M 0 D /M : IDUN.0000163949

Collected Received

Registered On

: 17/Feb/2022 12:59:24 : 17/Feb/2022 13:09:15

: 17/Feb/2022 10:23:53

Visit ID : IDUN0444882122
Ref Doctor : Dr.MediWheel Knp

Reported : 17/Feb/2022 16:35:36

Status : Final Report

# **DEPARTMENT OF CLINICAL PATHOLOGY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

**SUGAR, PP STAGE \***, Urine

Sugar, PP Stage

**ABSENT** 

**Interpretation:** 

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%



Dr. Smriti Gupta (Md pathologist)







Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN: U85110DL2003PLC308206





Patient Name : Mr.PRADEEP SHARMA-PKG10000238 : 17/Feb/2022 10:23:53 Registered On Age/Gender Collected : 38 Y O M O D /M : 17/Feb/2022 10:31:21 UHID/MR NO : IDUN.0000163949 Received : 18/Feb/2022 13:24:21 Visit ID : IDUN0444882122 Reported : 18/Feb/2022 14:22:24 : Final Report Ref Doctor : Dr.MediWheel Knp Status


# **DEPARTMENT OF IMMUNOLOGY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

/dl 84.61–201.7 CLIA /dl 3.2-12.6 CLIA	
/dl 3.2-12.6 CLIA	
/dl 3.2-12.6 CLIA	
/dl 3.2-12.6 CLIA	
/mL 0.27 - 5.5 CLIA	
μIU/mL First Trimester	
μIU/mL Second Trimester	
μIU/mL Third Trimester	
μIU/mL Adults 55-87 Years	
μIU/mL Premature 28-36 Wee	ek
μIU/mL Cord Blood > 37Wee	k
μIU/mL Child(21 wk - 20 Yrs.)	
μIU/mL Child 0-4 Days	
	$\begin{array}{llllllllllllllllllllllllllllllllllll$

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.











Age/Gender

UHID/MR NO

## CHANDAN DIAGNOSTIC CENTRE

Add: Armelia.1St Floor.56New Road, M.K.P Chowk.Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



: 17/Feb/2022 16:09:48



Patient Name : Mr.PRADEEP SHARMA-PKG10000238

: 38 Y O M O D /M

: IDUN.0000163949

: Dr.MediWheel Knp

Visit ID : IDUN0444882122 Ref Doctor

Received Reported

> Status : Final Report

: N/A

: N/A

Registered On

Collected

## **DEPARTMENT OF X-RAY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA \* (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

#### **DIGITAL CHEST P-A VIEW**

- Bifid right 3rd rib is seen.
- Pulmonary parenchyma did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Diaphragmatic shadows are normal on both sides.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.

#### **IMPRESSION:**

Bifid right 3rd rib



Dr. Amit Bhandari MBBS MD RADIOLOGY







Add: Armelia.1St Floor.56New Road, M.K.P Chowk.Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



: 17/Feb/2022 10:23:53



Patient Name : Mr.PRADEEP SHARMA-PKG10000238

: 38 Y O M O D /M

Registered On

: IDUN.0000163949

Collected : N/A Received : N/A

UHID/MR NO Visit ID

Age/Gender

: IDUN0444882122

Reported : 17/Feb/2022 11:01:45

Ref Doctor : Dr.MediWheel Knp Status : Final Report

# DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

# **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \***

Liver is mildly enlarged and measures approx 15.5 cm. It shows diffuse increase in echogenicity. No focal lesion seen.

PV and CBD are normal. IHBR are not dilated.

**Gall bladder** seen in distended state with echofree lumen. Wall thickness is normal.

**Spleen** is normal in size, shape and echotexture.

Pancreas Head and body appear normal. Tail is obscured by bowel gases.

Kidneys: Both kidneys are normal in size, shape and echotexture. Cortico-medullary differentiation is maintained. Parenchymal thickness is normal. No obvious mass/calculus/hydronephrosis seen.

**Urinary bladder** seen in distended state with echofree lumen. Wall thickness is normal.

**Prostate** is normal in size and echotexture.

No significant free fluid seen in peritoneal cavity.

\*\*Defect measuring approx 13 mm is seen in umbilical region with fat herniating through it.

IMP:- GRADE I FATTY LIVER.

UMBILICAL HERNIA.

Note: In case of any discrepancy due to typing error kindly get it rectified immediately

## \*\*\* End Of Report \*\*\*

(\*) Test not done under NABL accredited Scope, (\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG



Dr. Amit Bhandari MBBS MD RADIOLOGY

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* \*Facilities Available at Select Location 365 Days Open





