



Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.NEHA UPADHYAYA Registered On : 22/Apr/2023 08:21:14 Age/Gender Collected : 32 Y 11 M 28 D /F : 22/Apr/2023 10:27:55 UHID/MR NO : CHLD.0000090480 Received : 22/Apr/2023 10:53:24 : CHLD0015422324 Visit ID Reported : 22/Apr/2023 13:33:36

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

CARE LTD HLD

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

Blood Group (ABO & Rh typing) *, Blood

Blood Group A
Rh (Anti-D) POSITIVE

Complete Blood Count (CBC) *, Whole Blood

complete blood count (CBC)	, whole blood			
Haemoglobin	13.60	g/dl	1 Day- 14.5-22.5 g/	dl
			1 Wk- 13.5-19.5 g/c	dl .
			1 Mo- 10.0-18.0 g/d	d
			3-6 Mo- 9.5-13.5 g/	'dl
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/	dl
			6-12 Yr- 11.5-15.5 g	
			12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/d	
			Female- 12.0-15.5 g	
TLC (WBC)	6,400.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	64.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	32.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	1.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	< 1	ELECTRONIC IMPEDANCE
ESR				
Observed	12.00	Mm for 1st h	r.	
Corrected	NR	Mm for 1st h	r. < 20	
PCV (HCT)	43.00	%	40-54	
· · · · ·				

LACS/cu mm 1.5-4.0

Mill./cu mm 3.7-5.0

9-17

35-60

0.108-0.282

6.5-12.0

fL

%

%

fΙ

ISO 9001:2015

RBC Count

Platelet count
Platelet Count

PDW (Platelet Distribution width)

P-LCR (Platelet Large Cell Ratio)

MPV (Mean Platelet Volume)

PCT (Platelet Hematocrit)

Home Sample Collection 1800-419-0002

ELECTRONIC

IMPEDANCE/MICROSCOPIC

ELECTRONIC IMPEDANCE

ELECTRONIC IMPEDANCE

ELECTRONIC IMPEDANCE

ELECTRONIC IMPEDANCE

ELECTRONIC IMPEDANCE

2.78

15.60

36.90

0.32

11.50

4.45





Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.NEHA UPADHYAYA Registered On : 22/Apr/2023 08:21:14 Age/Gender : 32 Y 11 M 28 D /F Collected : 22/Apr/2023 10:27:55 UHID/MR NO : CHLD.0000090480 Received : 22/Apr/2023 10:53:24 Visit ID : CHLD0015422324 Reported : 22/Apr/2023 13:33:36

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	93.60	fl	80-100	CALCULATED PARAMETER
MCH	30.50	pg	28-35	CALCULATED PARAMETER
MCHC	32.60	%	30-38	CALCULATED PARAMETER
RDW-CV	12.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	37.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,096.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	192.00	/cu mm	40-440	











Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.NEHA UPADHYAYA Registered On : 22/Apr/2023 08:21:17 Age/Gender : 32 Y 11 M 28 D /F Collected : 22/Apr/2023 10:27:55 UHID/MR NO : CHLD.0000090480 Received : 22/Apr/2023 10:53:24 Visit ID : CHLD0015422324 Reported : 22/Apr/2023 12:24:03

: Dr.MEDIWHEEL ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD HLD

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

lest Name	Result	Unit	Bio. Ret. Interval	ivietnoa	
01110005 5105010					

GLUCOSE FASTING, Plasma

Glucose Fasting 94.10 mg/dl < 100 Normal **GOD POD** 100-125 Pre-diabetes

≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP 129.00 mg/dl <140 Normal **GOD POD** Sample:Plasma After Meal

140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.40	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	36.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	108	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- · eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : 22/Apr/2023 08:21:17 : Mrs.NEHA UPADHYAYA Registered On Collected : 22/Apr/2023 10:27:55 Age/Gender : 32 Y 11 M 28 D /F UHID/MR NO : CHLD.0000090480 Received : 22/Apr/2023 10:53:24 Visit ID : CHLD0015422324 Reported : 22/Apr/2023 12:24:03

: Dr.MEDIWHEEL ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD HLD

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	9.50	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.79	mg/dl	Serum 0.5-1.5 Spot Urine-Male- 20- 275 Female-20-320	MODIFIED JAFFES
Uric Acid Sample:Serum	3.08	mg/dl	2.5-6.0	URICASE





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.NEHA UPADHYAYA Registered On : 22/Apr/2023 08:21:17 Age/Gender Collected : 22/Apr/2023 10:27:55 : 32 Y 11 M 28 D /F UHID/MR NO : CHLD.0000090480 Received : 22/Apr/2023 10:53:24 Visit ID : CHLD0015422324 Reported : 22/Apr/2023 12:24:03

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	Jnit Bio	. Ref. Interval	Method
LFT (WITH GAMMA GT) * , Serum					
SGOT / Aspartate Aminotransferase (AST)	24.78	U/L	< 35	1	FCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	18.56	U/L	< 40	1	FCC WITHOUT P5P
Gamma GT (GGT)	12.10	IU/L	11-50	C	OPTIMIZED SZAZING
Protein	6.58	gm/dl	6.2-8.0	E	BIRUET
Albumin	4.26	gm/dl	3.8-5.4	Е	3.C.G.
Globulin	2.32	gm/dl	1.8-3.6		CALCULATED
A:G Ratio	1.84		1.1-2.0		CALCULATED
Alkaline Phosphatase (Total)	65.52	U/L	42.0-165.0) 1	FCC METHOD
Bilirubin (Total)	0.60	mg/dl	0.3-1.2	J	ENDRASSIK & GROF
Bilirubin (Direct)	0.26	mg/dl	< 0.30	J	ENDRASSIK & GROF
Bilirubin (Indirect)	0.34	mg/dl	< 0.8	J	ENDRASSIK & GROF
LIPID PROFILE (MINI) , Serum					
Cholesterol (Total)	206.00	mg/dl	<200 Desira 200-239 Bo > 240 High	ab <mark>le (</mark> orderline High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	46.00	mg/dl	30-70		DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	137	mg/dl	•		CALCULATED
			160-189 Hi > 190 Very	· ·	
VLDL	22.78	mg/dl	10-33	•	CALCULATED
Triglycerides	113.90	mg/dl	< 150 Norn 150-199 Bo 200-499 Hi >500 Very	orderline High igh	GPO-PAP











Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.NEHA UPADHYAYA Registered On : 22/Apr/2023 08:21:16 Age/Gender : 32 Y 11 M 28 D /F Collected : 22/Apr/2023 13:16:29 UHID/MR NO : CHLD.0000090480 Received : 22/Apr/2023 13:45:45 Visit ID : CHLD0015422324 Reported : 22/Apr/2023 14:50:54

: Dr.MEDIWHEEL ARCOFEMI HEALTH

Ref Doctor Status : Final Report CARE LTD HLD

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , ι	Jrine			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (5.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+) 40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	OCCASIONAL			MICROSCOPIC
				EXAMINATION
Pus cells	OCCASIONAL			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
T				
Interpretation:				

Interpretation:

(+)< 0.5

0.5-1.0 (++)

(+++) 1-2

(++++) > 2









Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.NEHA UPADHYAYA : 32 Y 11 M 28 D /F Age/Gender

: CHLD.0000090480

Collected Received

Registered On

: 22/Apr/2023 08:21:16 : 22/Apr/2023 13:16:29

UHID/MR NO Visit ID : CHLD0015422324

: 22/Apr/2023 13:45:45 Reported : 22/Apr/2023 14:50:54

: Dr.MEDIWHEEL ARCOFEMI HEALTH Ref Doctor CARE LTD HLD

Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

< 0.5 gms% (+)

0.5-1.0 gms% (++)

(+++) 1-2 gms%

(++++) > 2 gms%











Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.NEHA UPADHYAYA Registered On : 22/Apr/2023 08:21:16 Age/Gender Collected : 32 Y 11 M 28 D /F : 22/Apr/2023 10:27:55 UHID/MR NO : CHLD.0000090480 Received : 22/Apr/2023 10:53:24 Visit ID : 22/Apr/2023 13:51:59 : CHLD0015422324 Reported

: Dr.MEDIWHEEL ARCOFEMI HEALTH Ref Doctor Status : Final Report CARE LTD HLD

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	l Method
THYROID PROFILE - TOTAL *, Serum				
T3, Total (tri-iodothyronine)	104.00	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	7.20	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.00	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 $\mu IU/n$		
		0.5-4.6 $\mu IU/n$		
		0.8-5.2 µIU/n	nL Third Trime	ster
		0.5-8.9 $\mu IU/n$	nL Adults	55-87 Years
		0.7-27 $\mu IU/n$	nL Premature	28-36 Week
		2.3-13.2 μIU/n	nL Cord Blood	> 37Week
		0.7-64 μIU/n	nL Child(21 wk	z - 20 Yrs.)
		1-39 µIU	/mL Child	0-4 Days
		1.7-9.1 μIU/n	nL Child	2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.











Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.NEHA UPADHYAYA Registered On : 22/Apr/2023 08:21:18

 Age/Gender
 : 32 Y 11 M 28 D /F
 Collected
 : N/A

 UHID/MR NO
 : CHLD.0000090480
 Received
 : N/A

Visit ID : CHLD0015422324 Reported : 22/Apr/2023 13:37:38

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW:-

- Bilateral lung fields appear grossly unremarkable.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Bilateral hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

IMPRESSION:-

No significant abnormality is seen.

Adv:-Clinico-pathological correlation.

Dr Sushil Pandey(MD Radiodignosis)



Home Sample Collection 1800-419-0002





Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.NEHA UPADHYAYA Registered On : 22/Apr/2023 08:21:19

 Age/Gender
 : 32 Y 11 M 28 D /F
 Collected
 : N/A

 UHID/MR NO
 : CHLD.0000090480
 Received
 : N/A

Visit ID : CHLD0015422324 Reported : 22/Apr/2023 11:04:26

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

ULTRASOUND WHOLE ABDOMEN

LIVER: Is normal in size (~13.8cms) and normal in echotexture. No SOL seen. No dilatation of IHBR seen. Hepatic vessels are normal. Portal vein is patent.

GALL BLADDER: Lumen anechoic, wall is normal in thickness (~3 mm). No pericholecystic fluid seen.

CBD: Normal in caliber and smoothly tapering towards its lower end.

PANCREAS: Normal in size and echotexture.

SPLEEN: Normal in size and echotexture.

KIDNEYS:-

Right kidney is normal in size, shape and echotexture with maintained CM differentiation.

No dilatation of PC system is seen.

No calculus seen.

Left kidney is normal in size, shape and echotexture with maintained CM differentiation.

No dilatation of PC system is seen.

No calculus seen.

URINARY BLADDER: Normal capacity bladder with anechoic lumen and smooth regular walls of normal thickness.

UTERUS & CERVIX:

- Uterus is normal in size, shape and echotexture.
- Endometrial and myometrial echoes are normal. (ET ~5.6 mm). No focal lesion seen.
- Cervix appears normal.



Home Sample Collection 1800-419-0002





Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.NEHA UPADHYAYA Registered On : 22/Apr/2023 08:21:19

 Age/Gender
 : 32 Y 11 M 28 D /F
 Collected
 : N/A

 UHID/MR NO
 : CHLD.0000090480
 Received
 : N/A

Visit ID : CHLD0015422324 Reported : 22/Apr/2023 11:04:26

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

OVARIES & ADNEXA:

- Dominant follicle of size~21x16 mm seen in right ovary.
- Left ovary is normal in size, shape and echo pattern.
- No adnexal mass/ cyst seen.
- No free fluid is seen in POD.

No evidence of any free fluid/retroperitoneal lymphadenopathy.

IMPRESSION:- Essentially a normal scan.

(Adv:- Clinico-pathological correlation and further evaluation).

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG/EKG



Dr Sushil Pandey(MD Radiodignosis)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location







Chandan Diagnostic




Age / Gender: 32/Female

Date and Time: 22nd Apr 23 9:18 AM

Patient ID: CHLD0015422324

Patient Name: Mrs.NEHA UPADHYAYA



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

AUTHORIZED BY

amts

Dr. Charit MD, DM: Cardiology

63382

REPORTED BY

Dr Nethra

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.