

TO WHOM IT MAY CONCERN

I AM MINAKSHI BARUA .AGE -34 Y OLD. I CAME TO APOLLO CLINIC OM TOWER (SINTHIMORE), ON TODAY (11/09/2021) ADDRESS- 36C B T ROAD, KOL-2, FOR MY MEDICAL CHECKUP.

FOR MY FULL BODY CHECKUP I DID NOT SUBMITE MY URINE SAMPLE DUE TO PERSONAL REASON.

PLEASE DO THE NEEDFUL.

Susmita Saha

APOLLO CLINIC OM TOWER
36C, B.T ROAD OPP "RBU"
KOL 700002
Ph 033 25565555
033 25563333


Minakshi Barua

11.9.21

THANKU YOU,

PATIENT ID : HEIGHT : 144 Cm WEIGHT : 51.00 Kg
PATIENT NAME : MRS. MINAKSHI BARUA 34/F
PROTOCOL : BRUCE
STAGE : Pre-Test
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

September 11, 2021 03:54 pm
Report time : 03:54 pm
PHASE TIME : 00:14
STAGE DURATION : 00:00
HR : 88 bpm
GRS Lead : V5
SPEED: 0.0 kmph
GRADE: 0.0
BP : 120 / 80 mm
METS : 1.00



I 0.39 / 0.64

aVR -0.26 / -1.21

V1 0.00 / -0.32

V4 0.03 / 0.56




II 0.19 / 1.05

aVL 0.29 / 0.98

V2 0.29 / 0.32

V5 0.06 / 0.40



III -0.19 / -0.16

aVF 0.00 / 0.40

V3 -0.03 / 0.16

V6 -0.03 / 0.40



V5

Minakshi Barua

100 HZ

10mm/mv 25mm/sec

NASAN (C) ST-Win Standard BL 6-91, Unit Ver 4.20

PATIENT NAME : MRS. MINAKSHI BARUA 34/F
HEIGHT : 144 Cm WEIGHT : 51.00 Kg

Linked Median Report

September 11, 2021 03:54 pm
Report time : 03:54 pm

PROTOCOL : BRUCE
STAGE : Supine
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

PHASE TIME : 00:20 SPEED: 0.0 kmph
STAGE DURATION : 00:00 GRADE: 0.0
HR : 85 bpm BP : 120 / 80 mm
QRS Lead : V5 METs : 1.00

I 0.39 / 0.64

aVR -0.26 / -1.21

V1 0.00 / -0.32

V4 0.03 / 0.56

II 0.19 / 1.05

aVL 0.29 / 0.08

V2 0.29 / 0.32

V5 0.06 / 0.40

III 0.19 / -0.16

aVF 0.00 / 0.40

V3 -0.03 / 0.16

V6 -0.03 / 0.40

V5

10mm/mv, 25mm/sec
100 Hz
NASAN (C) ST-Win Standard B1.6.91, Unit Ver 4.20

PATIENT NAME : MRS. MINAKSHI BARUA 34/F
HEIGHT : 144 Cm. WEIGHT : 51.00 Kg
PROTOCOL : BRUCE
STAGE : Standing
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

PHASE TIME : 00:29
STAGE DURATION : 00:00
HR : 83 bpm
QRS Lead : V5
SPEED : 0.0 kmph
GRADE : 0.0
BP : 120 / 80 mm
METS : 1.00

I 0.39 / 0.64

aVR -0.26 / -1.21

V1 0.00 / -0.32

V4 0.03 / 0.56

II 0.19 / 0.97

aVL 0.29 / 0.08

V2 0.29 / 0.32

V5 0.06 / 0.40


III -0.19 / -0.16

aVF 0.00 / 0.40

V3 -0.03 / 0.16

V6 -0.03 / 0.40

V5



100 HZ

10mm/1v, 25mm/sec

NASAN (C) ST-Win Standard BL 697, Unit Ver 4.20

PATIENT NAME : MRS. MINAKSHI BARUA 34/F
 HEIGHT : 144 Cm WEIGHT : 51.00 Kg
 PROTOCOL : BRUCE
 STAGE : HyperVentilation
 ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

September 11, 2021 03:54 pm
 Report time : 03:55 pm
 PHASE TIME : 00:35
 STAGE DURATION : 00:00
 HR : 84 bpm
 QRS Lead : V5
 SPEED : 0.0 kmph
 GRADE : 0.0
 BP : 120 / 80 mm
 METs : 1.00

I 0.39 / 0.64

aVR -0.26 / -1.21

V1 0.00 / -0.32

V4 0.03 / 0.56

II 0.19 / 0.97

aVL 0.29 / 0.08

V2 0.29 / 0.32

V5 0.06 / 0.40


III -0.19 / -0.16

aVF 0.00 / 0.40

V3 -0.03 / 0.16

V6 -0.03 / 0.40

V5



100 Hz

10mm/mv 25mm/sec

NASAN (C) ST-Win Standard B1.6.91, Unit Ver 4.20


PATIENT NAME : MRS. MINAKSHI BARUA 34/Y

Linked Median Report

September 14, 2021 03:54 pm

PROTOCOL : BRUCE
STAGE : Wait For Exercise
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

PHASE TIME : 00:41
STAGE DURATION : 00:00
HR : 82 bpm
QRS Lead : V5
SPEED : 0.0 kmph
GRADE : 0.0
BP : 120 / 80 mm
METS : 3.40



I -0.03 / 0.16

aVR 0.19 / -0.81

V1 0.06 / -0.16

V4 -0.10 / 0.16



II -0.26 / 0.40

aVL 0.10 / -0.16

V2 0.16 / 0.08

V5 -0.16 / 0.24




III -0.23 / -0.24

aVF -0.26 / 0.24

V3 0.03 / 0.16

V6 -0.13 / 0.24



V5

100 HZ

10mm/mv 25mm/sec

NASAN (C) ST-Win Standard BL 6.91 Unit Ver 4.20

PATIENT ID : HEIGHT : 144 Cm WEIGHT : 51.00 Kg

PATIENT NAME : MRS. MINAKSHI BARUA 34/F

PROTOCOL : BRUCE





STAGE : Exercise Stage 1

ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

September 11, 2021 03:54 pm

Report time : 03:58 pm

PHASE TIME	: 03:00	SPEED	: 2.7 kmph
STAGE DURATION	: 03:00	GRADE	: 10.0
HR	: 137 bpm	BP	: 125 / 85 mm
QRS Lead	: V5	METS	: 5.70



100 Hz

10mm/mv 25mm/sec

NASAN (C) ST-W/In Standard BL 6.91 Unit Ver 4.20

September 11, 2021 03:54 pm

Report time 04:01 pm

PHASE TIME : 06:00 SPEED: 4.0 kmph
 STAGE DURATION : 03:00 GRADE: 12.0
 HR : 159 bpm BP : 130/90 mm
 ORS Lead : V5 METs : 8.00



PATIENT NAME : MRS. MINAKSHI BARUA 34/F

HEIGHT : 144 Cm WEIGHT : 51.00 Kg

PROTOCOL : BRUCE

STAGE : Exercise Stage 2

ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J



100 Hz

10mm/mv 25mm/sec

NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

PATIENT NAME : MRS. MINAKSHI BARUA 34/F
HEIGHT : 144 Cm WEIGHT : 51.00 Kg

Linked Median Report

September 11, 2021 03:54 pm

Report time : 04:01 pm

PROTOCOL : BRUCE
STAGE : Peak Exercise
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J


PHASE TIME : 06:01
STAGE DURATION : 00:01
HR : 159 bpm
QRS Lead : V5
SPEED : 5.5 kmph
GRADE : 14.0
BP : 130 / 90 mmHg
METS : 8.00



avR -0.48 / 4.92

V1 -0.35 / 2.10


V4 0.13 / 1.21



avL 0.45 / 0.40

V2 0.61 / 0.40


V5 0.06 / 0.89



avF 0.32 / 1.13

V3 -0.16 / 0.64

V6 0.13 / 1.13




100 Hz

10mm/mv, 25mm/sec

NASAN (C) ST-Win Standard BL 6.97, Unit Ver 4.20

PATIENT ID : HEIGHT : 144 Cm WEIGHT : 51.00 Kg
PATIENT NAME : MRS MINAKSHI BARUA 34/F
PROTOCOL : BRUCE
STAGE : Recovery
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

September 11, 2021 03:54 pm
Report time 04:02 pm
PHASE TIME : 06:01
STAGE DURATION : 01:00
HR : 130 bpm
QRS Lead V5
SPEED: 0.0 kmph
GRADE: 0.0
BP : 130 / 90 mm
METS : 1.00




I 0.68 / 1.21

aVR -0.93 / -3.22

V1 -0.26 / -1.29

V4 0.55 / 0.97



II 0.90 / 1.93

aVL -0.29 / 0.40

V2 0.55 / 0.97

V5 0.45 / 0.97



III 0.16 / 0.32

aVF 0.61 / 1.13

V3 0.58 / 0.97

V6 0.45 / 1.05




V5

100 Hz
10mm/mv, 25mm/sec
NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

PATIENT ID : HEIGHT : 144 Cm WEIGHT : 51.00 Kg
PATIENT NAME : MRS MINAKSHI BARUA 34/F
PROTOCOL : BRUCE
STAGE : Recovery
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

September: 11, 2021 03:54 pm
Report time : 04:03 pm
PHASE TIME : 06:01 SPEED: 0.0 kmph
STAGE DURATION : 02:00 GRADE: 0.0
HR : 106 bpm BP : 130 / 90 mr
QRS Lead : V5 METs : 1.00



I 0.68 / 1.37

aVR -0.71 / -3.14

V1 -0.26 / -1.37

V4 0.48 / 0.89




II 0.61 / 1.53

aVL 0.29 / 0.24

V2 0.74 / 0.73

V5 0.35 / 0.81



III 0.06 / 0.48

aVF 0.32 / 1.05

V3 0.55 / 0.97

V6 0.35 / 0.81







V5

100 Hz

10mm/mv 25mm/sec

PATIENT ID : HEIGHT : 144 Cm WEIGHT : 51.00 Kg
 PATIENT NAME : MRS MINAKSHI BARUA 34/F
 PROTOCOL : BRUCE
 STAGE : Recovery
 ST Levels (mm) / ST Slope (mVs) measured at 80 ms Post J

September 11, 2024 03:54 pm
 Report time : 04:04 pm
 PHASE TIME : 06:01
 STAGE DURATION : 03:00
 HR : 97 bpm
 ORS Lead : V5
 SPEED : 0.0 kmph
 GRADE : 0.0
 BP : 130 / 90 mm
 METS : 1.00



100 Hz
 10mm/mv 25mm/sec

Summary Report

Report time :
September 11, 2021 03:02 pm

PATIENT ID :
PATIENT NAME : MRS. MINAKSHI BARUA 34/F

PROCESSED BY : BRUCE
PATIENT HEIGHT : 144 Cm
PATIENT WEIGHT : 51.00 Kg
PATIENT ADDRESS :

Ref. By : Not Applicable
(Not Applicable)

OTHER INVESTIGATION : SCREENING
REASON FOR TERMINATION : NIL
EXERCISE TOLERANCE : TARGET HEART RATE ACHIEVED
EXERCISE INDUCED ARRHYTHMIA : NO
HAEMO RESPONSE : ADEQUATE
CHRONO RESPONSE : ADEQUATE
FINAL IMPRESSION : STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHEMIA.

XYZ
MD

Summary Report

Report time :
September 11, 2021

PATIENT ID :
PATIENT NAME : MRS. MINAKSHI BARUA 34/F

PATIENT HEIGHT : 144 Cm
PATIENT WEIGHT : 51.00 Kg

Ref. By : Not Applicable
(Not Applicable)

Stage	Stage Time	Speed (Kmph) / Grade (%)	HR bpm	BP mmHg	R.P.P. X 1000	METS	ST Level	Stage Comments
Pre-Test	00:14	0.00 / 0.00	88	0 / 0	0	1.00	0.39	
Supine	00:06	0.00 / 0.00	85	120 / 80	10	1.00	0.39	
Standing	00:08	0.00 / 0.00	83	120 / 80	9	1.00	0.39	
HyperVentilation	00:05	0.00 / 0.00	84	120 / 80	10	1.00	0.39	
Wait For Exercise	00:06	0.00 / 0.00	82	120 / 80	9	1.00	0.39	
Exercise Stage 1	03:00	2.70 / 10.00	137	125 / 85	17	5.70	0.03	
Exercise Stage 2	03:00	4.00 / 12.00	159	130 / 90	20	8.00	1.22	
Peak Exercise	00:01	5.50 / 14.00	159	130 / 90	20	8.00	1.22	
Recovery 1	01:00	0.00 / 0.00	130	130 / 90	16	1.00	0.71	
Recovery 3	03:00	0.00 / 0.00	97	130 / 90	12	1.00	0.13	

TOTAL EXER TIME : 6 : 1 min

MAX WORKLOAD : 8.00

MAX HR : 162 bpm (87.10 % of 186 bpm)
DISTANCE COVERED : 0.34 Km

MAX BP : 130 / 90 mmHg
DOUBLE PRODUCT : 21060.00

DR.ARNAB MANDAL

MD, Physician, PGDUS (Delhi) CEBT-USG (WBUHS KOLKATA)
Fellow of Jefferson Ultrasound Radiology and Education Institute
Philadelphia Ex-Radiology Resident (S.E.Railway)
Regd.No:72022(WBMC)

033 2556 3333 033 2556 5555
+91 98521 66666 +91 74392 97827

APOLLO CLINIC @ OM TOWER
Opp. of Rabindra Bharati University
Licensee : Satyam Credit Pvt. Ltd.
36C, B.T. Road, Kolkata - 700 002
E-mail : sinthimor@theapolloclinic.com
satyamcreditpvtltd@gmail.com

XYZ
MD

PATIENT ID :
PATIENT NAME : MRS. MINAKSHI BARUA 34/F
PROTOCOL : BRUCE
HEIGHT : 144 Cm WEIGHT : 51.00 Kg

APOLLO CLINIC
ST Tables

September 11, 2023
Report time : 03:54 pm

Phase	I	II	III	aVR	aVL	aVF	V1	V2	V3	V4	V5	V6
Pre-Test	0.4	0.2	-0.2	-0.3	0.3	0.0	0.0	0.3	-0.0	0.0	0.1	-0.0
Supine	0.4	0.2	-0.2	-0.3	0.3	0.0	0.0	0.3	-0.0	0.0	0.1	-0.0
Standing	0.4	0.2	-0.2	-0.3	0.3	0.0	0.0	0.3	-0.0	0.0	0.1	-0.0
HyperVentilation	0.4	0.2	-0.2	-0.3	0.3	0.0	0.0	0.3	-0.0	0.0	0.1	-0.0
Wait For Exercise	0.4	0.2	-0.2	-0.3	0.3	0.0	0.0	0.3	-0.0	0.0	0.1	-0.0
Exercise Stage 1	0.0	0.3	0.3	-0.3	-0.1	0.3	-0.2	0.1	0.1	0.2	0.1	0.3
Exercise Stage 2	1.2	1.5	0.3	-1.3	0.4	1.1	-0.8	0.8	0.3	0.7	0.7	0.7
Peak Exercise	1.2	1.5	0.3	-1.3	0.4	1.1	-0.8	0.8	0.3	0.7	0.7	0.7
Recovery 1	0.7	1.0	0.3	-1.0	0.3	0.7	-0.3	0.5	0.5	0.5	0.4	0.5
Recovery 3	0.1	-0.2	-0.2	0.0	0.2	-0.2	-0.0	0.5	0.3	0.1	-0.1	-0.0

Phase	I	II	III	aVR	aVL	aVF	V1	V2	V3	V4	V5	V6
Pre-Test	0.6	1.0	-0.2	-1.3	0.1	0.5	-0.3	0.3	0.2	0.6	0.4	0.4
Supine	0.6	1.0	-0.2	-1.2	0.1	0.4	-0.3	0.3	0.2	0.6	0.4	0.4
Standing	0.6	1.0	-0.2	-1.2	0.1	0.4	-0.3	0.3	0.2	0.6	0.4	0.4
HyperVentilation	0.6	1.0	-0.2	-1.2	0.1	0.4	-0.3	0.3	0.2	0.6	0.4	0.4
Wait For Exercise	0.6	1.0	-0.2	-1.2	0.1	0.4	-0.3	0.3	0.2	0.6	0.4	0.4
Exercise Stage 1	1.4	1.4	0.4	-2.7	-0.5	1.0	-1.1	0.2	0.3	0.7	1.0	1.0
Exercise Stage 2	1.7	2.7	1.2	-5.2	0.5	2.0	-2.1	0.9	1.2	1.9	1.9	1.9
Peak Exercise	1.7	2.7	1.2	-5.2	0.5	2.0	-2.1	0.9	1.2	1.9	1.9	1.9
Recovery 1	1.1	2.1	0.5	-3.5	0.2	1.1	-1.3	1.0	1.0	1.0	1.0	1.0
Recovery 3	1.0	1.1	0.6	-1.6	-0.1	0.9	-1.1	0.5	0.6	0.6	0.6	0.6

NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

APOLLO CLINIC @ OM TOWER
Opp. of Rabindra Bharati University
Licensee : Satyam Credit Pvt. Ltd.
36C, B. T. Road, Kolkata - 700 002
E-mail : sinthimor@theapolloclinic.com
satyamcreditpvtltd@gmail.com

033 2556 3333 033 2556 5555
+91 98521 66666 +91 74392 97827

PATIENT ID: _____
PATIENT NAME: MRS. MINAKSHI BARUA 34/F
PROTOCOL: BRUCE
HEIGHT: 144 Cm WEIGHT: 51.00 Kg

APOLLO CLINIC
Extra Comments

STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHEMIA.

September 11, 2021
Report time : _____

03:54 pm



DR. SIDDHARTHA KUNDU
MBBS (Gen), PGDCC, CCEBDM
Clinical Cardiologist
Ex Sr Resident, Cardiology Dept.
B.R Singh Hospital, Eastern Railway

 033 2556 3333

 033 2556 5555

 +91 98521 66666

 +91 74392 97827