

Name : Mr BANOTH RAJENDER

Age / Sex : 28 Years/Male

Ref. Dr :

Reg. Location: Vashi Main Centre

Authenticity Check

R

Use a QR Code Scanner Application To Scan the Code

Reg. Date : 22-Oct-2022

Reported : 22-Oct-2022/14:53

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

This report is prepared and physically checked by DR R K BHANDARI before dispatch.

Dr R K Bhandari

MD, DMRE

MMC REG NO. 34078



CID : 2229520627

Name : Mr BANOTH RAJENDER

Age / Sex : 28 Years/Male

Ref. Dr

Reg. Location : Vashi Main Centre

Authenticity Check

R



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 22-Oct-2022

: 22-Oct-2022/14:53 Reported



Name : MR.BANOTH RAJENDER

Age / Gender : 28 Years / Male

Consulting Dr. : -

Reg. Location: Vashi (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected : 22-Oct-2022 / 09:30

Reported :22-Oct-2022 / 12:15

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	15.3	13.0-17.0 g/dL	Spectrophotometric
RBC	5.43	4.5-5.5 mil/cmm	Elect. Impedance
PCV	47.3	40-50 %	Measured
MCV	87	80-100 fl	Calculated
MCH	28.2	27-32 pg	Calculated
MCHC	32.4	31.5-34.5 g/dL	Calculated
RDW	13.6	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6260	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSO	OLUTE COUNTS		
Lymphocytes	40.6	20-40 %	
Absolute Lymphocytes	2541.6	1000-3000 /cmm	Calculated
Monocytes	6.7	2-10 %	
Absolute Monocytes	419.4	200-1000 /cmm	Calculated
Neutrophils	46.5	40-80 %	
Absolute Neutrophils	2910.9	2000-7000 /cmm	Calculated
Eosinophils	4.7	1-6 %	
Absolute Eosinophils	294.2	20-500 /cmm	Calculated
Basophils	1.5	0.1-2 %	
Absolute Basophils	93.9	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	297000	150000-400000 /cmm	Elect. Impedance
MPV	8.2	6-11 fl	Calculated
PDW	13.2	11-18 %	Calculated

Page 1 of 10

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.BANOTH RAJENDER

Age / Gender : 28 Years / Male

Consulting Dr. : -

Reg. Location : Vashi (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 22-Oct-2022 / 09:30 :22-Oct-2022 / 11:51

RBC MORPHOLOGY

Hypochromia -Microcytosis -

Macrocytosis -Anisocytosis -

Polkilocytosis
Polychromasia

Target Cells Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -


COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB 11 2-15 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
*** End Of Report ***





Page 2 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.BANOTH RAJENDER

Age / Gender : 28 Years / Male

Consulting Dr. :

Reg. Location: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 22-Oct-2022 / 09:30

Reported :22-Oct-2022 / 13:12

AERFOCAMI HEALTHCARE	BELOW 40 MALE/FEMALE	
DECI II TC	RIOLOGICAL PEE PANGE	METHOD

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	94.4	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	96.8	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.88	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.33	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.55	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.6	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	5.0	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.9	1 - 2	Calculated
SGOT (AST), Serum	42.5	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	63.3	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	39.4	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	78.8	40-130 U/L	Colorimetric
BLOOD UREA, Serum	14.8	12.8-42.8 mg/dl	Kinetic
BUN, Serum	6.9	6-20 mg/dl	Calculated
CREATININE, Serum		•	
ONEATHNINE, SEIUIII	0.89	0.67-1.17 mg/dl	Enzymatic

Page 3 of 10



Name : MR.BANOTH RAJENDER

Age / Gender : 28 Years / Male

Consulting Dr. :

Reg. Location: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 22-Oct-2022 / 12:05

:22-Oct-2022 / 17:45

eGFR, Serum 108 >60 ml/min/1.73sqm Calculated

URIC ACID, Serum 9.2 3.5-7.2 mg/dl Enzymatic

Urine Sugar (Fasting) Absent Absent
Urine Ketones (Fasting) Absent Absent

Urine Sugar (PP)AbsentAbsentUrine Ketones (PP)AbsentAbsent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
*** End Of Report ***





Dr.AMIT TAORI M.D (Path) Pathologist

Page 4 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.BANOTH RAJENDER

Age / Gender : 28 Years / Male

Consulting Dr. : - Collected : 22-Oct-2022 / 09:30

Reg. Location: Vashi (Main Centre) Reported: 22-Oct-2022 / 12:15

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

Glycosylated Hemoglobin 5.2 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4% Diabetic Level: >/=6.5%

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Estimated Average Glucose 102.5 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

• In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

• In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

• For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

• HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

• The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
*** End Of Report ***



Dr.SONIA KHER M.D (PATH) Pathologist

Page 5 of 10

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.BANOTH RAJENDER

Age / Gender : 28 Years / Male

Consulting Dr. : -

Reg. Location: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 22-Oct-2022 / 09:30

Reported :22-Oct-2022 / 15:11

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT


<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	Acidic (6.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	50 ml	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	0-1	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals Absent A

Bacteria / hpf 4-5 Less than 20/hpf





Page 6 of 10

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
*** End Of Report ***



Name : MR.BANOTH RAJENDER

Age / Gender : 28 Years / Male

Consulting Dr. : -

Reg. Location: Vashi (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 22-Oct-2022 / 09:30

Reported :22-Oct-2022 / 14:12

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP B

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- · Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 7 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.BANOTH RAJENDER

Age / Gender : 28 Years / Male

Consulting Dr. : -

Reg. Location : Vashi (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected : 22-Oct-2022 / 09:30


Reported :22-Oct-2022 / 13:12

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	216.5	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	191.1	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	34.0	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	182.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	145.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	37.5	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	6.4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	4.3	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
*** End Of Report ***





Dr.AMIT TAORI M.D (Path) Pathologist

Page 8 of 10

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.BANOTH RAJENDER

Age / Gender : 28 Years / Male

Consulting Dr. : -

Reg. Location: Vashi (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected : 22-Oct-2022 / 09:30

Reported :22-Oct-2022 / 12:06

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.5	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	18.9	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	2.38	0.35-5.5 microIU/ml	ECLIA

Page 9 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.BANOTH RAJENDER

Age / Gender : 28 Years / Male

Consulting Dr. : - Collected :22-Oct-2022 / 09:30

Reg. Location : Vashi (Main Centre) Reported :22-Oct-2022 / 12:06



A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:


- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
*** End Of Report ***





Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 10 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343


SUBURBAN DIAGNOSTICS - VASHI



Patient Name: BANOTH RAJENDER

Patient ID: 2229520627

Date and Time: 22nd Oct 22 9:48 AM



REPORTED BY

ALMAN

Dr.Anand N Motwani M.D (General Medicine) Reg No 39329 M.M.C

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

ECG Within Normal Limits: Sinus Rhythm, Normal Axis. Please correlate clinically.