



Name : Mr. ANAND ABHISHEK

PID No. : MED110960763

SID No. : 79133871

Age / Sex : 34 Year(s) / Male

Type : OP

Ref. Dr : MediWheel

Register On : 19/02/2022 9:37 AM


Collection On : 19/02/2022 10:08 AM

Report On : 19/02/2022 2:13 PM

Printed On : 23/02/2022 11:54 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Monocytes (Blood/Impedance Variation & Flow Cytometry)	02	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	00	%	00 - 02
<b>INTERPRETATION:</b> Tests done on Automated Three Part cell counter. All abnormal results are reviewed and confirmed microscopically.			
Absolute Neutrophil count (Blood/Impedance Variation & Flow Cytometry)	4.64	10 <sup>3</sup> / $\mu$ l	1.5 - 6.6
Absolute Lymphocyte Count (Blood/Impedance Variation & Flow Cytometry)	3.04	10 <sup>3</sup> / $\mu$ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (Blood/Impedance Variation & Flow Cytometry)	0.16	10 <sup>3</sup> / $\mu$ l	0.04 - 0.44
Absolute Monocyte Count (Blood/Impedance Variation & Flow Cytometry)	0.16	10 <sup>3</sup> / $\mu$ l	< 1.0
Absolute Basophil count (Blood/Impedance Variation & Flow Cytometry)	0.00	10 <sup>3</sup> / $\mu$ l	< 0.2
Platelet Count (Blood/Impedance Variation)	1.86	lakh/cu.mm	1.4 - 4.5
MPV (Blood/Derived from Impedance)	9.4	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.17	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated ESR analyser)	08	mm/hr	< 15

  
**DR. ABHISHEK LAUL**  
M.B.B.S.; M.D. Pathology  
Fellow Neuropathology  
(K.E.M. Hospital, Mumbai)  
Reg No: 2011/04/0990


APPROVED BY

Name : Mr. ANAND ABHISHEK  
PID No. : MED110960763  
SID No. : 79133871  
Age / Sex : 34 Year(s) / Male  
Type : OP  
Ref. Dr : MediWheel

Register On : 19/02/2022 9:37 AM  
Collection On : 19/02/2022 10:08 AM  
Report On : 19/02/2022 2:13 PM  
Printed On : 23/02/2022 11:54 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>BIOCHEMISTRY</u></b>			
<b><u>Liver Function Test</u></b>			
Bilirubin(Total) (Serum/DCA with ATCS)	0.75	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.22	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.53	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	<b>59 (Rechecked)</b>	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	<b>71 (Rechecked)</b>	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	90	U/L	53 - 128
Total Protein (Serum/Biuret)	7.0	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.3	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.70	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.59		1.1 - 2.2

  
**DR. ABHISHEK LAUL**  
M.B.B.S.; M.D. Pathology  
Fellow Neuropathology  
(K.E.M. Hospital, Mumbai)  
Reg No: 2011/04/0990

APPROVED BY

Name : Mr. ANAND ABHISHEK  
PID No. : MED110960763  
SID No. : 79133871  
Age / Sex : 34 Year(s) / Male  
Type : OP  
Ref. Dr : MediWheel

Register On : 19/02/2022 9:37 AM  
Collection On : 19/02/2022 10:08 AM  
Report On : 19/02/2022 2:13 PM  
Printed On : 23/02/2022 11:54 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**Lipid Profile**

Cholesterol Total (Serum/CHOD-PAP with ATCS)	<b>216 (Rechecked)</b>	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
---	------------------------	-------	--

Triglycerides (Serum/GPO-PAP with ATCS)	137	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500
--	-----	-------	---


**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the usual circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	<b>40.6</b>	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
---	-------------	-------	--

LDL Cholesterol (Serum/Calculated)	148	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
---------------------------------------	-----	-------	---

VLDL Cholesterol (Serum/Calculated)	27.4	mg/dL	< 30
--	------	-------	------

Non HDL Cholesterol (Serum/Calculated)	175.4	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220
---	-------	-------	--

  
**DR. ABHISHEK LAUL**  
M.B.B.S.; M.D. Pathology  
Fellow Neuropathology  
(K.E.M. Hospital, Mumbai)  
Reg No: 2011/04/0990

APPROVED BY

Name : Mr. ANAND ABHISHEK  
PID No. : MED110960763  
SID No. : 79133871  
Age / Sex : 34 Year(s) / Male  
Type : OP  
Ref. Dr : MediWheel

Register On : 19/02/2022 9:37 AM  
Collection On : 19/02/2022 10:08 AM  
Report On : 19/02/2022 2:13 PM  
Printed On : 23/02/2022 11:54 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.  
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	5.3		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--	--

Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	3.4		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.6		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	--	---

A handwritten signature in black ink, appearing to read "Abhishek Laul", is written over a circular logo with blue and pink colors.

**DR.ABHISHEK LAUL**  
M.B.B.S.; M.D.Pathology  
Fellow Neuropathology  
(K.E.M.Hospital, Mumbai)  
Reg No: 2011/04/0990

APPROVED BY

Name : Mr. ANAND ABHISHEK  
PID No. : MED110960763  
SID No. : 79133871  
Age / Sex : 34 Year(s) / Male  
Type : OP  
Ref. Dr : MediWheel

Register On : 19/02/2022 9:37 AM  
Collection On : 19/02/2022 10:08 AM  
Report On : 19/02/2022 2:13 PM  
Printed On : 23/02/2022 11:54 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>Glycosylated Haemoglobin (HbA1c)</u></b>			
HbA1C (Whole Blood/Ion exchange HPLC)	7.6	%	Non-diabetic: <= 5.6 Pre-diabetic: 5.7-6.4 Diabetic: >= 6.5

**INTERPRETATION:** If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %

Mean Blood Glucose 171 mg/dL  
(Whole Blood)


**INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemc control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

**Remark:** \* Test outsourced to metropolis



DR. ABHISHEK LAUL  
M.B.B.S.; M.D. Pathology  
Fellow Neuropathology  
(K.E.M. Hospital, Mumbai)  
Reg No: 2011/04/0990

APPROVED BY

Name : Mr. ANAND ABHISHEK  
PID No. : MED110960763  
SID No. : 79133871  
Age / Sex : 34 Year(s) / Male  
Type : OP  
Ref. Dr : MediWheel

Register On : 19/02/2022 9:37 AM  
Collection On : 19/02/2022 10:08 AM  
Report On : 19/02/2022 2:13 PM  
Printed On : 23/02/2022 11:54 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

## IMMUNOASSAY

### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA))	0.89	ng/ml	0.7 - 2.04
---	------	-------	------------

#### **INTERPRETATION:**

##### **Comment :**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA))	8.21	µg/dl	4.2 - 12.0
---	------	-------	------------

#### **INTERPRETATION:**

##### **Comment :**

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone)- Ultrasensitive (Serum/Chemiluminescent Immunometric Assay (CLIA))	1.5151	µIU/mL	0.35 - 5.50
--	--------	--------	-------------

#### **INTERPRETATION:**

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0


(Indian Thyroid Society Guidelines)

##### **Comment :**

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&amplt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

  
**DR.ABHISHEK LAUL**  
M.B.B.S.; M.D.Pathology  
Fellow Neuropathology  
(K.E.M.Hospital, Mumbai)  
Reg No: 2011/04/0990

APPROVED BY

Name : Mr. ANAND ABHISHEK  
PID No. : MED110960763  
SID No. : 79133871  
Age / Sex : 34 Year(s) / Male  
Type : OP  
Ref. Dr : MediWheel

Register On : 19/02/2022 9:37 AM  
Collection On : 19/02/2022 10:08 AM  
Report On : 19/02/2022 2:13 PM  
Printed On : 23/02/2022 11:54 AM



---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**CLINICAL PATHOLOGY**

**Urine Analysis - Routine**

**Physical Examination**

Colour (Urine)	Pale Yellow		Yellow to Amber
Appearance (Urine)	Clear		

**Chemical Examination**

Protein (Urine)	Negative		Negative
Glucose (Urine)	Negative		Negative

**Microscopic Examination**

Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	Nil
RBCs (Urine)	Nil	/hpf	Nil
Others (Urine)	Nil		Nil

**INTERPRETATION:**Note: Done with Automated Urine Analyser & microscopy

**DR. ABHISHEK LAUL**  
M.B.B.S.; M.D. Pathology  
Fellow Neuropathology  
(K.E.M. Hospital, Mumbai)  
Reg No: 2011/04/0990

**APPROVED BY**



Name : Mr. ANAND ABHISHEK

PID No. : MED110960763

Register On : 19/02/2022 9:37 AM

SID No. : 79133871

Collection On : 19/02/2022 10:08 AM

Age / Sex : 34 Year(s) / Male

Report On : 19/02/2022 2:13 PM

Type : OP

Printed On : 23/02/2022 11:54 AM

Ref. Dr : MediWheel



Investigation

Observed  
Value

Unit

Biological  
Reference Interval

**HAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING  
(Blood/Agglutination)

'AB' 'Positive'

A handwritten signature in blue ink, appearing to read "Abhishek Laul", is written over a circular logo with blue and pink segments.

**DR. ABHISHEK LAUL**  
M.B.B.S.; M.D. Pathology  
Fellow Neuropathology  
(K.E.M. Hospital, Mumbai)  
Reg No: 2011/04/0990

APPROVED BY

Name : Mr. ANAND ABHISHEK  
PID No. : MED110960763  
SID No. : 79133871  
Age / Sex : 34 Year(s) / Male  
Type : OP  
Ref. Dr : MediWheel

Register On : 19/02/2022 9:37 AM  
Collection On : 19/02/2022 10:08 AM  
Report On : 19/02/2022 2:13 PM  
Printed On : 23/02/2022 11:54 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

## **BIOCHEMISTRY**

BUN / Creatinine Ratio	10.91		
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	134	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	202	mg/dL	70 - 140

### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Positive(++)		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	11.68	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	1.07	mg/dL	0.9 - 1.3
Uric Acid (Serum/Enzymatic)	6.19	mg/dL	3.5 - 7.2

**DR. ABHISHEK LAUL**  
M.B.B.S.; M.D. Pathology  
Fellow Neuropathology  
(K.E.M. Hospital, Mumbai)  
Reg No: 2011/04/0990

APPROVED BY

-- End of Report --

Name	MR.ANAND ABHISHEK	ID	MED110960763
Age & Gender	34Y/MALE	Visit Date	19 Feb 2022
Ref Doctor Name	MediWheel		

## HEALTH CHECKUP

CHIEF COMPLAINTS: Nil

PAST HISTORY:

Medical: Nil

Surgical: No

PERSONAL HISTORY:

Marital Status: Married

No. of Children:-0

Habits: No. Tobacco & snuff: No. Smoking: No.

Alcohol: No.

Physical Activity: Regular Exercise.

Drug Allergies: Nil.

FAMILY HISTORY:

Father: Died - IHD

Mother: Age 65 yrs - Healthy.

Siblings: Brother-0 2 -Healthy, Sister-0 4 -Healthy

PHYSICAL EXAMINATION:

HEIGHT: 169 Cms.

WEIGHT: 68 Kgs.

BLOOD PRESSURE: 100 /70 mmHg.

PULSE: 66 /Min.

SKIN: Free From Contagious Diseases.

Name	MR.ANAND ABHISHEK	ID	MED110960763
Age & Gender	34Y/MALE	Visit Date	19 Feb 2022
Ref Doctor Name	MediWheel		

Without Spectacles

EYES EXAMINATION:            RIGHT            LEFT

NEAR VISION:                    N/6            N/6

DISTANCE VISION:              6/6            6/6

COLOR BLANDNESS: - WNL

SYSTEMIC REVIEW

Pallor: No                            Icterus:-No                            Cyanosis: No

Clubbing: No                        Oedema: No

Lymphadenopathy : NO

Cardiovascular System: WNL

Respiratory System: WNL

Gastro Intestinal System: WNL

Central Nervous System: WNL

Genito Urinary System: WNL

Extremities & Spine: WNL

Final Impression:

Recommendation :

Name	MR.ANAND ABHISHEK	ID	MED110960763
Age & Gender	34Y/MALE	Visit Date	19 Feb 2022
Ref Doctor Name	MediWheel		

Signature

Consultant Physician

Name	MR.ANAND ABHISHEK	ID	MED110960763
Age & Gender	34Y/MALE	Visit Date	19 Feb 2022
Ref Doctor Name	MediWheel		

### **X - RAY CHEST PA VIEW**

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

**IMPRESSION :Chest radiograph reveals no evidence of any Pleuro- pulmonary abnormality**



Dr. Rohan Kashyape  
MD, DNB

Dr. Parimal Sonawane  
DMRD, DNB

Name	MR.ANAND ABHISHEK	ID	MED110960763
Age & Gender	34Y/MALE	Visit Date	19 Feb 2022
Ref Doctor Name	MediWheel		

### ECHOCARDIOGRAPHY AND COLOR DOPPLER REPORT

#### OBSERVATION:

- NORMAL LV SIZE WITH NORMAL SYSTOLIC FUNCTION, LVEF 60%
- NO LVH, NORMAL DIASTOLIC FUNCTION
- NO REGIONAL WALL MOTION ABNORMALITY AT REST
- MITRAL VALVE: NORMAL
  - NO MR, NO MS
- AORTIC VALVE: NORMAL
  - NO AS, NO AR
- NO TR, NO PAH
- NORMAL LA, RA, RV, IVC WITH GOOD RV FUNCTIONS
- INTACT IAS/IVS
- NO INTRA-CARDIAC CLOT/VEGETATION
- PERICARDIUM NORMAL

AO= 30 mm LA=35 mm IVS=10/16 mm LVPW=10/16 mm LVID= 48/29 mm

FINAL IMPRESSION: NORMAL LV AND RV FUNCTIONS

NORMAL ECHO AND COLOUR DOPPLER STUDY

DR. NIRMAL R. KOLTE  
M.D (MED), D.M. (CARDIOLOGY)  
CONSULTANT CARDIOLOGIST