

			LABORATORY REPORT			
Name	:	Mr. Bhavesh Doshi		Reg. No	:	208100772
Sex/Age	:	Male/41 Years		Reg. Date	;	13-Aug-2022 09:46 AM
Ref. By	:			Collected On	;	13-Aug-2022 09:46 AM
Client Name	:	Mediwheel		Report Date	:	13-Aug-2022 03:16 PM

## **Medical Summary**

**GENERAL EXAMINATION** 

Height (cms):187

Weight (kgs):95.0

Blood Pressure: 110/70mmHg

Pulse: 66/Min

No Clubbing/Cynosis/Pallor/PedelOedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly

Epilepsy – N/A



This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 3 of 4





## वारतीय विशिष्ट मोळामाण पासिस्स्य

## ભારત સરકાર Unique Identification Authority of India Government of India

નોંધણીની ઓળખ / Enrollment No 1308/00238/53743

To, ถิ่งปี eแฉิง Doshi Bhavesh S/O: Jitendra B/43 yash tower

near asopalay party plot 100 ft ring road , satellite

Ahmadabad Cily Ambawadi Vistar Ahmadabad Cily Ahmedabad Gujarat 380015 9925049632

Ref: 105 / 13L / 208135 / 209475 / P



SH660575207FT




તમારો આધાર નંબર / Your Aadhaar No. :

8671 5477 5113

આધાર – સામાન્ય માણસનો અધિકાર



ભારતે સરકાર Government of India





8671 5477 5113

આધાર – સામાન્ય માણસનો અધિકાર

Dr. Jay Soni M.D. (General Medicine) Reg. No.: G-23899



Many or City.





Reg. No : 208100772 Ref Id Collected On : 13-Aug-2022 09:46 AM

Name : Mr. Bhavesh Doshi Reg. Date : 13-Aug-2022 09:46 AM

Age/Sex : 41 Years Tele No. J Male Pass. No. : 9925049632

Ref. By Dispatch At

Location Sample Type : EDTA Whole Blood : CHPL

Parameter Results Unit Biological Ref. Interval COMPLETE BLOOD COUNT (CBC) Specimen: EDTA blood Hemoglobin (Spectrophotometric 14.8 13.0 - 18.0g/dL Measurement) Hematrocrit (Calculated) L 46.90 % 47 - 52

RBC Count (Volumetric Impedance) 4.7 - 6.05.32 million/cmm MCV (Calculated) fL. 78 - 110 88.1 MCH (Calculated) 27.8 Pg27 - 31MCHC (Calculated) % 31 - 35 31.6 RDW (Calculated) 11.5 - 14.0 11.7 % WBC Count (Volumetric Impedance) 5360 /cmm 4000 - 10500

8.8

DIFFERENTIAL WBC COUNT **EXPECTED VALUES EXPECTED VALUES** [%] [Abs] Neutrophils (%) 49 % 42.0 - 75.2 2626 /cmm 2000 - 7000 Lymphocytes (%) 41 % 20 - 45 2198 1000 - 3000 /cmm Eosinophils (%) 02 % 200 - 1000 0 - 6 429 /cmm Monocytes (%) 80 % 107 /cmm 20 - 500 2 - 10Basophils (%) 00 % 0 0 - 1 0 - 100/cmm

fL.

PERIPHERAL SMEAR STUDY

RBC Morphology Normocytic and Normochromic.

WBC Morphology Normal

PLATELET COUNTS

MPV (Calculated)

Platelet Count (Volumetric 209000 150000 - 450000 /cmm Impedance)

**Platelets** 

Platelets are adequate with normal morphology.

Parasites Malarial parasite is not detected.

This is an electronically authenticated report.

\* This test has been out sourced.

Approved By:

7.4 - 10.4

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 10:52 AM Page 1 of 13





**Reg. No** : 208100772

Ref Id

Collected On

: 13-Aug-2022 09:46 AM

Name

: Mr. Bhavesh Doshi

Reg. Date

: 13-Aug-2022 09:46 AM

Age/Sex

: 41 Years

: CHPL

/ Male

Pass. No.

Tele No.

: 9925049632

Ref. By

Dispatch At

Sample Type

: EDTA Whole Blood

Location Parameter

Result

Unit

Biological Ref. Interval

#### **HEMATOLOGY**

#### **BLOOD GROUP & RH**

Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

**ABO** 

"AB"

Rh (D)

Positive

Note

#### **ERYTHROCYTE SEDIMANTATION RATE [ESR]**

ESR (After 1 hour)
Infra red measurement

02

mm/hr

ESR AT 1 hour: 1-7

ESR AT 2 hour: 8-15

#### ERYTHRO SEDIMENTION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in prenancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (o-1mm) in polycythaemia, hypofibrinogenemia or or congestive cardiac failure and when there are abnormalities or the red cells such as poikilocytosis, spherocytosis or sickle cells.

# For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

\* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On : 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 12:44 PM Page 2 of 13

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 208100772

Ref Id

Collected On

Name

: Mr. Bhavesh Doshi

Reg. Date

: 13-Aug-2022 09:46 AM

: 13-Aug-2022 09:46 AM

Age/Sex

: 41 Years

/ Male Pass. No. Tele No.

: 9925049632

Ref. By

: CHPL

Dispatch At

Sample Type

: Flouride F, Flouride PP

**Parameter** 

Location

Result

Unit Biological Ref. Interval

#### **FASTING PLASMA GLUCOSE**

Specimen: Flouride plasma

Fasting Blood Sugar (FBS)

112.40

mg/dL

70 - 110

GOD-POD for glucose.

Criteria for the diagnosis of diabetes

1. HbA1c >/= 6.5 \*

Or

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

- 3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.
- 4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200
- \*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing. American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

#### POST PRANDIAL PLASMA GLUCOSE

Specimen: Flouride plasma

Post Prandial Blood Sugar (PPBS)

123.5

mg/dL

70 - 140

GOD-POD for glucose.

# For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

\* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 01:45 PM Page 3 of 13

CUROVIS HEALTHCARE PVT. LTD.





Reg. No : 208100772

: Mr. Bhavesh Doshi

Age/Sex

: CHPL

Name

Ref. By

Location

: 41 Years / Male

Pass. No.

Ref Id

Collected On

: 13-Aug-2022 09:46 AM

Reg. Date

: 13-Aug-2022 09:46 AM

Tele No.

: 9925049632

Dispatch At

Sample Type : Serum

Parameter	Result	Unit	Biological Ref. Interval
	<u>Lipid Profile</u>	.,	
Cholesterol	188.00	mg/dL	Desirable: < 200 Boderline High: 200 - 239 High: > 240
Enzymatic, colorimetric method			
Triglyceride	107.40	mg/dL	Normal: < 150 Boderline High: 150 - 199 High: 200 - 499 Very High: > 500
Enzymatic, colorimetric method			
HDL Cholesterol	39.40	mg/dL	High Risk : < 40 Low Risk : = 60
Accelerator selective detergent method			
LDL	127.12	mg/dL	Optimal : < 100.0 Near / above optimal : 100-129 Borderline High : 130- 159 High : 160-189 Very High : >190.0
Calculated			vol, mgm. 100.0
VLDL Calculated	21.48	mg/dL	15 - 35
LDL / HDL RATIO Calculated	3.23		0 - 3.5
Cholesterol /HDL Ratio	4.77		0 - 5.0
Calculated			

# For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

\* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 10:52 AM Page 4 of 13

CUROVIS HEALTHCARE PVT. LTD.





TECT		COT
	K I I	4 JK I

Reg. No

: 208100772

Ref Id

Collected On : 13-Aug-2022 09:46 AM

Name

Reg. Date

: 13-Aug-2022 09:46 AM

Age/Sex

: Mr. Bhavesh Doshi : 41 Years

Tele No.

: 9925049632

Ref. By

/ Male

Pass. No.

Dispatch At

Location

: CHPL

Sample Type : Serum

<del></del>	 	······	·····
Parameter	Result	Unit	Biological Ref. Interval

#### **BIO - CHEMISTRY**

#### LFT WITH GGT

	<u>L.r.</u>	I WITH GGT	
Total Protein Biuret Reaction	6.68	gm/dL	6.3 - 8.2
Albumin By Bromocresol Green	4.65	g/dL	0 - 4 days: 2.8 - 4.4 4 days - 14 yrs: 3.8 - 5.4 14 - 19 yrs: 3.2 - 4.5 20 - 60 yrs: 3.5 - 5.2 60 - 90 yrs: 3.2 - 4.6 > 90 yrs: 2.9 - 4.5
Globulin Calculated	2.03	g/dL	2.3 - 3.5
A/G Ratio Calculated	2.29		0.8 - 2.0
SGOT UV without P5P	25.70	U/L	0 - 40
SGPT UV without P5P	24.90	U/L	0 - 40
Alakaline Phosphatase p - Nitrophenylphosphate (PNPP)	187.4	U/L	25 - 270
Total Bilirubin Vanadate Oxidation	0.73	mg/dL	0 - 1.2
Conjugated Bilirubin	0.23	mg/dL	0.0 - 0.4
Unconjugated Bilirubin Sulph acid dpl/calf-benz	0.50	mg/dL	0.0 - 1.1
GGT SZASZ Method	21.20	mg/dL	15 - 73

This is an electronically authenticated report.

\* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On : 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 10:52 AM Page 5 of 13

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 208100772

: CHPL

Ref Id

Collected On

: 13-Aug-2022 09:46 AM

Name

Reg. Date

: 13-Aug-2022 09:46 AM

Age/Sex

Location

: Mr. Bhavesh Doshi : 41 Years 1 Male

Pass. No.

Tele No.

Ref. By

: 9925049632

Dispatch At

Sample Type

: Serum

# For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

\* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 10:52 AM Page 6 of 13

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 208100772

Ref Id

**Collected On** 

: 13-Aug-2022 09:46 AM

Name

Reg. Date

: 13-Aug-2022 09:46 AM

: Mr. Bhavesh Doshi

Age/Sex

: 41 Years

Pass. No. / Male

Tele No.

: 9925049632

Ref. By Location : CHPL

Dispatch At

Sample Type : Serum

Parameter	Result	Unit	Biological Ref. Interval
	BIO - CHEMISTRY		
Uric Acid Enzymatic, colorimetric method	4.32	mg/dL	Adult : 3.5 - 8.5 Child : 2.5 - 5.5
Creatinine Enzymatic Method	1.04	mg/dL	Adult : 0.72 - 1.18 Child : 0.5 - 1.0
BUN UV Method	7.80	mg/dL	Adult : 7.0 - 20.0 Child : 5.0 - 18.0

# For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

\* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 1β:52 AM Page 7 of 13

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 208100772

Ref Id

Collected On

: 13-Aug-2022 09:46 AM

Name

Age/Sex

Location

: Mr. Bhavesh Doshi

: 13-Aug-2022 09:46 AM

: 41 Years

Pass. No.

Tele No.

Unit

: 9925049632

Ref. By

: CHPL

Dispatch At

Reg. Date

Sample Type

: EDTA Whole Blood

**Parameter** Result

/ Male

Biological Ref. Interval

**HEMOGLOBIN A1 C ESTIMATION** Specimen: Blood EDTA

\*Hb A1C

5.3

% of Total Hb

Normal: < 5.7 %

Pre-Diabetes: 5.7 % -

6.4 %

Diabetes: 6.5 % or

higher

Boronate Affinity with Fluorescent Quenching

Mean Blood Glucose

105.41

mg/dL

Calculated

#### **Degree of Glucose Control Normal Range:**

Poor Control >7.0% \*

Good Control 6.0 - 7.0 %\*\*Non-diabetic level < 6.0 %

- \* High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy,etc.
- \* Some danger of hypoglycemic reaction in Type I diabetics.
- \* Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

#### **EXPLANATION:-**

- \*Total haemoglobin A1 c is continuously synthesised in the red blood cell throught its 120 days life span.The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.
- \*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.
- \*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

\*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

**HbA1c assay Interferences:** 

\*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

# For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

\* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On : 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 12:58 PM Page 8 of 13

CUROVIS HEALTHCARE PVT. LTD.





: 208100772

**TEST REPORT** Ref Id

Collected On

: 13-Aug-2022 09:46 AM

Reg. No Name

Reg. Date

: 13-Aug-2022 09:46 AM

: Mr. Bhavesh Doshi

Age/Sex

: 41 Years

/ Male Pass. No. Tele No.

: 9925049632

Ref. By

: CHPL

Dispatch At

: Urine Spot Sample Type

Test

Location

Unit

Biological Ref. Interval

#### URINE ROUTINE EXAMINATION

#### **PHYSICAL EXAMINATION**

Quantity

20 cc

Result

Colour

Pale Yellow

Clarity

Clear

### CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC)

pΗ

5.0

4.6 - 8.0

Sp. Gravity

1.025

1.001 - 1.035

Protein

Nil

Glucose

Nil

Ketone Bodies

Nil

Urobilinogen Bilirubin

Nil

**Nitrite** 

Nil

Blood

Nil Nil

#### MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY)

Leucocytes (Pus Cells)

Occasional/hpf

Erythrocytes (Red Cells)

Nil

Epithelial Cells

Occasional

/hpf

Crystals

Absent

Casts

Absent

Amorphous Material

Absent

Bacteria

Absent

This is an electronically authenticated report.

This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 11:29 AM Page 9 of 13

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 208100772

Ref ld

Collected On

: 13-Aug-2022 09:46 AM

Name

; Mr. Bhavesh Doshi

Reg. Date

: 13-Aug-2022 09:46 AM

Age/Sex

: 41 Years

: CHPL

/ Male

Tele No.

Ref. By Location Pass. No.

: 9925049632

Dispatch At

Sample Type

: Urine Spot

Remarks

# For tests performed on specimens received or collected from non-CHPt. locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

\* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 11:29 AM Page 10 of 1

**CUROVIS HEALTHCARE PVT. LTD.** 





Reg. No : 208100772 Ref Id

Collected On : 13-Aug-2022 09:46 AM

Name

: Mr. Bhavesh Doshi

Reg. Date

: 13-Aug-2022 09:46 AM

Age/Sex

: 41 Years / Male

Pass. No.

Tele No.

: 9925049632

Ref. By

: CHPL

Dispatch At

Sample Type

: Serum

Parameter

Location

Result

Unit

Biological Ref. Interval

#### **IMMUNOLOGY**

#### THYROID FUNCTION TEST

T3 (Triiodothyronine)

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

1.01

ng/mL

0.6 - 1.81

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG.

T4 (Thyroxine)

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

9.00

ng/mL

3.2 - 12.6

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99.95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T4 occur due to changes in T4 binding proteins, especially TBG.

#### Limitations:

- 1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding
- 2.F T4 values may be decreased in patients taking carbamazepine.
- 3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

\* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 12:58 PM Page 11 of 1

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 208100772

Ref Id

Collected On

: 13-Aug-2022 09:46 AM

Name

: Mr. Bhavesh Doshi

Reg. Date

: 13-Aug-2022 09:46 AM

Age/Sex

: 41 Years / Male

Pass. No.

Tele No.

: 9925049632

Ref. By Location

Dispatch At

Sample Type

: Serum

\*TSH

CHPL

2.025

µIU/ml

0.55 - 4.78

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

TSH levels During Pregnancy: First Trimester: 0.1 to 2.5 µIU/mL Second Trimester: 0.2 to 3.0 µIU/mL Third trimester: 0.3 to 3.0 µIU/mL

Referance: Carl A.Burtis, Edward R.Ashwood, David E.Bruns, Tietz Textbook of Clinical Chemistry and Molecular

Diagnostics. 5th Eddition. Philadelphia: WB Sounders, 2012:2170

# For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

\* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 12:58 PM Page 12 of 1

CUROVIS HEALTHCARE PVT. LTD.





Reg. No

: 208100772

Ref Id

Collected On

: 13-Aug-2022 09:46 AM

Name

: Mr. Bhavesh Doshi

/ Male

Reg. Date

: 13-Aug-2022 09:46 AM

Age/Sex

: 41 Years

: CHPL

Pass. No.

Tele No.

: 9925049632

Ref. By

Dispatch At

Sample Type

: Serum

**Parameter** 

Location

Result

Biological Ref. Interval Unit

#### **IMMUNOLOGY**

\*TOTAL PROSTATE SPECIFIC ANTIGEN (PSA)

0.84

ng/mL

0 - 4

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-8 ng/mL.

Percentage of free PSA = free PSA/total PSA X 100

Percentage of free PSA: Patients with prostate cancer generally have a lower percentage of Free PSA than patients with benign prostatic hyperplasia. Percentage Free PSA of less than 25% is a high likelihood of prostatic cancer.

----- End Of Report -----

# For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

\* This test has been out sourced.

Approved By:

Dr.Dhwani Bhatt

MD (Pathology)

Generated On: 13-Aug-2022 05:05 PM

Approved On:

13-Aug-2022 12:58 PM Page 13 of 1

CUROVIS HEALTHCARE PVT. LTD.



			LABORATORY REPORT			
Name	:	Mr. Bhavesh Doshi		Reg. No	:	208100772
Sex/Age	;	Male/41 Years		Reg. Date	:	13-Aug-2022 09:46 AM
Ref. By	:			<b>Collected On</b>	:	13-Aug-2022 09:46 AM
Client Name	:	Mediwheel		Report Date	:	13-Aug-2022 03:16 PM

## Electrocardiogram

## **Findings**

Normal Sinus Rhythm.

Within Normal Limit.



This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 1 of 4



			LABORATORY REPORT			
Name	:	Mr. Bhavesh Doshi		Reg. No	:	208100772
Sex/Age	:	Male/41 Years		Reg. Date	:	13-Aug-2022 09:46 AM
Ref. By	:			Collected On	:	13-Aug-202? 09:46 AM
Client Name	:	Mediwheel		Report Date	:	13-Aug-2022 03:16 PM

#### 2D Echo Colour Doppler

#### **OBSERVATION:**

2 D Echo and color flow studies were done in long and short axis, apical and Sub coastal views.

- 1. Normal LV size. No RWMA at rest.
- 2. Normal RV and RA. Mild Concentric LVH.
- 3. All Four valves are structurally normal.
- 4. Good LV systolic function. LVEF = 60%.
- 5. Reduced LV Compliance.
- 6. Trivial TR. Mild MR. No AR.
- 7. Mild PAH. RVSP = 40 mmHG.
- 8. Intact IAS and IVS.
- 9. No Clot, No Vegetation.
- 10. No pericardial effusion.

#### CONCLUSION

- 1. Normal LV size with Good LV systolic function.
- 2. Mild Concentric LVH . Reduced LV Compliance
- 3. Trivial TR with Mild PAH. Mild MR. No AR
- 4. No RWMA at rest.

This echo doesn't rule out any kind of congenital cardiac anomalies.

This is an electronically authenticated report

Jay 8000-

Dr.Jay Soni

M.D, GENERAL MEDICINE

AHMEDABAD

Page 2 of 4




			LABORATORY REPORT			
lame	:	Mr. Bhavesh Doshi		Reg. No	:	208100772
ex/Age	:	Male/41 Years		Reg. Date	:	13-Aug-2022 09:46 AM
Ref. By	:			Collected On	:	
lient Name	:	Mediwheel		Report Date	:	13-Aug-2022 04:45 PM

# 

This is an electronically authenticated report

C. C. C.

DR DHAVAL PATEL Consultant Radiologist MB,DMRE Reg No:0494



Page 2 of 2



			LABORATORY REPORT			
Name	;	Mr. Bhavesh Doshi		Reg. No	:	208100772
Sex/Age	;	Male/41 Years		Reg. Date	;	13-Aug-2022 09:46 AM
Ref. By	:	•		Collected On	:	
Client Name	:	Mediwheel		Report Date	:	13-Aug-2022 04:46 PM

#### **USG ABDOMEN**

**Liver** appears normal in size, show homogenous parenchymal echo. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic billiary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen. Gall bladder wall thickness appears normal.

**Pancreas** appears normal in size and echopattern. No evidence of focal lesions.

**Spleen** appears normal in size & normal in echopattern. No evidence of focal lesions.

**Both kidneys** are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

Urinary bladder contour is normal, No evidence of calculus or mass.

**Prostate** is normal in size, show homogenous echo,outline is smooth.

No paraaortic lymphadenopathy seen.

No evidence of dilated small bowel loops.

**COMMENTS:** 

Normal study.

This is an electronically authenticated report

Contraction of the second

DR DHAVAL PATEL
Consultant Radiologist
MB,DMRE
Reg No:0494



Page 1 of 2



			LABORATORY REPORT			
Name	:	Mr. Bhavesh Doshi		Reg. No	:	208100772
Sex/Age	:	Male/41 Years		Reg. Date	:	13-Aug-2022 09:46 AM
Ref. By	:			Collected On	:	13-Aug-2022 09:46 AM
Client Name	:	Mediwheel		Report Date	;	13-Aug-2022 03:11 PM

## Eye Check - Up

No Eye Complaints

RIGHT EYE

SP: -0.25

CY: ±0.00

AX: 00

LEFT EYE

SP:-1.00

CY: -1.00

AX:54

	Without Glasses	With Glasses
Right Eye	6/5	N.A
Left Eye	6/5	N.A

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

ColorVision: Normal

Comments: Normal

----- End Of Report -----

This is an electronically authenticated report



Page 4 of 4




**CLIENT NAME: - BHAVESH DOSHI.** 

AGE:- 41Y / M

DATE:- 16/08/2022.

## **AUDIOGRAM**



MODE	Air Conduction		Bone Conduction		1 !	Threshold In dB	RIGHT	LEFT
EAR	Masked	1	ı	UnMasked		intesnota in ab	RIGHT	LLFI
LEFT		X	7	>	Blue	AIR CONDUCTION	10.5	10.5
RIGHT	Δ	0	C	<	Red	BONE CONDUCTION		
NO RESPONS	NO RESPONSE: Add 1 below the respective symbols							

#### Comments:-

Bilateral Hearing Sensitivity Within Normal Limits.

