

TEST REPORT

Reg. No:2205100622Name:Divyani BhandariAge/Sex:29 Years / FemaleRef. By::Client:MEDIWHEEL WELLNESS

 Reg. Date
 : 07-May-2022

 Collected On
 : 07-May-2022 09:23

 Approved On
 : 07-May-2022 09:59

 Printed On
 : 07-May-2022 14:15

Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval			
COMPLETE BLOOD COUNT (CBC)						
	SPECIMEN	EDTA BLOOD				
Hemoglobin	12.7	g/dL	12.0 - 15.0			
RBC Count	4.23	million/cmm	3.8 - 4.8			
Hematrocrit (PCV)	36.4	%	40 - 54			
MCH	30.0	Pg	27 - 32			
MCV	86.1	fL	83 - 101			
MCHC	34.9	%	31.5 - 34.5			
RDW	13.0	%	11.5 - 14.5			
WBC Count	7300	/cmm	4000 - 11000			
DIFFERENTIAL WBC COUNT (Flow	<u>cytometry)</u>					
Neutrophils (%)	75	%	38 - 70			
Lymphocytes (%)	18	%	20 - 40			
Monocytes (%)	05	%	2 - 8			
Eosinophils (%)	02	%	0 - 6			
Basophils (%)	0	%	0 - 2			
Neutrophils	5475	/cmm				
Lymphocytes	1314	/cmm				
Monocytes	365	/cmm				
Eosinophils	146	/cmm				
Basophils	0	/cmm				
Platelet Count (Flow cytometry)	217000	/cmm	150000 - 450000			
MPV	8.3	fL	7.5 - 11.5			
ERYTHROCYTE SEDIMENTATION F	RATE					
ESR (After 1 hour)	19	mm/hr	0 - 21			
Modified Westergren Method						

----- End Of Report ------

Page 1 of 10

This is an electronically authenticated report.



	TEST	REPORT	
Reg. No : 2205100622			Reg. Date : 07-May-2022
Name : Divyani Bhandari			Collected On : 07-May-2022 09:23
Age/Sex : 29 Years / Female			Approved On : 07-May-2022 14:16
Ref. By :			Printed On : 07-May-2022 14:15
Client : MEDIWHEEL WELLNESS			
Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval
	PLASM	A GLUCOSE	
Fasting Blood Sugar (FBS) Hexokinase Method	98.3	mg/dL	70 - 110
Post Prandial Blood Sugar (PPBS) Hexokinase Method	105.2	mg/dL	70 - 140
Criteria for the diagnosis of diabetes1. HbA1c >/= Or 2. Fasting plasma glucose >126 gm/dL. Fasting is de Or 3. Two hour plasma glucose >/= 200mg/dL during an	fined as no caloric intal		oad containing equivalent of 75 gm anhydrous glucose

3. Two nour plasma glucose >/= 200 mg/uL during an oral glucose toloron text of dening a glucose toloron text of dening a glucose /= 200 mg/uL dissolved in water.
Or
4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.
*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.
American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

----- End Of Report ------

Page 2 of 10

DR PS RAO MD Pathologist

This is an electronically authenticated report.

TEST REPORT

Reg. No:2205100622Name:Divyani BhandariAge/Sex:29 Years / FemaleRef. By:

 Reg. Date
 :
 07-May-2022

 Collected On
 :
 07-May-2022 09:23

 Approved On
 :
 07-May-2022 14:16

 Printed On
 :
 07-May-2022 14:15

Client : MEDIWHEEL WELLNESS

Printed On	: 07-May-2022

Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval				
LIPID PROFILE							
Cholesterol (Enzymatic colorimetric)	161.6	mg/dL	Desirable : < 200.0 Borderline High : 200-239 High : > 240.0				
Triglyceride (Enzymatic colorimetric)	43.7	mg/dL	Normal : < 150.0 Borderline : 150-199 High : 200-499 Very High : > 500.0				
VLDL	8.74	mg/dL	15 - 35				
Calculated							
LDL CHOLESTEROL	107.56	mg/dL	Optimal : < 100.0 Near / above optimal : 100-129 Borderline High : 130-159 High : 160-189 Very High : >190.0				
HDL Cholesterol Homogeneous enzymatic colorime	45.3 tric	mg/dL	30 - 85				
Cholesterol /HDL Ratio	3.57		0 - 5.0				
LDL / HDL RATIO Calculated	2.37		0 - 3.5				

Page 3 of 10



				TEST REPORT		
Reg. No	:	2205100622			Reg. Date	: 07-May-2022
Name	:	Divyani Bhandari			Collected On	: 07-May-2022 09:23
Age/Sex	:	29 Years / Female			Approved On	: 07-May-2022 14:16
Ref. By	:				Printed On	: 07-May-2022 14:15
Client	:	MEDIWHEEL WELLNESS				
Paramete	er		<u>Result</u>	<u>Unit</u>	Reference Interval	

NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP<?xml:namespace prefix = "o" ns = "urn:schemasmicrosoft-com:office:office" />

LDL CHOLESTEROL CHOLESTEROL HDL CHOLESTEROL
TRIGLYCERIDES
Optimal<100
Desirable<200
Low<40
Normal<150
Near Optimal 100-129
Border Line 200-239
High >60
Border High 150-199
Borderline 130-159
High >240
-
High 200-499
High 160-189

LDL Cholesterol level is primary goal for treatment and varies with risk category and assessment

For LDL Cholesterol level Please consider direct LDL value •

Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.

Detail test interpreation available from the lab

All tests are done according to NCEP guidelines and with FDA approved kits. •

• LDL Cholesterol level is primary goal for treatment and varies with risk category and assessment # For test performed on specimens received or collected from non-KSHIPRA locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender.

KSHIPRA will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory. . All other responsibility will be of referring Laboratory.

----- End Of Report ------

Page 4 of 10



Paramet	ter	<u>Result</u>	<u>Unit</u>	<u>Reference</u>	e Interval	
Client	: MEDIWHEEL WELLNESS					
Ref. By	:			Printed On	: 07-May-2022 14:15	
Age/Sex	: 29 Years / Female			Approved On	: 07-May-2022 14:16	
Name	: Divyani Bhandari			Collected On	: 07-May-2022 09:23	
Reg. No	: 2205100622			Reg. Date	: 07-May-2022	
		TEST	REPORT			

Specimen: Blood EDTA

	-		
Hb A1C Boronate Affinity with Fluorescent Quenching	5.53	% of Total Hb	Poor Control : > 7.0 % Good Control : 6.2-7.0 % Non-diabetic Level : 4.3-6.2 %
Mean Blood Glucose	119.57	mg/dL	

Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

* High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy,etc.

* Some danger of hypoglycemic reaction in Type I diabetics.

* Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION :-

*Total haemoglobin A1 c is continuously symthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose oncentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels. *The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days,HbA1c has been accepted as a measurnment which eflects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

----- End Of Report ------

This is an electronically authenticated report.

Page 5 of 10



DR PS RAO MD Pathologist

	TES	T REPORT	
Reg. No : 2205100622			Reg. Date : 07-May-2022
Name : Divyani Bhandari			Collected On : 07-May-2022 09:23
Age/Sex : 29 Years / Female			Approved On : 07-May-2022 14:16
Ref. By			Printed On : 07-May-2022 14:15
Client : MEDIWHEEL WELLNESS	6		
Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval
	LIVER FUNCT	ION TEST WIT	TH GGT
Total Bilirubin	1.18	mg/dL	0.20 - 1.0
Colorimetric diazo method			
Conjugated Bilirubin	0.46	mg/dL	0.0 - 0.3
Sulph acid dpl/caff-benz			
Unconjugated Bilirubin	0.72	mg/dL	0.0 - 1.1
Sulph acid dpl/caff-benz			
SGOT	14.4	U/L	0 - 31
(Enzymatic)			
SGPT	8.2	U/L	0 - 31
(Enzymatic)			
GGT	16.3	U/L	7 - 32
(Enzymatic colorimetric)			
Alakaline Phosphatase	57.5	U/L	42 - 141
(Colorimetric standardized method)			
Protien with ratio			
Total Protein	6.5	g/dL	6.5 - 8.7
(Colorimetric standardized method)			
Albumin	4.5	mg/dL	3.5 - 4.94
(Colorimetric standardized method)			

g/dL

2.3 - 3.5

0.8 - 2.0

----- End Of Report ------

2.00

2.25

Page 6 of 10

Globulin

Calculated A/G Ratio

Calculated



TEST REPORT : 2205100622 Reg. Date Reg. No : 07-May-2022 Name : Divyani Bhandari **Collected On** : 07-May-2022 09:23 Age/Sex : 29 Years / Female Approved On : 07-May-2022 14:16 Ref. By **Printed On** : 07-May-2022 14:15 · Client : MEDIWHEEL WELLNESS <u>Result</u> <u>Unit</u> **Reference Interval** Parameter RENAL FUNCTION TEST (RFT) UREA 16.9 mg/dL 10 - 50 (Urease & glutamate dehydrogenase) Creatinine 0.76 mg/dL 0.5 - 1.2 (Jaffe method) <u>2.2</u> 2.5 - 7.0 Uric Acid mg/dL (Enzymatic colorimetric) Sodium (Na+) 137.2 mmol/L 136 - 145 Direct ion selective electrode Potassium (K+) 4.6 mmol/L 3.6 - 5.0 Direct ion selective electrode Chloride (CL-) 102.3 mmol/L 97 - 107 Direct ion selective electrode

----- End Of Report ------

This is an electronically authenticated report.

Page 7 of 10

	1	EST REPORT	
Reg. No : 2205100622			Reg. Date : 07-May-2022
Name : Divyani Bhandari			Collected On : 07-May-2022 09:23
Age/Sex : 29 Years / Female			Approved On : 07-May-2022 12:34
Ref. By : Client : MEDIWHEEL WELLN	IESS		Printed On : 07-May-2022 14:15
Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval
	THYR	DID FUNCTION TI	EST
T3 (Triiodothyronine) Chemiluminescence	0.97	ng/mL	0.87 - 1.78
T4 (Thyroxine) Chemiluminescence	8.81	µg/dL	5.89 - 14.9
TSH (ultra sensitive)	1.471	µIU/mI	0.34 - 5.6

Chemiluminescence

SUMMARY The hypophyseal release of TSH (thyrotropic hormone) is the central regulating mechanism for the biological action of thyroid hormones.TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. LIMITATION Presence of autoantibodies may cause unexpected high value of TSH

----- End Of Report ------

Page 8 of 10

	TES	ST REPORT	
Reg. No : 2205100622 Name : Divyani Bhandari			Reg. Date : 07-May-2022 Collected On : 07-May-2022 09:23
Age/Sex : 29 Years / Female Ref. By : Client : MEDIWHEEL WELLN	ESS		Approved On : 07-May-2022 14:15 Printed On : 07-May-2022 14:15
Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval
	STOOL	EXAMINATIO	N
Colour	Yellow		
Consistency	Semi Solid		
CHEMICAL EXAMINATION			
Occult Blood	Negative		
Peroxidase Reaction with o- Dianisidine			
Reaction	Acidic		
pH Strip Method			
Reducing Substance Benedict's Method	Absent		
MICROSCOPIC EXAMINATION			
Mucus	Nil		
Pus Cells	5-7/hpf		
Red Cells	1-2/hpf		
Epithelial Cells	occaional		
Vegetable Cells	Nil		
Trophozoites	Nil		
Cysts	Nil		
Ova	Nil		
Neutral Fat	Nil		
Monilia	Nil		

Note: Stool occult blood test is highly sensitive to peroxidase like activity of free hemoglobin.

False negative: False negative occult blood test may be observed in case of excess (>250mg/day) Vitamin C intake and in case of occassinal unruptured RBCs.

False positive: False positive occult blood test may be observed in stool samples containing vegetable peroxidase (turnips, horseradish, cauliflower, brocoli, cantaloupe, parsnips) and myoglobin from food (meat diet) intake.

----- End Of Report ------

Page	9	of	10



	TES	T REPORT	
Reg. No : 2205100622 Name : Divyani Bhandari Age/Sex : 29 Years / Female Ref. By :	2		Reg. Date : 07-May-2022 Collected On : 07-May-2022 09:23 Approved On : 07-May-2022 09:45 Printed On : 07-May-2022 14:15
Client : MEDIWHEEL WELLNES	S <u>Result</u>	Unit	Reference Interval
PHYSICAL EXAMINATION			
Quantity Colour	20 cc Pale Yellow		
Appearance	Clear		
CHEMICAL EXAMINATION (BY RE	FLECTANCE PHOTO	METRIC METHOD	1
рН	5.0		5.0 - 8.0
Sp. Gravity	1.020		1.002 - 1.03
Protein	Nil		
Glucose	Nil		
Ketone Bodies	Nil		
Urine Bile salt and Bile Pigment	Nil		
Urine Bilirubin	Nil		
Nitrite	Nil		
Leucocytes	Nil		
Blood	Nil		
MICROSCOPIC EXAMINATION (MA	NUAL BY MCIROSCO	<u>OPY)</u>	
Leucocytes (Pus Cells)	Nil		
Erythrocytes (Red Cells)	Nil		
Epithelial Cells	1-2/hpf		
Amorphous Material	Nil		
Casts	Nil		
Crystals	Nil		
Bacteria	Nil		
Monilia	Nil		

----- End Of Report ------

Page 10 of 10

