



बैंक ऑफ बडोदा
Bank of Baroda

नाम

Name

E.C. No.

जशवंत टी आर
Jashwanth T R

93549



जारीकर्ता प्राधिकारी

Issuing Authority



A handwritten signature in black ink, appearing to read "Jashwanth T R".

धारक के हस्ताक्षर

Signature of Holder

Mr. S. K. Bhattacharya
Chairman & MD

Shreekrishna Group of Institutions

Plot No. 205, Sector 10, Pashan, Pune - 411 010

Mobile: +91 9822688651, Tel: +91 080 2226625747

E-mail: +91 2268865190, Fax: +91 080 2226625747

For more details refer to:

Directorate of Security

Bandra (W), Mumbai, India

Plot No. 205, Bandra Kurla Complex

Mumbai - 400 051, India

Mobile: +91 9822688651, Fax: +91 98226625747

Shreekrishna Group of Institutions

Shreekrishna Model School

B+ve

IDENTITY CERTIFICATE

Certified that Mr. R Jashwanth T, who is an Indian National, is a permanent employee of Bank of Baroda since 30.09.2013 and is at present holding the post of Officer in JMG/S-I at Cavelossim Branch. Mr. Rangegouda T and Mrs. Kanthamma B K are dependent family members of Mr. R Jashwanth T and his identity is certified. This Organization has no objection to his acquiring Indian passport. I, the undersigned, am duly authorized to sign this Identity Certificate. I have read the provisions of Section 6(2) of the Passports Act, 1967 and certify that these are not attracted in case of this applicant. I recommend issue of Indian Passport to him. It is certified that Bank of Baroda is a Public Sector Undertaking. The Identity Card Number of Mr. R Jashwanth T is 93549.

Name : Shri. D. K. Namdeo
Designation : Dy. General Manager (G&WM)
EC. No. : 63502



Ref. No.: G&WM: HRM: 2016/ 473

Date: 08.02.2016

Address & Tel. No.: Bank of Baroda

Regional Office (Goa & Western Maharashtra region)
Plaza Chambers, 4th floor, Dr. Atmaram Borkar Road
Panaji – Goa – 403001.
(0832) 2224003.



R Jashwanth T

सेवीय कार्यालय (गोवा और प. म. क्षेत्र) : एवाडा चॅर्चर, दीधी मॉजिल, डॉ. आत्मराम बोरकर रोड, पनजी - गोवा 403 001, माहत, (प. का. बडौदा)
दूरध्वनि : 91 0832 2228475, 2224565, 2420295, 2235338 फैक्स : 91 0832 2228367, www.bankofbaroda.com.

Regional Office (GOA & W.M. Region) : Plaza Chambers, 4th Floor, Dr. Atmaram Borkar Road, Panaji, Goa 403 001, India (H.O. Baroda)
Tel. : 91 0832 2228475, 2224565, 2420295, 2235338, Fax : 91 0832 2228367, Email : rm.goawm@bankofbaroda.com

and the first time I have seen it. It is a very large tree, and the trunk is very thick. The bark is rough and grey, and the leaves are large and green. The flowers are white and fragrant. The fruit is a small, round, yellowish-orange berry. The tree is growing in a clearing in the forest, and there are other trees and bushes around it. The ground is covered in fallen leaves and pine needles.

Conclusion

Individual which may vary depending upon age, sex and other characteristics.

The laboratory values And Normal values need to be interpreted based on patient's clinical characteristics. The values in reference range is for an average normal D.C.R., M.D. CONSULTANT PATHOLOGIST

BIOCHEMIST MD

Dr. VAMSHEERA



Lab Seal



Dr. KRISHNA MURTHY

- Thyroid dysfunction in infancy and early childhood
- Pregnancy associated thyroid disorders
- Autoimmune thyroid disease
- Nonthyroidal illness
- Hypopituitar TSH secretion
- Hypothalamic - Pituitary hypothyroidism
- Hyperthyroidism
- Primary Hypothyroidism

Clinical Use:

- TS_H levels are subject to circadian variation, reaching peak levels between 2 - 4 a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%.
- Hence time of the day has influence on the measured serum TS_H concentrations.
- Recommended test for T₃ and T₄ is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T₃ / T₄ levels is seen in pregnancy and in patients on steroid therapy.
- Note:

1st Trimester: 0.05 - 3.70

2nd Trimester: 0.31 - 4.35

3rd Trimester: 0.41 - 5.18

CMIA

TOTAL THYROXINE (T₄)

CMIA

TOTAL TRIIODOTHYRONINE (T₃)

CMIA

THYROID PROFILE

CMIA

REFERENCE RANGE

SPECIMEN

TEST PARAMETER

RESULT

REF ID: MEDIWHEEL

REF CENTER : MEDIWHEEL

NAME : Mr. JASHWANTH T R

AGE/SEX : 32 yrs / Male

VISIT NO. : 148512

MR NO. : 22014441

DATE OF COLLECTION : 26-01-2022 at 09:33 AM

DATE OF REPORT : 26-01-2022 at 12:47 PM

REF REFERRED BY :

(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)

Diagnosis & Speciality Centre

TERMS AND CONDITIONS

- ❖ All Reports have to be correlated clinically.
- ❖ The findings and observations in the report pertain to the specimen submitted.
- ❖ All test results are dependent on the quality of the sample received by the laboratory
- ❖ All investigations have their limitation which are imposed by the limits of sensitivity and specificity of the individual assay procedures and the condition of the sample received by the laboratory.
- ❖ The specimens received are presumed to be of the patient's named on the samples.
- ❖ Laboratory investigations only help in arriving at a diagnosis and should be correlated with the Clinical presentation and other relevant investigations.
- ❖ Should the results indicate an unexpected abnormality, reconfirmation shall be sought. A repeat Investigation may be entertained within 72 hrs from the time of testing on request by the client.
- ❖ The specimens received are discarded after conducting the required tests unless otherwise prior informed.
- ❖ Test repeat/Add on test requests will be accepted on request on the referring doctor up to 3 days or earlier depending on the stability of samples for the test performed, post reporting.
- ❖ In the event of unforeseen circumstances or technical reasons, Performance and / or reporting Date and time of tests may be changed.
- ❖ Neither MEDICLU Diagnostics nor its directors / employees / representative assume any Liability, responsibility for any loss or damage that may be incurred by any person including the Patient, as a result of assuming the meaning or contents of the report.
- ❖ Claims if any, are subject to Bangalore, India jurisdiction.
- ❖ The report is not valid Medico legal purposes.

FACILITIES

- ❖ Siemens Silent MRI 1.5 Tesla ❖ Siemens Multislice CT Scan ❖ 4D / 3D Ultra Sound Scan
 - ❖ Siemens Digital Radiography X-Ray ❖ 2D-ECHO ❖ ECG ❖ EEG
- ❖ Allengers Mammogram / OPG ❖ GE BMD Analysis ❖ Hematology ❖ Biochemistry
 - ❖ Immunohistochemistry ❖ Pathology ❖ Microbiology ❖ Molecular Diagnostics

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072
Enquiry: +91 99867 33 333, Appointments: +91 98863 55 135, Reports: +91 74063 11 116

Email: info@mediclu.com Website: www.mediclu.com

For Home Sample Collections Contact: +91 99867 33 33

Page 2 of 9

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.



Dr. KRISHNA MURTHY

BIOCHEMIST

MD

D.C.P, M.D

Dr. VAMSEDHARA

CONSULTANT PATHOLOGIST

C.D.P, M.D

Lab Seal

W.W.G.M.

AG RATIO	1.3	1 - 1.5	Calculation
SALBUMIN	3.5 g/dl	2.5 - 3.8 g/dl	Calculation
TOTAL PROTEIN	7.94 g/dl	6.2 - 8 g/dl	Bilirubin Colorimetric
GONA-FFCC	15 - 85 U/L	15 - 85 U/L	SGPT (ALT)
ALKALINE PHOSPHATASE	166 U/L	36 - 113 U/L	IFCC Without Pyridoxal Phosphates
S G O T (AST)	75.3 U/L	up to 35 U/L	IFCC With Pyridoxal Phosphates
INDIRECT BILIRUBIN	0.26 mg/dl	0 - 0.4 mg/dl	Calculation
TOTAL BILIRUBIN	0.48 mg/dl	0.2 - 1.2 mg/dl	Colorimetric Diazo Method
LIVER FUNCTION TEST (LFT)			Colorimetric Diazo Method

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
REF CENTER : MEDIWHEEL			

Diagnosis & Speciality Centre

(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)



TERMS AND CONDITIONS

- ❖ All Reports have to be correlated clinically.
- ❖ The findings and observations in the report pertain to the specimen submitted.
- ❖ All test results are dependent on the quality of the sample received by the laboratory
- ❖ All investigations have their limitation which are imposed by the limits of sensitivity and specificity of the individual assay procedures and the condition of the sample received by the laboratory.
- ❖ The specimens received are presumed to be of the patient's named on the samples.
- ❖ Laboratory investigations only help in arriving at a diagnosis and should be correlated with the Clinical presentation and other relevant investigations.
- ❖ Should the results indicate an unexpected abnormality, reconfirmation shall be sought. A repeat Investigation may be entertained within 72 hrs from the time of testing on request by the client.
- ❖ The specimens received are discarded after conducting the required tests unless otherwise prior Informed.
- ❖ Test repeat/Add on test requests will be accepted on request on the referring doctor up to 3 days or earlier depending on the stability of samples for the test performed, post reporting.
- ❖ In the event of unforeseen circumstances or technical reasons, Performance and / or reporting Date and time of tests may be changed.
- ❖ Neither MEDICLU Diagnostics nor its directors / employees / representative assume any Liability, responsibility for any loss or damage that may be incurred by any person including the Patient, as a result of assuming the meaning or contents of the report.
- ❖ Claims if any, are subject to Bangalore, India jurisdiction.
- ❖ The report is not valid Medico legal purposes.

FACILITIES

- ❖ Siemens Silent MRI 1.5 Tesla ❖ Siemens Multislice CT Scan ❖ 4D / 3D Ultra Sound Scan
 - ❖ Siemens Digital Radiography X-Ray ❖ 2D-ECHO ❖ ECG ❖ EEG
- ❖ Allengers Mammogram / OPG ❖ GE BMD Analysis ❖ Hematology ❖ Biochemistry
 - ❖ Immunohistochemistry ❖ Pathology ❖ Microbiology ❖ Molecular Diagnostics

No. 79, Kendra Upadhyaya Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072
Enquiry: +91 99867 33 333, Appointments: +91 98863 55 135, Reports: +91 74063 11 116
For Home Sample Collections Contact: +91 99867 33 333

Email: info@medicu.com Website: www.medicu.com

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

CONSULTANT PATHOLOGIST

DCP-MD

Dr. VAMSEEHARA

MD

BIOCHEMIST

Dr. KRISHNA MURTHY

(Signature)

Page 3 of 9

VLDL CHOLESTEROL Calculation

141.5 mg/dl

2 - 30 mg/dl



LDL CHOLESTEROL - DIRECT Cholesterol Esterase-Cholesterol Oxidase

70.9 mg/dl

up to 100 mg/dl
100-129 mg/dl - Near optimal above
optimal
130-159 mg/dl - Borderline High
160-189 mg/dl - High
190-219 mg/dl - Very High

19.6 mg/dl

>= 60mg/dl - Excellent (protects
against heart disease)
40-59 mg/dl - Higher the better
40-59 mg/dl - Lower than desired (major
risk for heart disease)

HDL CHOLESTEROL - DIRECT PE-G-Cholesterol Esterase

70.7.5 mg/dl

Glyceral Peroxidase-Peroxidase (GPo-PO)
Desirable: <150 mg/dl
Border Line: 150 - 200 mg/dl
High: >200 - 500 mg/dl
Very High: > 500 mg/dl

TRIGLYCERIDES Glyceral Peroxidase-Peroxidase (GPo-PO)

232 mg/dl

TOTAL CHOLESTEROL Cholesterol Oxidase-Peroxidase (CHO-D-PO)
Border Line: 200 - 240 mg/dl
High: > 240 mg/dl
Up to 200 mg/dl

LIPID PROFILE TEST PE-G-Cholesterol Esterase

RESULTS

REFERENCE RANGE

SPECIMEN

TEST PARAMETER	REF CENTER : MEDIWHEEL
NAME	Mr. JASHWANTH TR
AGE/SEX	32 yrs / Male
MR NO.	22014441
VISIT NO.	148512
DATE OF COLLECTION	26-01-2022 at 09:33 AM
DATE OF REPORT	26-01-2022 at 12:47 PM
REFERRERED BY	
REF CENTER : MEDIWHEEL	

Diagnositics & Speciality Centre

(A Unit of Vijayalakshmi Diagnositics Pvt. Ltd.)



TERMS AND CONDITIONS

- ❖ All Reports have to be correlated clinically.
- ❖ The findings and observations in the report pertain to the specimen submitted.
- ❖ All test results are dependent on the quality of the sample received by the laboratory
- ❖ All investigations have their limitation which are imposed by the limits of sensitivity and specificity of the individual assay procedures and the condition of the sample received by the laboratory.
- ❖ The specimens received are presumed to be of the patient's named on the samples.
- ❖ Laboratory investigations only help in arriving at a diagnosis and should be correlated with the Clinical presentation and other relevant investigations.
- ❖ Should the results indicate an unexpected abnormality, reconfirmation shall be sought. A repeat Investigation may be entertained within 72 hrs from the time of testing on request by the client.
- ❖ The specimens received are discarded after conducting the required tests unless otherwise prior informed.
- ❖ Test repeat/Add on test requests will be accepted on request on the referring doctor up to 3 days or earlier depending on the stability of samples for the test performed, post reporting.
- ❖ In the event of unforeseen circumstances or technical reasons, Performance and / or reporting Date and time of tests may be changed.
- ❖ Neither MEDICLU Diagnostics nor its directors / employees / representative assume any Liability, responsibility for any loss or damage that may be incurred by any person including the Patient, as a result of assuming the meaning or contents of the report.
- ❖ Claims if any, are subject to Bangalore, India jurisdiction.
- ❖ The report is not valid Medico legal purposes.

FACILITIES

- ❖ Siemens Silent MRI 1.5 Tesla ❖ Siemens Multislice CT Scan ❖ 4D / 3D Ultra Sound Scan
 - ❖ Siemens Digital Radiography X-Ray ❖ 2D-ECHO ❖ ECG ❖ EEG
- ❖ Allengers Mammogram / OPG ❖ GE BMD Analysis ❖ Hematology ❖ Biochemistry
 - ❖ Immunohistochemistry ❖ Pathology ❖ Microbiology ❖ Molecular Diagnostics

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

DR. VAMSEEDHARA

Dr. KRISHNA MURTHY

BIOCHEMIST

MD

D.C.P, MD

Lab Seal



Creatinine

0.66 mg/dL

0.8 - 1.4 mg/dL

Chloride

102 mmol/L

97 - 111 mmol/L

Potassium

3.6 mmol/L

3.5 - 5.2 mmol/L

Sodium

137 mmol/L

136 - 145 mmol/L

SERUM ELECTROLYTES

Urea

18.7 mg/dL

15 - 50 mg/dL

Creatinine

0.6 mg/dL

0.4 - 1.4 mg/dL

Uric Acid

7.4 mg/dL

3 - 7.2 mg/dL

Sodium-Potassium

>3.3 - High

2.5-3.3 - Moderate

>3.3 - High

LDL/HDL Ratio

3.6

Up to 2.5

Total Cholesterol/HDL Ratio

11.8

Up to 3.5

Calculation

LDL/HDL Ratio

3.6

Up to 2.5

Urea-Glutamate Dehydrogenase (GUDH)

Creatinine

0.6 mg/dL

0.4 - 1.4 mg/dL

Unseen-Peroxidase

Uric Acid

7.4 mg/dL

3 - 7.2 mg/dL

Ion Selective Electrode (ISE)

Chloride

97 - 111 mmol/L

102 mmol/L

Ion Selective Electrode (ISE)

Potassium

3.6 mmol/L

3.5 - 5.2 mmol/L

Ion Selective Electrode (ISE)

Sodium

137 mmol/L

136 - 145 mmol/L

Ion Selective Electrode (ISE)

Urea

18.7 mg/dL

15 - 50 mg/dL

Ion Selective Electrode (ISE)

Creatinine

0.6 mg/dL

0.4 - 1.4 mg/dL

Ion Selective Electrode (ISE)

Chloride

97 - 111 mmol/L

102 mmol/L

Ion Selective Electrode (ISE)

Potassium

3.6 mmol/L

3.5 - 5.2 mmol/L

Ion Selective Electrode (ISE)

Sodium

137 mmol/L

136 - 145 mmol/L

Diagnositics & Speciality Centre

(A Unit of Vijayalakshmi Diagnositics Pvt. Ltd.)

TERMS AND CONDITIONS

- ❖ All Reports have to be correlated clinically.
- ❖ The findings and observations in the report pertain to the specimen submitted.
- ❖ All test results are dependent on the quality of the sample received by the laboratory
- ❖ All investigations have their limitation which are imposed by the limits of sensitivity and specificity of the individual assay procedures and the condition of the sample received by the laboratory.
- ❖ The specimens received are presumed to be of the patient's named on the samples.
- ❖ Laboratory investigations only help in arriving at a diagnosis and should be correlated with the Clinical presentation and other relevant investigations.
- ❖ Should the results indicate an unexpected abnormality, reconfirmation shall be sought. A repeat Investigation may be entertained within 72 hrs from the time of testing on request by the client.
- ❖ The specimens received are discarded after conducting the required tests unless otherwise prior informed.
- ❖ Test repeat/Add on test requests will be accepted on request on the referring doctor up to 3 days or earlier depending on the stability of samples for the test performed, post reporting.
- ❖ In the event of unforeseen circumstances or technical reasons, Performance and / or reporting Date and time of tests may be changed.
- ❖ Neither MEDICLU Diagnostics nor its directors / employees / representative assume any Liability, responsibility for any loss or damage that may be incurred by any person including the Patient, as a result of assuming the meaning or contents of the report.
- ❖ Claims if any, are subject to Bangalore, India jurisdiction.
- ❖ The report is not valid Medico legal purposes.

FACILITIES

- ❖ Siemens Silent MRI 1.5 Tesla ❖ Siemens Multislice CT Scan ❖ 4D / 3D Ultra Sound Scan
 - ❖ Siemens Digital Radiography X-Ray ❖ 2D-ECHO ❖ ECG ❖ EEG
- ❖ Allengers Mammogram / OPG ❖ GE BMD Analysis ❖ Hematology ❖ Biochemistry
 - ❖ Immunohistochemistry ❖ Pathology ❖ Microbiology ❖ Molecular Diagnostics

No. 79, Kendra Upadhyayaara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072
Enquiry: +91 99867 33 333, Appointments: +91 98863 55 135, Reports: +91 74063 11 116

Email: info@mediclu.com Website: www.mediclu.com

For Home Sample Collections Contact: +91 99867 33 33

Page 5 of 9

Individual values may vary depending upon age, sex and other characteristics.

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal CONSLTANT PATHOLOGIST D.C.P. M.D

DR. KRISHNA MURTHY

MD

DR. VAMSEEDHARA

Lab Seal



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
COMPLETE BLOOD COUNT (CBC) WITH ESR			
HEMOGLOBIN	16.7 gm/dl	13 - 18 gm/dl	Globometric Method
HEMATOCRIT (PCV)	48.6 %	40 - 54 %	Cultured
RED BLOOD CELL (RBC) COUNT	5.5 million/cu.mm	4.5 - 5.9 million/cu.mm	Electrical Impedance
PLATELET COUNT	2.7 Lakhs/cumm	1.5 - 4.5 Lakhs/cumm	Electrical Impedance
MEAN CELL VOLUME (MCV)	88.1 fl	80 - 100 fl	Cultured
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	30.3 pg	26 - 34 pg	Cultured
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	34.4 %	31 - 35 %	Calculated
TOTAL WBC COUNT (TC)	6950 cells/cumm	4000 - 11000 cells/cumm	Electrical Impedance
NEUTROPHILS	50 %	40 - 75 %	VCS Technology/Microscopic
EOSINOPHILS	08 %	0 - 7 %	VCS Technology/Microscopic
MONOCYTES	05 %	1 - 8 %	VCS Technology/Microscopic
BASEOPHILS	00 %	0	Electrical Impedance
ESR	15 mm/hr	0 - 15 mm/hr	Westergren Method
FASTING BLOOD SUGAR	371.5 mg/dl	70 - 110 mg/dl	Hexokinase



Diagnistics & Speciality Centre

(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)



NAME	: MR. JASHWANTH T R	MR NO.	: 22014441
AGE/SEX	: 32 yrs / Male	VISIT NO.	: 148512
REFERRED BY :		DATE OF COLLECTION :	26-01-2022 at 09:33 AM
REFERRED BY :		DATE OF REPORT :	26-01-2022 at 12:47 PM
REF CENTER :	MEDIWHEEL		

TERMS AND CONDITIONS

- ❖ All Reports have to be correlated clinically.
- ❖ The findings and observations in the report pertain to the specimen submitted.
- ❖ All test results are dependent on the quality of the sample received by the laboratory
- ❖ All investigations have their limitation which are imposed by the limits of sensitivity and specificity of the individual assay procedures and the condition of the sample received by the laboratory.
- ❖ The specimens received are presumed to be of the patient's named on the samples.
- ❖ Laboratory investigations only help in arriving at a diagnosis and should be correlated with the Clinical presentation and other relevant investigations.
- ❖ Should the results indicate an unexpected abnormality, reconfirmation shall be sought. A repeat Investigation may be entertained within 72 hrs from the time of testing on request by the client.
- ❖ The specimens received are discarded after conducting the required tests unless otherwise prior Informed.
- ❖ Test repeat/Add on test requests will be accepted on request on the referring doctor up to 3 days or earlier depending on the stability of samples for the test performed, post reporting.
- ❖ In the event of unforeseen circumstances or technical reasons, Performance and / or reporting Date and time of tests may be changed.
- ❖ Neither MEDICLU Diagnostics nor its directors / employees / representative assume any Liability, responsibility for any loss or damage that may be incurred by any person including the Patient, as a result of assuming the meaning or contents of the report.
- ❖ Claims if any, are subject to Bangalore, India jurisdiction.
- ❖ The report is not valid Medico legal purposes.

FACILITIES

- ❖ Siemens Silent MRI 1.5 Tesla ❖ Siemens Multislice CT Scan ❖ 4D / 3D Ultra Sound Scan
 - ❖ Siemens Digital Radiography X-Ray ❖ 2D-ECHO ❖ ECG ❖ EEG
- ❖ Allengers Mammogram / OPG ❖ GE BMD Analysis ❖ Hematology ❖ Biochemistry
 - ❖ Immunohistochemistry ❖ Pathology ❖ Microbiology ❖ Molecular Diagnostics

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072

Inquiry: +91 99867 33 333, Appointments: +91 98863 55 135, Reports: +91 74063 11 116

Email: info@mediclu.com Website: www.mediclu.com

For Home Sample Collections Contact: +91 99867 333 33

Page 6 of 9

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

CONSULTANT PATHOLOGIST
DCP, MD

DR. VAMSEEDHARA



DR. KRISHNA MURTHY

MD

krishna

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentrations over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control because glycated hemoglobin values are free of day-to-day glucose fluctuations. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose and are unaffected by exercise or food ingestion.

Comments:

ESTIMATED AVERAGE GLUCOSE (eAG)

231.69 mg/dl

Calculation

Action suggested: > 8.0%

Goal for therapy: < 7.0%

Glycemic goal for therapeutic control:

Diabetic: >= 6.5%

At risk (Pre diabetic): 5.7 - 6.4%

Non diabetic adults: < 5.7 %

American Diabetic Association (ADA) recommendations:

9.7 %

GLYCATED HAEMOGLOBIN (HbA1C)

Tube Agglutination (Forward and Reverse)

BLOOD GROUP & RH TYPING

"B" Positive

POST PRANDIAL BLOOD SUGAR

437.2 mg/dl

Hexokinase

TEST PARAMETER

RESULT

REFERENCE RANGE

SPECIMEN

REF CENTER : MEDIWHEEL

NAME : Mr. JASHWANTH TR
AGE/SEX : 32 yrs / Male
VISIT NO. : 148512
MR NO. : 22014441
DATE OF COLLECTION : 26-01-2022 at 09:33 AM
DATE OF REPORT : 26-01-2022 at 12:47 PM

Diagnostics & Speciality Centre

(A Unit of Viayalakshmi Diagnostics Pvt. Ltd.)



TERMS AND CONDITIONS

- ❖ All Reports have to be correlated clinically.
- ❖ The findings and observations in the report pertain to the specimen submitted.
- ❖ All test results are dependent on the quality of the sample received by the laboratory
- ❖ All investigations have their limitation which are imposed by the limits of sensitivity and specificity of the individual assay procedures and the condition of the sample received by the laboratory.
- ❖ The specimens received are presumed to be of the patient's named on the samples.
- ❖ Laboratory investigations only help in arriving at a diagnosis and should be correlated with the Clinical presentation and other relevant investigations.
- ❖ Should the results indicate an unexpected abnormality, reconfirmation shall be sought. A repeat Investigation may be entertained within 72 hrs from the time of testing on request by the client.
- ❖ The specimens received are discarded after conducting the required tests unless otherwise prior informed.
- ❖ Test repeat/Add on test requests will be accepted on request on the referring doctor up to 3 days or earlier depending on the stability of samples for the test performed, post reporting.
- ❖ In the event of unforeseen circumstances or technical reasons, Performance and / or reporting Date and time of tests may be changed.
- ❖ Neither MEDICLU Diagnostics nor its directors / employees / representative assume any Liability, responsibility for any loss or damage that may be incurred by any person including the Patient, as a result of assuming the meaning or contents of the report.
- ❖ Claims if any, are subject to Bangalore, India jurisdiction.
- ❖ The report is not valid Medico legal purposes.

FACILITIES

- ❖ Siemens Silent MRI 1.5 Tesla ❖ Siemens Multislice CT Scan ❖ 4D / 3D Ultra Sound Scan
 - ❖ Siemens Digital Radiography X-Ray ❖ 2D-ECHO ❖ ECG ❖ EEG
- ❖ Allengers Mammogram / OPG ❖ GE BMD Analysis ❖ Hematology ❖ Biochemistry
 - ❖ Immunohistochemistry ❖ Pathology ❖ Microbiology ❖ Molecular Diagnostics

Individual which may vary depending upon age, sex and other characteristics.

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal D.C.P., M.D. BIOCHEMIST CONSULTANT PATHOLOGIST

MD

D.C.P., M.D.

Dr. KRISHNA MURTHY

DR. VAMSEEDHARA

Lab Seal



Mediclu

Lymph Microscopic Cells

Pus Cells (WBC)

MICROSCOPY

Bile Pigments	Negitive	NIL
Bilirubin	Negitive	Negitive
Bilirubin Salts	Negitive	Negitive
Bilirubin Method	Negitive	Negitive
Bilirubinogen	Normal	Normal
Bilirubin Method	Absent	Negative
Bilirubin Bodies	Negative	Negative
Bilirubin Method	1.5%	NIL
Bilirubin	NIL	NIL - Trace
Glucose	4.6-8.5	
Glucose Method	5.5	
Protein		
Chemical Examination (Dipstick)		

CHEMICAL EXAMINATION (DIPSTICK)

Apparence	Clear	Clear/Transparent
Specific Gravity	1.020	1.005-1.035
pH	5.5	
Protein	NIL	NIL - Trace
Glucose	4.6-8.5	
Blood	1.5%	NIL
Bilirubin	Negative	Negative
Bilirubin Method	Absent	Negative
Bilirubinogen	Normal	Normal
Bilirubin Method	Negitive	Negitive
Bilirubin	Negitive	Negitive
Glucose Method	1.5%	NIL
Protein	NIL	NIL - Trace
Chemical Examination (Dipstick)		

PHYSICAL EXAMINATION

URINE ROUTINE & MICROSCOPIC

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
REF CENTER : MEDIWHEEL			
DATE OF REPORT : 26-01-2022 at 12:47 PM			
DATE OF COLLECTION : 26-01-2022 at 09:33 AM			
REFERRED BY : Mr. JASHWANTH TR			
AGE/SEX : 32 yrs / Male			
VISIT NO. : 148512			
MR NO. : 22014441 *			

Diagnositics & Speciality Centre

(A Unit of ViyolaLakshmi Diagnositics Pvt. Ltd.)

Mediclu™

TERMS AND CONDITIONS

- ❖ All Reports have to be correlated clinically.
- ❖ The findings and observations in the report pertain to the specimen submitted.
- ❖ All test results are dependent on the quality of the sample received by the laboratory
- ❖ All investigations have their limitation which are imposed by the limits of sensitivity and specificity of the individual assay procedures and the condition of the sample received by the laboratory.
- ❖ The specimens received are presumed to be of the patient's named on the samples.
- ❖ Laboratory investigations only help in arriving at a diagnosis and should be correlated with the Clinical presentation and other relevant investigations.
- ❖ Should the results indicate an unexpected abnormality, reconfirmation shall be sought. A repeat Investigation may be entertained within 72 hrs from the time of testing on request by the client.
- ❖ The specimens received are discarded after conducting the required tests unless otherwise prior informed.
- ❖ Test repeat/Add on test requests will be accepted on request on the referring doctor up to 3 days or earlier depending on the stability of samples for the test performed, post reporting.
- ❖ In the event of unforeseen circumstances or technical reasons, Performance and / or reporting Date and time of tests may be changed.
- ❖ Neither MEDICLU Diagnostics nor its directors / employees / representative assume any Liability, responsibility for any loss or damage that may be incurred by any person including the Patient, as a result of assuming the meaning or contents of the report.
- ❖ Claims if any, are subject to Bangalore, India jurisdiction.
- ❖ The report is not valid Medico legal purposes.

FACILITIES

- ❖ Siemens Silent MRI 1.5 Tesla ❖ Siemens Multislice CT Scan ❖ 4D / 3D Ultra Sound Scan
- ❖ Siemens Digital Radiography X-Ray ❖ 2D-ECHO ❖ ECG ❖ EEG
- ❖ Allengers Mammogram / OPG ❖ GE BMD Analysis ❖ Hematology ❖ Biochemistry
- ❖ Immunohistochemistry ❖ Pathology ❖ Microbiology ❖ Molecular Diagnostics

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072
Enquiry: +91 99867 33 333, Appointments: +91 98863 55 135, Reports: +91 74063 11 116
For Home Sample Collections Contact: +91 99867 333 33

Email: info@mediclu.com Website: www.mediclu.com

Page 8 of 9

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Dr. VAMSEEDHARA



Lab Seal



Dr. KRISHNA MURTHY

[Signature]

BIOCHEMIST

MD

D.C.P, MD

PSA is used for monitoring patients with a history of prostate cancer and as an early indicator of recurrence and response to treatment.
The test is commonly used for prostate cancer screening.

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN	CMA
PROSTATIC SPECIFIC ANTIGEN (PSA)	0.68 ng/ml	Up to 4ng/ml: Normal 4-10 ng/ml: Hyper trophy & benign prostatic hyperplasia >10 ng/ml: Suspicious of conditions.		
POSTPRANDIAL URINE SUGAR	2 %	NIL	URINE	
FASTING URINE SUGAR (FUS)	1.5 %	NIL	FASTING URINE	
CAST	NIL	NIL		Light Microscopic
RBC	Not Seen /hpf	0-2/hpf		Light Microscopic
CRYSTAL	NIL	NIL		Light Microscopic
FASTING URINE	1.5 %	NIL		Light Microscopic
POSTPRANDIAL URINE	2 %	NIL		Light Microscopic
PROSTATIC SPECIFIC ANTIGEN (PSA)	0.68 ng/ml	Up to 4ng/ml: Normal 4-10 ng/ml: Hyper trophy & benign prostatic hyperplasia >10 ng/ml: Suspicious of conditions.		

NAME : MR. JASHWANTH TR	MR NO. : 2201441	VISIT NO. : 148512	DATE OF COLLECTION : 26-01-2022 at 09:33 AM	REF CENTER : MEDIWHEEL
REFERRED BY :			DATE OF REPORT : 26-01-2022 at 12:47 PM	

Diagnostics & Speciality Centre

(A Unit of Vigyakshmi Diagnostics Pvt. Ltd.)

Mediclu™

TERMS AND CONDITIONS

- ❖ All Reports have to be correlated clinically.
- ❖ The findings and observations in the report pertain to the specimen submitted.
- ❖ All test results are dependent on the quality of the sample received by the laboratory
- ❖ All investigations have their limitation which are imposed by the limits of sensitivity and specificity of the individual assay procedures and the condition of the sample received by the laboratory.
- ❖ The specimens received are presumed to be of the patient's named on the samples.
- ❖ Laboratory investigations only help in arriving at a diagnosis and should be correlated with the Clinical presentation and other relevant investigations.
- ❖ Should the results indicate an unexpected abnormality, reconfirmation shall be sought. A repeat Investigation may be entertained within 72 hrs from the time of testing on request by the client.
- ❖ The specimens received are discarded after conducting the required tests unless otherwise prior informed.
- ❖ Test repeat/Add on test requests will be accepted on request on the referring doctor up to 3 days or earlier depending on the stability of samples for the test performed, post reporting.
- ❖ In the event of unforeseen circumstances or technical reasons, Performance and / or reporting Date and time of tests may be changed.
- ❖ Neither MEDICLU Diagnostics nor its directors / employees / representative assume any Liability, responsibility for any loss or damage that may be incurred by any person including the Patient, as a result of assuming the meaning or contents of the report.
- ❖ Claims if any, are subject to Bangalore, India jurisdiction.
- ❖ The report is not valid Medico legal purposes.

FACILITIES

- ❖ Siemens Silent MRI 1.5 Tesla ❖ Siemens Multislice CT Scan ❖ 4D / 3D Ultra Sound Scan
- ❖ Siemens Digital Radiography X-Ray ❖ 2D-ECHO ❖ ECG ❖ EEG
- ❖ Allengers Mammogram / OPG ❖ GE BMD Analysis ❖ Hematology ❖ Biochemistry
- ❖ Immunohistochemistry ❖ Pathology ❖ Microbiology ❖ Molecular Diagnostics

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072
 Enquiry: +91 99867 33 333, Appointments: +91 98863 55 135, Reports: +91 74063 11 116
 For Home Sample Collections Contact: +91 99867 333 33

Email: info@mediclu.com Website: www.mediclu.com

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 9 of 9



Dr. KRISHNA MURTHY

KRISHNA MURTHY

BIOCHEMIST
MD
D.C.P. MD
Dr. VAMSEEDHARA

CONSULTANT PATHOLOGIST

D.C.P. MD

Dr. VAMSEEDHARA

Printed by: Lohitha on 26-01-2022 at 01:41 PM

Dispatched by: Sumalatha

**** End of Report ****



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
REF CENTER : MEDIWHEEL			

NAME : Mr. JASHWANTH TR
 AGE/SEX : 32 yrs / Male
 MR NO. : 2201441
 VISIT NO. : 148512
 DATE OF COLLECTION : 26-01-2022 at 09:33 AM
 DATE OF REPORT : 26-01-2022 at 12:47 PM
 REFERRED BY :

REF CENTER : MEDIWHEEL

Diagnositics & Speciality Centre
 (A Unit of Viayalakshmi Diagnositics Pvt. Ltd.)



TERMS AND CONDITIONS

- ❖ All Reports have to be correlated clinically.
- ❖ The findings and observations in the report pertain to the specimen submitted.
- ❖ All test results are dependent on the quality of the sample received by the laboratory
- ❖ All investigations have their limitation which are imposed by the limits of sensitivity and specificity of the individual assay procedures and the condition of the sample received by the laboratory.
- ❖ The specimens received are presumed to be of the patient's named on the samples.
- ❖ Laboratory investigations only help in arriving at a diagnosis and should be correlated with the Clinical presentation and other relevant investigations.
- ❖ Should the results indicate an unexpected abnormality, reconfirmation shall be sought. A repeat Investigation may be entertained within 72 hrs from the time of testing on request by the client.
- ❖ The specimens received are discarded after conducting the required tests unless otherwise prior Informed.
- ❖ Test repeat/Add on test requests will be accepted on request on the referring doctor up to 3 days or earlier depending on the stability of samples for the test performed, post reporting.
- ❖ In the event of unforeseen circumstances or technical reasons, Performance and / or reporting Date and time of tests may be changed.
- ❖ Neither MEDICLU Diagnostics nor its directors / employees / representative assume any Liability, responsibility for any loss or damage that may be incurred by any person including the Patient, as a result of assuming the meaning or contents of the report.
- ❖ Claims if any, are subject to Bangalore, India jurisdiction.
- ❖ The report is not valid Medico legal purposes.

FACILITIES

- ❖ Siemens Silent MRI 1.5 Tesla ❖ Siemens Multislice CT Scan ❖ 4D / 3D Ultra Sound Scan
- ❖ Siemens Digital Radiography X-Ray ❖ 2D-ECHO ❖ ECG ❖ EEG
- ❖ Allengers Mammogram / OPG ❖ GE BMD Analysis ❖ Hematology ❖ Biochemistry
- ❖ Immunohistochemistry ❖ Pathology ❖ Microbiology ❖ Molecular Diagnostics

Consultant Radiologist
 Dr. Shrutil P. DMRD, FFM, DNB

▷ No significant abnormality in the visualized lung fields.

IMPRESSION:

Adjacent soft tissues appear normal.

Visible bony thoracic cage is normal.

Tracheal appears in mid line.

Cardiac diameter is within normal limits.

Both the hilum appear normal.

CP angles are clear.

The lung fields are clear bilaterally.

OBSERVATIONS:

X-RAY CHEST PA VIEW

NAME:	MR. JASHWANTH T R	DATE:	26-01-2022	REFERRED BY:	MEDIWHEEL
AGE:	32 YEARS	ID. NO.:	176386	GENDER:	MALE

Diagnostics & Speciality Centre
 (A Unit of Vigyakshmi Diagnostics Pvt. Ltd.)





Consultant Radiologist
Dr. Shruthi P. DMRD, FFM, DNB

- ▷ No other significant sonographic abnormality detected.
- ▷ Grade I fatty infiltration of liver.

IMPRESSION:

No evidence of free fluid in the pelvic or abdominal cavity.

Is normal in size and measures 3.7 x 3.4 x 2.7 cm (Vol-18.7 cc) with normal echo pattern.
No focal lesion seen.

PROSTATE:

Is normal in contour. No intraluminal echoes are seen. No calculus or diverticulum is seen.

URINARY BLADDER:

Cortical medullary differentiation is maintained. No evidence of pelvicalyceal dilatation.
No sonological detectable calculi seen.

LEFT KIDNEY:

The shape, size and contour of the right kidney appear normal.
Left kidney measures 12.7 x 5.8 cm with normal echo pattern and cortical thickness.

RIGHT KIDNEY:

The shape, size and contour of the right kidney appear normal.
Right kidney measures 11.9 x 4.9 cm with normal echo pattern and cortical thickness.

SPLEEN:

Body and head appears normal. No focal lesion seen. Pancreatic duct not dilated. Tail not visualized.

PANCREAS:

Normal in size (11.8cm) with normal homogeneous echotexture. No focal lesion seen.

GALL BLADDER:

Normal in distension, lumen echo free. Wall thickness is normal.

LIVER:

Liver is normal in size (15.1 cm) and shows mild diffuse increase in echotexture. No focal lesion seen. Intrahepatic biliary radicles not dilated. Hepatic & portal veins are normal. CBD is normal.

USG REPORT - ABDOMEN AND PELVIS





NAME:	MR. JASHWANTH TR	DATE:	ID. NO:	REFERRED BY:	GENDER:	MALE
AGE:	32 YEARS		176386			

Diagnositics & Speciality Centre
(A Unit of Vigyakshmi Diagnositics Pvt. Ltd.)





Tashwanth



2016.12.20

is $\frac{1}{n}$

0.00000000

0.00000000

0.00000000 0.00000000 0.00000000

R2

0.00000000 0.00000000

0.00000000

0.00000000

0.00000000

0.00000000

0.00000000

0.00000000

0.00000000

0.00000000

0.00000000

0.00000000

0.00000000

0.00000000

0.00000000

0.00000000

0.00000000 0.00000000 0.00000000

0.00000000 0.00000000 0.00000000

Method Discussion & Conclusion

Conclusion

Conclusion

Mediclu Diagnostics & Speciality Centre

MR JASHWANTH TR (32 M)

ID: 56234152

Date: 26-Jan-22

Exec Time : 0 m 0 s

Stage Time : 0 m 11 s

HR: 91 bpm
(THR: 169 bpm)

B.P: 120 / 70

Protocol: Bruce

Grade: 0 %

ST Level (mm)

ST Slope (mV/s)

ST Level (mm)

ST Slope (mV/s)




Chart Speed: 25 mm/sec

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

Iso = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Schiller Spandau V 4.51

2000. Wren, A., & H. J. G. Smith. 2000. The influence of the environment on the growth of *Artemia* nauplii. *Journal of Great Lakes Research* 26(1): 10-16.

Smith, H. J. G.

1999. The influence of the environment on the growth of *Artemia* nauplii. *Journal of Great Lakes Research* 25(1): 10-16.

Smith, H. J. G.

1998. The influence of the environment on the growth of *Artemia* nauplii. *Journal of Great Lakes Research* 24(1): 10-16.

Smith, H. J. G.

1997. The influence of the environment on the growth of *Artemia* nauplii. *Journal of Great Lakes Research* 23(1): 10-16.

Smith, H. J. G.

1996. The influence of the environment on the growth of *Artemia* nauplii. *Journal of Great Lakes Research* 22(1): 10-16.

Smith, H. J. G.

1995. The influence of the environment on the growth of *Artemia* nauplii. *Journal of Great Lakes Research* 21(1): 10-16.

Smith, H. J. G.

1994. The influence of the environment on the growth of *Artemia* nauplii. *Journal of Great Lakes Research* 20(1): 10-16.

Smith, H. J. G.

1993. The influence of the environment on the growth of *Artemia* nauplii. *Journal of Great Lakes Research* 19(1): 10-16.

Smith, H. J. G.

1992. The influence of the environment on the growth of *Artemia* nauplii. *Journal of Great Lakes Research* 18(1): 10-16.

Smith, H. J. G.

1991. The influence of the environment on the growth of *Artemia* nauplii. *Journal of Great Lakes Research* 17(1): 10-16.

Smith, H. J. G.

1990. The influence of the environment on the growth of *Artemia* nauplii. *Journal of Great Lakes Research* 16(1): 10-16.

Smith, H. J. G.

Mediclu Diagnostics & Speciality Centre

MR JASHWANTH TR (32 M)

ID: 56234152

Date: 26-Jan-22

Exec Time: 3 m 0 s

Stage Time: 3 m 0 s

HR: 118 bpm

(THR: 169 bpm)

B.P: 120 / 70

Protocol: Bruce

Stage: 1

Speed: 1.7 mph

Grade: 10 %

Mains Filter: ON

Filter: 35 Hz

Amp: 10 mm

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

ST Level (mm)	ST Slope (mV/s)
0.4	1.1
0.6	1.4
-0.2	-0.7
aVR	
0.2	0.4
0.2	0.7
v1	
0.8	-0.4
v2	
3.6	4.2
v3	
1.1	1.1
v4	
0.8	1.1
v5	
0.4	1.4
v6	
0.2	0.7
v3	

ST Level (mm)	ST Slope (mV/s)
0.4	1.1
0.6	1.4
-0.2	-0.7
aVR	
0.2	0.4
0.2	0.7
v1	
0.8	-0.4
v2	
3.6	4.2
v3	
1.1	1.1
v4	
0.8	1.1
v5	
0.4	1.4
v6	
0.2	0.7
v3	

Chart Speed: 25 mm/sec

Filter: 35 Hz

Mains Filter: ON

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Mediclu Diagnostics & Speciality Centre

MR JASHWANTH TR (32 M)

ID: 56234152

Date: 26-Jan-22 Exec Time: 6 m 0 s Stage Time: 3 m 0 s

(THR: 169 bpm)

HR: 137 bpm

Protocol: Bruce

Stage: 2 Speed: 2.5 mph Grade: 12 %

B.P: 120 / 70

ST Level (mm)	ST Slope (mV/s)
V1	-0.6 1.8
II	-0.2 1.8
III	-1.3 -0.4
aVR	-0.4 -2.1
aVL	-0.8 1.1
V4	-0.4 1.1
V5	-0.2 1.1
V6	-0.6 0.7
V3	-0.4 1.4

ST Level (mm)	ST Slope (mV/s)
V1	1.1 0.0
V2	4.0 5.3
V3	0.6 1.4
V4	-0.2 1.1
V5	-0.4 1.1
V6	-0.6 0.7
V3	-0.4 1.4




Chart Speed: 25 mm/sec
Schiller Spandor V 4.51

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

Is0 = R + 60 ms J = R + 60 ms Post J = J + 60 ms

Highly Differentiable & Smoothable Curves

Smoothness: C^k continuity, $k \in \mathbb{N}$, C^∞ = infinitely differentiable

Smooth curves

Smoothness: C^k continuity, $k \in \mathbb{N}$, C^∞ = infinitely differentiable

Smooth curves

Smoothness: C^k continuity, $k \in \mathbb{N}$, C^∞ = infinitely differentiable

Smooth curves

Smoothness: C^k continuity, $k \in \mathbb{N}$, C^∞ = infinitely differentiable

Smooth curves

Smoothness: C^k continuity, $k \in \mathbb{N}$, C^∞ = infinitely differentiable

Smooth curves

Smoothness: C^k continuity, $k \in \mathbb{N}$, C^∞ = infinitely differentiable

Smooth curves

Smoothness: C^k continuity, $k \in \mathbb{N}$, C^∞ = infinitely differentiable

Smooth curves

Smoothness: C^k continuity, $k \in \mathbb{N}$, C^∞ = infinitely differentiable

Smooth curves

Smoothness: C^k continuity, $k \in \mathbb{N}$, C^∞ = infinitely differentiable

Smoothness: C^k continuity, $k \in \mathbb{N}$, C^∞ = infinitely differentiable

Smooth curves

Smoothness: C^k continuity, $k \in \mathbb{N}$, C^∞ = infinitely differentiable

Smooth curves

Smoothness: C^k continuity, $k \in \mathbb{N}$, C^∞ = infinitely differentiable

Smooth curves

Mediclu Diagnostics & Speciality Centre

MR JASHWANTH TR (32 M)

ID: 56234152

Date: 26-Jan-22 Exec Time : 9 m 0 s Slage Time : 3 m 0 s

(THR: 169 bpm)

HR: 158 bpm

Protocol: Bruce

Stage: 3

Speed: 3.4 mph Grade: 14 %

B.P.: 120 / 70

ST Level (mm)	ST Slope (mV/s)
0.6	1.4
-0.5	0.7
-1.1	-1.1
0.0	-1.1
-0.6	0.0

ST Level (mm)	ST Slope (mV/s)
V1	1.1 -0.4
V2	3.8 3.9
V3	0.4 1.8
V4	-0.4 0.4
V5	-1.1 -0.7
V6	-0.6 -0.4
V3	




Chart Speed: 25 mm/sec
Schiller Spann V 4.57

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

IS0 = R + 60 ms J = R + 60 ms Post J = J + 60 ms

Whale Dilemma & Species Cuts

Whale Dilemma is a game designed to teach players about the ethics of whaling.

The game consists of two phases: a hunting phase and a debate phase. In the hunting phase, players hunt whales using various weapons. In the debate phase, players argue whether or not whaling is ethical.

The game is played on a grid board with 10 columns and 10 rows. Each column represents a different weapon, and each row represents a different argument.

The game ends when all weapons have been used or when all arguments have been resolved.

The game is designed to teach players about the ethics of whaling and the impact of their actions on the environment.

The game is also designed to teach players about the importance of conservation and the need to protect the environment.

The game is a fun and educational way to learn about the ethics of whaling and the importance of conservation.

The game is a great way to teach players about the ethics of whaling and the importance of conservation.

The game is a fun and educational way to learn about the ethics of whaling and the importance of conservation.

The game is a great way to teach players about the ethics of whaling and the importance of conservation.

The game is a fun and educational way to learn about the ethics of whaling and the importance of conservation.

The game is a great way to teach players about the ethics of whaling and the importance of conservation.

The game is a fun and educational way to learn about the ethics of whaling and the importance of conservation.

The game is a great way to teach players about the ethics of whaling and the importance of conservation.

The game is a fun and educational way to learn about the ethics of whaling and the importance of conservation.

The game is a great way to teach players about the ethics of whaling and the importance of conservation.

The game is a fun and educational way to learn about the ethics of whaling and the importance of conservation.

The game is a great way to teach players about the ethics of whaling and the importance of conservation.

The game is a fun and educational way to learn about the ethics of whaling and the importance of conservation.

The game is a great way to teach players about the ethics of whaling and the importance of conservation.

The game is a fun and educational way to learn about the ethics of whaling and the importance of conservation.

Mediclu Diagnostics & Speciality Centre

MR JASHWANTH TR (32 M)

ID: 56234152 Date: 26-Jan-22


Exec Time: 11 m 11 s Stage Time: 2 m 11 s THR: 169 bpm

Speed: 4.2 mph Grade: 16 %

B.P.: 126 / 70

ST Level (mm)	ST Slope (mV/s)
---------------	-----------------

ST Level (mm)	ST Slope (mV/s)
---------------	-----------------



BPL-DYNATRAC

Chart Speed: 25 mm/sec
Schiller Standard V 4.51

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

$iso \pm R \cdot 60 \text{ ms}$

J = R + 60 ms

Post J = J + 60 ms

Median Decisions & Desirability

Desirability = $\frac{1}{2} \ln(\text{Median}) + \frac{1}{2} \ln(\text{Mean})$ Mean = $\frac{1}{2} \ln(\text{Median}) + \frac{1}{2} \ln(\text{Mode})$

Median = $\text{Mode} \cdot e^{\frac{1}{2} \ln(\text{Mean}) - \frac{1}{2} \ln(\text{Mode})}$ Mode = $e^{\frac{1}{2} \ln(\text{Median}) - \frac{1}{2} \ln(\text{Mean})}$

Median = $\frac{1}{2} \ln(\text{Mean}) + \frac{1}{2} \ln(\text{Mode})$ Mean = $\frac{1}{2} \ln(\text{Median}) + \frac{1}{2} \ln(\text{Mode})$

Mean = $\frac{1}{2} \ln(\text{Median}) + \frac{1}{2} \ln(\text{Mode})$

Median = $\frac{1}{2} \ln(\text{Mean}) + \frac{1}{2} \ln(\text{Mode})$

Mediclu Diagnostics & Speciality Centre

MR JASHWANTH TR (32 M)

ID: 56234152

Date: 26-Jan-22

Exec Time : 11 m 11 s

Stage Time : 1 m 0 s

HR: 160 bpm

Protocol: Bruce

Stage: Recovery(1)

Speed: 0 mph

Grade: 0 %

ST Level (mm)	ST Slope (mV/s)
2.5	4.2
1.9	3.9
-0.6	-0.7
-2.1	-3.9
1.7	2.8
0.6	1.8

ST Level (mm)	ST Slope (mV/s)
1.1	-0.4
5.9	5.0
2.5	3.9
1.7	3.2
1.1	2.5
0.8	2.1




Chart Speed: 25 mm/sec
Schiller Spannbar V 4.5f

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

(SO = R - 60 ms J = R + 60 ms Post J = J + 60 ms)

2002-03-04

Constituted, 22 members, 10 addresses, 2002-03-04

Meeting On

2002-03-04

Constituted, 22 members, 10 addresses, 2002-03-04

Meeting On

2002-03-04

Constituted, 22 members, 10 addresses, 2002-03-04

Meeting On

2002-03-04

Constituted, 22 members, 10 addresses, 2002-03-04

Meeting On

2002-03-04

Constituted, 22 members, 10 addresses, 2002-03-04

Meeting On

2002-03-04

Constituted, 22 members, 10 addresses, 2002-03-04

Meeting On

2002-03-04

Constituted, 22 members, 10 addresses, 2002-03-04

Meeting On

2002-03-04

Constituted, 22 members, 10 addresses, 2002-03-04

Meeting On

2002-03-04

Constituted, 22 members, 10 addresses, 2002-03-04

Meeting On

2002-03-04

Constituted, 22 members, 10 addresses, 2002-03-04

Meeting On

2002-03-04

Constituted, 22 members, 10 addresses, 2002-03-04

Meeting On

2002-03-04

Mediclu Diagnostics & Speciality Centre

MR JASHWANTH TR (32 M)

ID: 56234152 Date: 26-Jan-22 Exec Time: 11 m 11 s Stage Time: 1 m 0 s

HR: 135 bpm

Protocol: Bruce

Stage: Recovery(2)

Speed: 0 mph

Grade: 0 %

(THR: 169 bpm)

B.P: 126 / 70

ST Level (mm)	ST Slope (mV/s)
1.5	2.8
2.1	4.2
0.4	1.1
-1.1	-3.2
0.8	1.4
1.3	2.5

ST Level (mm)	ST Slope (mV/s)
0.8	-0.7
5.9	5.0
3.0	4.2
2.1	3.5
1.5	2.8
1.1	2.5




Chart Speed: 25 mm/sec
Schiller Spandau V 4.5f

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

iso = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Method of Decolorization of Cellulose

Wet treatment with 15% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Dry treatment with 15% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Wet treatment with 10% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Dry treatment with 10% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Wet treatment with 5% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Dry treatment with 5% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Wet treatment with 2.5% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Dry treatment with 2.5% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Wet treatment with 1% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Dry treatment with 1% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Wet treatment with 0.5% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Dry treatment with 0.5% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Wet treatment with 0.25% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Dry treatment with 0.25% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Wet treatment with 0.1% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Dry treatment with 0.1% NaOH solution (100 g cellulose + 100 g NaOH) for 2 hours at 50°C. Then, the cellulose was washed with water until the pH of the filtrate was 7.0.

Mediclu Diagnostics & Speciality Centre

MR JASHWANTH TR (32 M)

ID: 56234152

Date: 26-Jan-22

Exec Time : 11 m 11 s

Stage Time : 1 m 0 s

H/R: 128 bpm

Protocol: Bruce

ST Level (mm)

B.P: 126 / 70

ST Slope (mV/s)

ST Level (mm)

ST Slope (mV/s)

Stage Recovery(3)

Speed: 0 mph

Grade: 0 %

(THR: 169 bpm)

I

0.8 -0.4

II

-0.8 0.4

III

-1.3 -2.8

avR

0.2 0.4

aVL

1.3 2.5

avF

4.9 5.0

V1

1.9 2.5

V2

0.8 2.1

V3

0.8 2.1

V4

0.8 2.1

V5

0.8 2.1

V6

0.6 1.8



Chart Speed: 25 mm/sec

Filter: 35 Hz

Mains Filtr ON

Amp: 10 mm

iso = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Motivo D'Induzione e Spiegazione Causale

Presentare i dati con le loro cause. Esempio: "I dati di vendita sono stati spiegati dalla pubblicità".

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Spiegare la causa di un dato. Esempio: "Perché i dati di vendita sono stati spiegati dalla pubblicità?"

Mediclu Diagnostics & Speciality Centre

MR JASHWANTH TR (32 M)

ID: 56234152

Date: 26-Jan-22 Exec Time : 11 m 11 s Stage Time : 1 m 0 s

HR: 123 bpm

Protocol: Bruce

Stage: Recovery(4)

Speed: 0 mph

Grade: 0 %

(THR: 169 bpm)

B.P: 126 / 70

ST Level (mm)	ST Slope (mV/s)
-	-

ST Level (mm)	ST Slope (mV/s)
V1	0.8 -0.4

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

ST Level (mm)	ST Slope (mV/s)
1.1	-

1.1

BPL-DYNATRAC

Chart Speed: 25 mm/sec
Schiller Spann V 4.51

Filter: 35 Hz

Mains Filtr: ON Amp: 10 mm

Is0 = R - 60 ms J=R + 60 ms Post J = J + 60 ms

Whistlers Dendrochronology Suite

Version 2.0 - 2022 - Last updated: 2022-09-20
Copyright © 2022 - Whistlers Dendrochronology Suite LLC

Software version 2.0 is released under the terms of the MIT License.
See the file LICENSE for details.

Whistlers Dendrochronology Suite is a software application for dendrochronology analysis and visualization.

It includes tools for importing tree ring data, creating composite curves, and performing statistical analysis.

The software also includes a graphical user interface for visualizing tree ring data and composite curves.

Whistlers Dendrochronology Suite is designed to be used by researchers and professionals in the field of dendrochronology.

The software is available for download from the official website: <https://whistlersdendro.com>.

Whistlers Dendrochronology Suite is a software application for dendrochronology analysis and visualization.

It includes tools for importing tree ring data, creating composite curves, and performing statistical analysis.

The software also includes a graphical user interface for visualizing tree ring data and composite curves.

Whistlers Dendrochronology Suite is designed to be used by researchers and professionals in the field of dendrochronology.

The software is available for download from the official website: <https://whistlersdendro.com>.

Whistlers Dendrochronology Suite is a software application for dendrochronology analysis and visualization.

It includes tools for importing tree ring data, creating composite curves, and performing statistical analysis.

The software also includes a graphical user interface for visualizing tree ring data and composite curves.

Whistlers Dendrochronology Suite is designed to be used by researchers and professionals in the field of dendrochronology.

The software is available for download from the official website: <https://whistlersdendro.com>.

Mediclu Diagnostics & Speciality Centre

MR JASHWANTH TR (32 M)

ID: 56234152

Date: 26-Jan-22

Exec Time : 11 m 11 s

Stage Time : 1 m 0 s

(THR: 169 bpm)

HR: 123 bpm

Protocol: Bruce

Stage: Recovery(5)

Speed: 0 mph

Grade: 0 %

ST Level
(mm)

ST Level
(mm)

ST Slope
(mV/s)

ST Slope
(mV/s)

B.P: 126 / 70




Chart Speed: 25 mm/sec

Filter: 35 Hz

Mains Filt: ON

Amp: 10 mm

ISO = R + 60 ms

Post J = J + 60 ms

Schiller Standard V 4.51

Mediclu Diagnostics & Speciality Centre


Patient Details	Date: 26-Jan-22	Time: 12:21:38
Name: MR JASHWANTH T R	ID: 56234152	
Age: 32 y	Sex: M	Height: 176 cms
Clinical History:		

Medications:
Test Details

Protocol: Bruce	Pr.MHR: 188 bpm	THR: 169 (90 % of Pr.MHR) bpm
Total Exec. Time: 11 m 11 s	Max. HR: 188 (100% of Pr.MHR)bpm	Max. Mets: 13.50
Max. BP: 126 / 70 mmHg	Max. BP x HR: 23688 mmHg/min	Min. BP x HR: 5600 mmHg/min

Test Termination Criteria:
Protocol Details

Stage Name	Stage Time (min : sec)	Mets	Speed (mph)	Grade (%)	Heart Rate (bpm)	Max. BP (mm/Hg)	Max. ST Level (mm)	Max. ST Slope (mV/s)
Supine	0 : 25	1.0	0	0	86	120 / 70	-1.06 aVR	2.48 V2
Standing	0 : 21	1.0	0	0	80	120 / 70	-1.06 aVR	2.48 V2
Hyperventilation	0 : 11	1.0	0	0	91	120 / 70	-0.85 aVR	2.48 V2
1	3 : 0	4.6	1.7	10	118	120 / 70	-1.06 aVR	4.25 V2
2	3 : 0	7.0	2.5	12	137	120 / 70	-1.70 III	5.31 V2
3	3 : 0	10.2	3.4	14	158	120 / 70	-1.91 III	5.66 V2
Peak Ex	2 : 11	13.5	4.2	16	188	126 / 70	-2.76 III	5.66 V2
Recovery(1)	1 : 0	1.8	1	0	160	126 / 70	-2.55 aVR	4.95 V2
Recovery(2)	1 : 0	1.0	0	0	135	126 / 70	-2.34 aVR	4.95 I
Recovery(3)	1 : 0	1.0	0	0	128	126 / 70	-1.91 aVR	4.95 V2
Recovery(4)	1 : 0	1.0	0	0	123	126 / 70	-1.27 aVR	5.66 V2
Recovery(5)	1 : 0	1.0	0	0	123	126 / 70	-0.85 aVR	5.66 V2
Recovery(6)	0 : 28	1.0	0	0	122	126 / 70	-0.64 aVR	4.60 V2



Mediclu Diagnostics & Speciality Centre

Patient Details

Name: MR JASHWANTH T R ID: 56234152

Age: 32 y

Date: 26-Jan-22

Sex: M

Time: 12:21:38

Height: 176 cms

Weight: 86 Kgs

Interpretation

- Target heart rate achieved 100 %.
- Good effort tolerance, Normal HR & BP response.
- No significant ST-T changes during exercise and recovery.
- No angina / Arrhythmias.

IMPRESSION:

- TMT NEGATIVE FOR INDUCIBLE ISCHEMIA.

To correlate clinically.

Ref. Doctor: SELF

(Summary Report edited by user)

Doctor: DR LOKESH KM

Санкт-Петербург, 2012 г.

БН-ДБ06/02/12

доказательствами

• АИМЕЧСИ ДОКУМЕНТЫ ОФИЦИАЛЬНОГО СЛОВА

• ПОДСКАЗКАМ:

- АИМЕЧСИ ДОКУМЕНТЫ ОФИЦИАЛЬНОГО СЛОВА

• ПОДСКАЗКАМ:

№	Наименование документа	Срок действия	Срок действия	Срок действия
1	АИМЕЧСИ ДОКУМЕНТЫ ОФИЦИАЛЬНОГО СЛОВА	15.06.2012	15.06.2012	15.06.2012
2	АИМЕЧСИ ДОКУМЕНТЫ ОФИЦИАЛЬНОГО СЛОВА	15.06.2012	15.06.2012	15.06.2012

Санкт-Петербург, 2012 г. АИМЕЧСИ ДОКУМЕНТЫ ОФИЦИАЛЬНОГО СЛОВА