SUBURBAN DIAGNOSTICS - KANDIVALI EAST




Patient Name: SHUKLA AISHWARYA

Patient ID:

2229521085

Date and Time: 22nd Oct 22 11:19 AM



37 28 years months days

Gender Female

Heart Rate 78bpm

Patient Vitals

110/80 mmHg

66 kg Weight: 158 cm

Pulse: NA Spo2: NA

Resp: NA

Others:

Measurements

QRSD: 80ms 344ms QTc: 392ms 134ms

47° 49° 36° P-R-T:

ECG Within Normal Limits: Sinus Rhythm, Normal Axis. Please correlate clinically.

REPORTED BY

DR AKHIL PARULEKAR MBBS.MD. MEDICINE, DNB Cardiology Cardiologist 2012082483

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Name : Mrs SHUKLA AISHWARYA

Age / Sex : 37 Years/Female

Ref. Dr Reg. Date : 22-Oct-2022

: 22-Oct-2022/11:58 Reg. Location : Kandivali East Main Centre Reported



R

 \mathbf{E}

Use a QR Code Scanner

Application To Scan the Code

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size (14.8 cm) shape and smooth margins. It shows normal parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein measures 10 mm and CBD measures 3.7 mm. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen

PANCREAS:

The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Right kidney measures 10.8 x 4.2 cm. Left kidney measures 10.8 x 5.4 cm.

Both the kidneys are normal in size shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

SPLEEN:

The spleen is normal in size (9.6 cm) and echotexture. No evidence of focal lesion is noted.

There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

UTERUS:

The uterus is anteverted and appears normal. It measures 7.7 x 4.4 x 4.0 cm in size.

The endometrial thickness is 5.4 mm.

OVARIES:

Both the ovaries are well visualised and appears normal.

There is no evidence of any ovarian or adnexal mass seen.

Right ovary = $3.0 \times 2.3 \text{ cm}$ Left ovary = $3.0 \times 1.9 \text{ cm}$



Name : Mrs SHUKLA AISHWARYA

Age / Sex : 37 Years/Female

Ref. Dr :

Reg. Location: Kandivali East Main Centre

Authenticity Check

R

Use a QR Code Scanner Application To Scan the Code

Reg. Date : 22-Oct-2022

Reported : 22-Oct-2022/11:58

IMPRESSION:-

NO SIGNIFICANT ABNORMALITY IS SEEN.

-----End of Report-----

This report is prepared and physically checked by Dr Akash Chhari before dispatch.

DR. Akash Chhari

MBBS. MD. Radio-Diagnosis Mumbai MMC REG NO - 2011/08/2862



Name : Mrs SHUKLA AISHWARYA

Age / Sex : 37 Years/Female

Ref. Dr

Reg. Location: Kandivali East Main Centre

Authenticity Check

R

Use a QR Code Scanner Application To Scan the Code

Reg. Date : 22-Oct-2022

Reported : 22-Oct-2022/11:58



Name : Mrs SHUKLA AISHWARYA

Age / Sex : 37 Years/Female

Ref. Dr : 22-Oct-2022 Reg. Date

: Kandivali East Main Centre Reported Reg. Location

Authenticity Check

R

 \mathbf{E}

Use a QR Code Scanner

Application To Scan the Code

: 22-Oct-2022/12:25

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

End of Report

This report is prepared and physically checked by DR. FAIZUR KHILJI before dispatch.

Dr.FAIZUR KHILJI MBBS, RADIO DIAGNOSIS Reg No-74850 Consultant Radiologist



Name : Mrs SHUKLA AISHWARYA

Age / Sex : 37 Years/Female

Ref. Dr

Reg. Location : Kandivali East Main Centre

Authenticity Check

R



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 22-Oct-2022

Reported : 22-Oct-2022/12:25



Name : MRS.SHUKLA AISHWARYA

Age / Gender : 30 Years / Female

Consulting Dr.

Reg. Location : Kandivali East (Main Centre)



Use a OR Code Scanner Application To Scan the Code

Collected

Reported

: 22-Oct-2022 / 10:29

:22-Oct-2022 / 15:30

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	12.0	12.0-15.0 g/dL	Spectrophotometric
RBC	4.14	3.8-4.8 mil/cmm	Elect. Impedance
PCV	36.3	36-46 %	Measured
MCV	88	80-100 fl	Calculated
MCH	29.0	27-32 pg	Calculated
MCHC	33.1	31.5-34.5 g/dL	Calculated
RDW	14.0	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	3290	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSO	LUTE COUNTS		
Lymphocytes	41.0	20-40 %	
Absolute Lymphocytes	1348.9	1000-3000 /cmm	Calculated
Monocytes	4.0	2-10 %	
Absolute Monocytes	131.6	200-1000 /cmm	Calculated
Neutrophils	53.0	40-80 %	
Absolute Neutrophils	1743.7	2000-7000 /cmm	Calculated
Eosinophils	2.0	1-6 %	
Absolute Eosinophils	65.8	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	134000	150000-400000 /cmm	Elect. Impedance
MPV	12.8	6-11 fl	Calculated
PDW	32.0	11-18 %	Calculated

Page 1 of 10

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.SHUKLA AISHWARYA

Age / Gender : 30 Years / Female

Consulting Dr. : - Collected : 22-Oct-2022 / 10:29

Reg. Location: Kandivali East (Main Centre) Reported: 22-Oct-2022 / 14:00



Hypochromia -

Microcytosis -

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY Platelet count may not be representative due to presence of Megaplatelet seen on

smear.

COMMENT Leucopenia

Result rechecked

Kindly correlate clinically.

Specimen: EDTA Whole Blood

ESR, EDTA WB 26 2-20 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 2 of 10

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.SHUKLA AISHWARYA

Age / Gender : 30 Years / Female

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 22-Oct-2022 / 10:29

Reported :22-Oct-2022 / 14:33

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	90.8	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	84.6	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.36	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.17	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.19	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.4	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.7	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	31.7	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	25.5	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	18.1	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	117.7	35-105 U/L	Colorimetric
BLOOD UREA, Serum	13.3	12.8-42.8 mg/dl	Kinetic
BUN, Serum	6.2	6-20 mg/dl	Calculated
CREATININE, Serum	0.75	0.51-0.95 mg/dl	Enzymatic

Page 3 of 10

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.SHUKLA AISHWARYA

Age / Gender : 30 Years / Female

Consulting Dr. : -

Reg. Location: Kandivali East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Application To Scan the Code : 22-Oct-2022 / 15:38

Reported :22-Oct-2022 / 18:35

Collected

eGFR, Serum 96 >60 ml/min/1.73sqm Calculated

URIC ACID, Serum 5.8 2.4-5.7 mg/dl Enzymatic

Urine Sugar (Fasting)AbsentAbsentUrine Ketones (Fasting)AbsentAbsent

Urine Sugar (PP)AbsentAbsentUrine Ketones (PP)AbsentAbsent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

Page 4 of 10

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.SHUKLA AISHWARYA

Age / Gender : 30 Years / Female

Consulting Dr. : - Collected : 22-Oct-2022 / 10:29

Reg. Location: Kandivali East (Main Centre) Reported: 22-Oct-2022 / 16:02

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

Glycosylated Hemoglobin 5.2 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Estimated Average Glucose 102.5 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

• In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

• In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

• For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

• HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

• The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

Page 5 of 10

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.SHUKLA AISHWARYA

: 30 Years / Female Age / Gender

Consulting Dr. Collected :22-Oct-2022 / 10:29

Reported :22-Oct-2022 / 17:47 Reg. Location : Kandivali East (Main Centre)



Use a OR Code Scanner Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

	<u> </u>		
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	6.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	30	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	

Red Blood Cells / hpf Absent 0-2/hpf

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 6-8 Less than 20/hpf

Others

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **







Page 6 of 10

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.SHUKLA AISHWARYA

Age / Gender : 30 Years / Female

Consulting Dr. : - Collected : 22-Oct-2022 / 10:29

Reg. Location: Kandivali East (Main Centre) Reported: 22-Oct-2022 / 18:27

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- · Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 7 of 10

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MRS.SHUKLA AISHWARYA

Age / Gender : 30 Years / Female

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

Application To Scan the Code

: 22-Oct-2022 / 10:29 : 22-Oct-2022 / 14:49

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	150.3	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	92.1	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	43.7	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	106.6	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	89.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	17.6	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.04`	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Page 8 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MRS.SHUKLA AISHWARYA

Age / Gender : 30 Years / Female

Consulting Dr. :

Reg. Location

: Kandivali East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:22-Oct-2022 / 10:29

:22-Oct-2022 / 15:36

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.3	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	11.5	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	2.33	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA

Page 9 of 10



Name : MRS.SHUKLA AISHWARYA

Age / Gender : 30 Years / Female

Consulting Dr. : - Collected :22-Oct-2022 / 10:29

Reg. Location : Kandivali East (Main Centre) Reported :22-Oct-2022 / 15:36



A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid, TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 10 of 10

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



E

R

CID# : **2229521085** SID# : 177805533333

: MRS.SHUKLA AISHWARYA Registered : 22-Oct-2022 / 10:24

Age / Gender : 30 Years/Female Collected : 22-Oct-2022 / 10:24

Consulting Dr. : - Reported : 22-Oct-2022 / 14:38

Reg.Location : Kandivali East (Main Centre) Printed : 22-Oct-2022 / 14:42

PHYSICAL EXAMINATION REPORT

History and Complaints:

No

Name

EXAMINATION FINDINGS:

Height (cms):158 cmsWeight (kg):66 kgsTemp (0c):AfebrileSkin:NormalBlood Pressure (mm/hg):110/80Nails:Normal

Pulse: 72/min Lymph Node: Not palpable

Systems

Cardiovascular: Normal
Respiratory: Normal
Genitourinary: Normal
GI System: Normal
CNS: Normal

IMPRESSION:

ADVICE:

CENTRAL PROCESSING LAB: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



: 2229521085

CID#

E

R

: 177805533333

Name : MRS.SHUKLA AISHWARYA Registered : 22-Oct-2022 / 10:24

SID#

Age / Gender : 30 Years/Female Collected : 22-Oct-2022 / 10:24

Consulting Dr. : - Reported : 22-Oct-2022 / 14:38

Reg.Location : Kandivali East (Main Centre) Printed : 22-Oct-2022 / 14:42

CHIEF COMPLAINTS:

Hypertension: No
 IHD No
 Arrhythmia No
 Diabetes Mellitus No
 Tuberculosis No
 Asthama No

- 7) Pulmonary Disease No
- 8) Thyroid/ Endocrine disorders No
- 9) Nervous disorders No
- 10) **GI system** No
- 11) Genital urinary disorder No
- 12) Rheumatic joint diseases or symptoms No
- 13) Blood disease or disorder No
- 14) Cancer/lump growth/cyst No
- 15) Congenital disease No
- 16) **Surgeries** LSCS 11 Month ago.
- 17) Musculoskeletal System No

PERSONAL HISTORY:

1)	Alcohol	No
2)	Smoking	No
3)	Diet	Veg
4)	Medication	No

*** End Of Report ***

CENTRAL PROCESSING LAB: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



R

CID# : **2229521085** SID# : 177805533333

Name : MRS.SHUKLA AISHWARYA Registered : 22-Oct-2022 / 10:24

Age / Gender : 30 Years/Female Collected : 22-Oct-2022 / 10:24

Consulting Dr. : - Reported : 22-Oct-2022 / 14:38

Reg.Location : Kandivali East (Main Centre) Printed : 22-Oct-2022 / 14:42

CENTRAL PROCESSING LAB: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343