Name	: MrSAICHARAN VALLURU	l	
PID No.	: MED111534969	Register On	: 11/03/2023 9:55 AM
SID No.	: 423014272	<b>Collection On</b>	: 11/03/2023 11:21 AM
Age / Sex	: 32 Year(s) / Male	Report On	: 11/03/2023 8:51 PM
Туре	: OP	Printed On	: 13/03/2023 11:11 AM
Ref. Dr	: MediWheel		

Investigation HAEMATOLOGY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Complete Blood Count With - ESR</u>			
Haemoglobin (EDTA Blood/Spectrophotometry)	16.2	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	48.8	%	42 - 52
RBC Count (EDTA Blood)	5.32	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	91.7	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	30.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	33.3	g/dL	32 - 36
RDW-CV (EDTA Blood)	13.2	%	11.5 - 16.0
RDW-SD (EDTA Blood)	42.37	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	7000	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	53.9	%	40 - 75
Lymphocytes (EDTA Blood)	30.1	%	20 - 45
Eosinophils (EDTA Blood)	8.6	%	01 - 06
Monocytes (EDTA Blood)	6.0	%	01 - 10





Name	: MrSAICHARAN VALLURU	
PID No.	: MED111534969	Register On : 11/03/2023 9:55 AM
SID No.	: 423014272	Collection On : 11/03/2023 11:21 AM
Age / Sex	: 32 Year(s) / Male	Report On : 11/03/2023 8:51 PM
Туре	: OP	Printed On : 13/03/2023 11:11 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Basophils (Blood)	1.4	%	00 - 02
INTERPRETATION: Tests done on Automated Five 1	Part cell counter. All a	abnormal results are re	viewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	3.77	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.11	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.60	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.42	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.10	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	197	10^3 / µl	150 - 450
MPV (EDTA Blood)	10.6	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.21	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	2	mm/hr	< 15





Name	: MrSAICHARAN VALLURU	I	
PID No.	: MED111534969	Register On	: 11/03/2023 9:55 AM
SID No.	: 423014272	Collection On	: 11/03/2023 11:21 AM
Age / Sex	: 32 Year(s) / Male	Report On	: 11/03/2023 8:51 PM
Туре	: OP	Printed On	: 13/03/2023 11:11 AM
Ref. Dr	: MediWheel		

Investigation BIOCHEMISTRY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.58	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.20	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.38	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i> )	23.10	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i> )	52.32	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	26.37	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i> )	73.3	U/L	53 - 128
Total Protein (Serum/Biuret)	7.27	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.40	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.87	gm/dL	2.3 - 3.6
A : G RATIO	1.53		1.1 - 2.2

(Serum/Derived)





APPROVED BY

Name	: MrSAICHARAN VALLURU	l	
PID No.	: MED111534969	Register On	: 11/03/2023 9:55 AM
SID No.	: 423014272	Collection On	: 11/03/2023 11:21 AM
Age / Sex	: 32 Year(s) / Male	Report On	: 11/03/2023 8:51 PM
Туре	: OP	Printed On	: 13/03/2023 11:11 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	187.47	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	128.07	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual\_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	39.79	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/ <i>Calculated</i> )	122.1	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	25.6	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i> )	147.7	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.





Name	: MrSAICHARAN VALLURU	l	
PID No.	: MED111534969	Register On	: 11/03/2023 9:55 AM
SID No.	: 423014272	<b>Collection On</b>	: 11/03/2023 11:21 AM
Age / Sex	: 32 Year(s) / Male	Report On	: 11/03/2023 8:51 PM
Туре	: OP	Printed On	: 13/03/2023 11:11 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.7		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	3.2		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/ <i>Calculated</i> )	3.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0





Name	: MrSAICHARAN VALLURU	J	
PID No.	: MED111534969	Register On	: 11/03/2023 9:55 AM
SID No.	: 423014272	<b>Collection On</b>	: 11/03/2023 11:21 AM
Age / Sex	: 32 Year(s) / Male	Report On	: 11/03/2023 8:51 PM
Туре	: OP	Printed On	: 13/03/2023 11:11 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
Glycosylated Haemoglobin (HbA1c)	<u>Value</u>		<u>Reference Interval</u>
HbA1C (Whole Blood/HPLC)	5.5	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose	111.15	mg/dL
Estimated Average Glueose	111.15	ing, and

(Whole Blood)

#### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.





APPROVED BY

Name	: MrSAICHARAN VALLURU	l	
PID No.	: MED111534969	Register On	: 11/03/2023 9:55 AM
SID No.	: 423014272	Collection On	: 11/03/2023 11:21 AM
Age / Sex	: 32 Year(s) / Male	Report On	: 11/03/2023 8:51 PM
Туре	: OP	Printed On	: 13/03/2023 11:11 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
<b>IMMUNOASSAY</b>			
THYROID PROFILE / TFT			
T3 (Triiodothyronine) - Total (Serum/ <i>ECLIA</i> ) <b>INTERPRETATION:</b> <b>Comment :</b> Total T3 variation can be seen in other condition like pres	1.57 gnancy, drugs, nepl	ng/ml nrosis etc. In such case	0.7 - 2.04 s, Free T3 is recommended as it is
Metabolically active. T4 (Tyroxine) - Total (Serum/ <i>ECLIA</i> )	7.75	µg/dl	4.2 - 12.0
<b>INTERPRETATION:</b> <b>Comment :</b> Total T4 variation can be seen in other condition like pres Metabolically active.	gnancy, drugs, nepł	nrosis etc. In such case	s, Free T4 is recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	1.94	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodi 2.TSH Levels are subject to circadian variation, reaching of the order of 50%,hence time of the day has influence of 3.Values&amplt0.03 μIU/mL need to be clinically correl	peak levels betwee on the measured ser	en 2-4am and at a mini rum TSH concentratior	mum between 6-10PM. The variation can be us.





Name	: MrSAICHARAN VALLURU	I	
PID No.	: MED111534969	Register On	: 11/03/2023 9:55 AM
SID No.	: 423014272	Collection On	: 11/03/2023 11:21 AM
Age / Sex	: 32 Year(s) / Male	Report On	: 11/03/2023 8:51 PM
Туре	: OP	Printed On	: 13/03/2023 11:11 AM
Ref. Dr	: MediWheel		

Investigation CLINICAL PATHOLOGY PHYSICAL EXAMINATION (URINE	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
<u>COMPLETE)</u>		
Colour (Urine)	Pale Yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	25	
<u>CHEMICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
pH (Urine)	5.5	4.5 - 8.0
Specific Gravity (Urine)	1.007	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
Blood (Urine)	Negative	Negative
Nitrite (Urine)	Negative	Negative
Bilirubin (Urine)	Negative	Negative
Protein (Urine)	Negative	Negative
Glucose (Urine/GOD - POD)	Negative	Negative





Name	: MrSAICHARAN VALLURU	
PID No.	: MED111534969	Register On : 11/03/2023 9:55 AM
SID No.	: 423014272	Collection On : 11/03/2023 11:21 AM
Age / Sex	: 32 Year(s) / Male	Report On : 11/03/2023 8:51 PM
Туре	: OP	Printed On : 13/03/2023 11:11 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Leukocytes(CP)	Negative		
(Urine) <u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)			
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/hpf	NIL
Others (Urine)	NIL		

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL





APPROVED BY

Name	: MrSAICHARAN VALLURU	I	
PID No.	: MED111534969	Register On	: 11/03/2023 9:55 AM
SID No.	: 423014272	<b>Collection On</b>	: 11/03/2023 11:21 AM
Age / Sex	: 32 Year(s) / Male	Report On	: 11/03/2023 8:51 PM
Туре	: OP	Printed On	: 13/03/2023 11:11 AM
Ref. Dr	: MediWheel		

Investigation

**IMMUNOHAEMATOLOGY** 

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

<u>Observed</u> <u>Value</u> <u>Unit</u>

Biological Reference Interval

'A' 'Positive'





APPROVED BY

Name	: MrSAICHARAN VALLURU	I	
PID No.	: MED111534969	Register On	: 11/03/2023 9:55 AM
SID No.	: 423014272	Collection On	: 11/03/2023 11:21 AM
Age / Sex	: 32 Year(s) / Male	Report On	: 11/03/2023 8:51 PM
Туре	: OP	Printed On	: 13/03/2023 11:11 AM
Ref. Dr	: MediWheel		

Investigation BIOCHEMISTRY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BUN / Creatinine Ratio	5.9		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	82.28	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	76.85	mg/dL	70 - 140

#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN)	7.2	mg/dL	7.0 - 21
(Serum/Urease UV / derived)			
Creatinine	1.22	mg/dL	0.9 - 1.3

#### (Serum/Modified Jaffe)

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	8.40	mg/dL	3.5 - 7.2
(Serum/Enzymatic)			





**APPROVED BY** 

-- End of Report --

Mahesh Mob:8618385220 9901569756 ್ರ ಶ್ರೀ ಪಾರ್ವತಿ ಆಪ್ಟಿಕ್ಸ್

SRI PARVATHI OPTICS

**Multi Branded Opticals Store** 

# **Computerized Eye Testing & Spectacles Clinic**

# 333.8th Main 5th Cross Near Cambridge & Miranda School HAL 3rd Stage Behind Vishveshvariah Park New Thippasandra, Bangalore - 560075, Email: parvathiopticals@gmail.com / www.sriparvathioptics.in

## SPECTACLE PRESCRIPTION

Name: Saichavan Vallery.

Mobil No:

Age / Gender 32y /H'

No. 2541

Date: 11/3/2023 '

Ref. No.

-		RIGHT	EYE			LEF	T EYE	
	SPH	CYL	AXIS	VISION	SPH	CYL	AXIS	VISION
DISTANCE	+	-	27	6/6	+	2,50	175	6/6
NEAR								

6640 PD

Advice to use glasses for:

DISTANCE

FAR & NEAR READING COMPUTER PURFOSE

We Care Your Eyes

SRI PARVATHI OPTICS NEW THIPPASANDRA

	C (I
CLUMAX DIAGNOSTICS	MEDALL ( )
A MEDALL COMPANY	
CUSTOMER CHECKLIST	
Date 11-Mar-2023 9:55 AM	
Customer Name : MRSAICHARAN VALLURU	DOB :01 May 1990
Ref Dr Name : MediWheel	Age :32Y/MALE
Customer Id : MED111534969 MED111534969	Visit ID :423014272
	Phone :8978621817
Email Id :	No
Corp Name : MediWheel	

Address

NELA


# Package Name : Mediwheel Full Body Health Checkup Male Below 40

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN (BUN)			-	
2	LAB	CREATININE				
3	LAB	GLUCOSE - FASTING				
4	LAB	GLUCOSE - POSTPRANDIAL (2 HRS)				
5	LAB	GLYCOSYLATED HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)			1	
9	LAB	THYROID PROFILE/ TFT( T3, T4, TSH)				
10	LAB	URINE GLUCOSE - FASTING				
11	LAB	URINE GLUCOSE - POSTPRANDIAL (2 Hrs)				
12	LAB	COMPLETE BLOOD COUNT WITH ESR				
13	LAB	STOOL ANALYSIS - ROUTINE				
14	LAB	URINE ROUTINE				

15	LAB.	BUN/CREATININE RATIO				
16	LAB	BLOOD GROUP & RH TYPE (Forward Reverse)				
17	ECG	ECG	IND13745651138	•		
18	OTHERS	Treadmill / 2D Echo	IND137456514690			
19	OTHERS	physical examination	IND137456515279			
20	US	ULTRASOUND ABDOMEN	IND137456515292	•		
21	OTHERS	EYE CHECKUP	IND137456517756		1940 (1978) 	
22	X-RAY	X RAY CHEST	IND137456518659	~		
23	OTHERS	Consultation Physician	IND137456518736			

Registerd By

(HARI.O)



Name	MRSAICHARAN VALLURU	ID	MED111534969
Age & Gender	32Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

# **2 D ECHOCARDIOGRAPHIC STUDY**

# M mode measurement:

AORTA			: 3.3cms
LEFT ATRIUM			: 3.3cms
AVS			:
LEFT VENTRICLE	(DIASTOLE)	)	: 4.3cms
(SYS'	TOLE)	: 2.9cm	ns
VENTRICULAR SEPTUM	(DIASTOLE)		: 0.9cms
(SYS'	TOLE)	: 0.9cm	ns
POSTERIOR WALL	(DIASTOLE)		: 0.9cms
(SYST	TOLE)	: 1.6cm	ns
EDV			: 84ml
ESV			: 31ml
FRACTIONAL SHORTENII	NG		: 34%
EJECTION FRACTION			: 63%
EPSS			:
RVID			: 1.9cms

# **DOPPLER MEASUREMENTS:**

MITRAL VALVE	: E' 0.96 m/s	A' 0.68 m/s	NO MR
AORTIC VALVE	: 1.10 m/s		NO AR
TRICUSPID VALVE	: E' - m/s	A' - m/s	NO TR
PULMONARY VALVE	: 1.06 m/s		NO PR

Name	MRSAICHARAN VALLURU	ID	MED111534969
Age & Gender	32Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel	-	

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left ventricle : Normal size, Normal systolic function. No regional wall motion abnormalities.

Left Atrium	: Normal.
Right Ventricle	: Normal.
Right Atrium	: Normal.
Mitral valve	: Normal, No mitral valve prolapsed.
Aortic valve	: Normal, Trileaflet.
Tricuspid valve	: Normal.
Tricuspid valve Pulmonary valve	: Normal. : Normal.
Pulmonary valve	: Normal.

## **IMPRESSION:**

```
> NORMAL SIZED CARDIAC CHAMBERS.
```

- > NORMAL LV SYSTOLIC FUNCTION. EF: 63%.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

**DR. K.S. SUBRAMANI.** MBBS, MD, DM (CARDIOLOGY) FESC, FICC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST *Kss/VP* 

Note:

Name	MRSAICHARAN VALLURU	ID	MED111534969
Age & Gender	32Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

\* Report to be interpreted by qualified medical professional.
\* To be correlated with other clinical findings.
\* Parameters may be subjected to inter and intra observer variations.

\* Any discrepancy in reports due to typing errors should be corrected as soon as possible.

Name	MRSAICHARAN VALLURU	ID	MED111534969
Age & Gender	32Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

## ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size and echopattern. No demonstrable Para -aortic lymphadenopathy.

**KIDNEYS** move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

### The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.5	1.1
Left Kidney	9.7	1.4

**URINARY BLADDER** shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**PROSTATE** shows normal shape, size and echopattern. It measures 3.2 x 2.9 x 2.7cms (Vol:12cc).

No evidence of ascites / pleural effusion.

### **IMPRESSION**:

## > NO SIGNIFICANT ABNORMALITY DETECTED.

DR. APARNA CONSULTANT RADIOLOGIST A/da

Name	MRSAICHARAN VALLURU	ID	MED111534969
Age & Gender	32Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

Name	.SAICHARAN VALLURU	Customer ID	MED111534969
Age & Gender	32Y/M	Visit Date	Mar 11 2023 9:55AM
Ref Doctor	MediWheel		

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. APARNA CONSULTANT RADIOLOGIST