Name	Kiran kumar	ID	MED111234468
Age & Gender	31Year(s)/MALE	Visit Date	8/6/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

<u>2 D ECHOCARDIOGRAPHIC STUDY</u>

M mode measurement:

AORTA			: 2.8cms
LEFT ATRIUM			: 3.3cms
AVS			:
LEFT VENTRICLE	(DIASTOLE))	: 4.3cms
(SYS	STOLE)	: 2.9cm	ns
VENTRICULAR SEPTUM	(DIASTOLE)		: 0.9cms
(SYS	STOLE)	: 1.1cr	ns
POSTERIOR WALL	(DIASTOLE)		: 0.9cms
(SYS	TOLE)	: 1.4cm	ns
EDV			: 81ml
ESV			: 33ml
FRACTIONAL SHORTENI	NG		: 32%
EJECTION FRACTION			: 60%
EPSS			:
RVID			: 1.6cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	: E' 1.00 m/s	A' 0.56 m/s	NO MR
AORTIC VALVE	: 1.02 m/s		NO AR
TRICUSPID VALVE	: E' 1.79 m/s	A' - m/s	NO TR
PULMONARY VALVE	: 0.72 m/s		NO PR

Name	Kiran kumar	ID	MED111234468
Age & Gender	31Year(s)/MALE	Visit Date	8/6/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function. No regional wall motion abnormalities. Left Atrium : Normal. **Right Ventricle** : Normal. **Right Atrium** : Normal. Mitral valve : Normal, No mitral valve prolapsed. Aortic valve : Normal, Trileaflet. Tricuspid valve : Normal. Pulmonary valve : Normal. IAS : Intact. IVS : Intact. Pericardium : No pericardial effusion.

IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 60%.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST Kss/vp

Note:

* **Rep**ort to be interpreted by qualified medical professional.

Name	Kiran kumar	ID	MED111234468
Age & Gender	31Year(s)/MALE	Visit Date	8/6/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

* To be correlated with other clinical findings.* Parameters may be subjected to inter and intra observer variations.

Name	Kiran kumar	ID	MED111234468
Age & Gender	31Year(s)/MALE		8/6/2022 12:00:00 AM
Ref Doctor Name	MediWheel	-	

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. Spleen measures 8.9cms in long axis and 3.7cms in short axis.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.1	1.5
Left Kidney	9.7	1.1

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 3.8 x 3.3 x 3.2cms (Vol:21cc).

No evidence of ascites / pleural effusion.

IMPRESSION:

> ESSENTIALLY NORMAL STUDY.

DR. MEERA S CONSULTANT RADIOLOGIST MS/vp

Name	Kiran kumar	ID	MED111234468
Age & Gender	31Year(s)/MALE	Visit Date	8/6/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

Name	Kiran kumar	Customer ID	MED111234468
Age & Gender	31Y/M	Visit Date	Aug 6 2022 8:02AM
Ref Doctor	MediWheel	2	

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. APARNA CONSULTANT RADIOLOGIST

Name	: Mr. Kiran kumar	
PID No.	: MED111234468	Register On : 06/08/2022 8:03 AM
SID No.	: 422059136	Collection On : 06/08/2022 8:12 AM
Age / Sex	: 31 Year(s) / Male	Report On : 06/08/2022 1:58 PM
Туре	: OP	Printed On : 06/08/2022 7:45 PM
Ref. Dr	: MediWheel	

Investigation	Observed Value	<u>Unit</u>	Biological Reference Interval
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	16.8	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	51.6	%	42 - 52
RBC Count (EDTA Blood)	5.67	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	91.1	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	29.6	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.5	g/dL	32 - 36
RDW-CV (EDTA Blood)	12.6	%	11.5 - 16.0
RDW-SD (EDTA Blood)	40.18	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	6500	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	43.9	%	40 - 75
Lymphocytes (EDTA Blood)	36.8	%	20 - 45
Eosinophils (EDTA Blood)	9.5	%	01 - 06





APPROVED BY

Name	: Mr. Kiran kumar	
PID No.	: MED111234468	Register On : 06/08/2022 8:03 AM
SID No.	: 422059136	Collection On : 06/08/2022 8:12 AM
Age / Sex	: 31 Year(s) / Male	Report On : 06/08/2022 1:58 PM
Туре	: OP	Printed On : 06/08/2022 7:45 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Monocytes (EDTA Blood)	9.2	%	01 - 10
Basophils (Blood)	0.6	%	00 - 02
INTERPRETATION: Tests done on Automated Five I	Part cell counter. All a	abnormal results ar	re reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	2.85	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.39	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.62	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.60	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.04	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	262	10^3 / µl	150 - 450
MPV (EDTA Blood)	9.2	fL	7.9 - 13.7
PCT (EDTA Blood'Automated Blood cell Counter)	0.24	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	2	mm/hr	< 15



Sr.Consultant Pathologist Reg No : 100674

VERIFIED BY



APPROVED BY

Name	: Mr. Kiran kumar	
PID No.	: MED111234468	Register On
SID No.	: 422059136	Collection On
Age / Sex	: 31 Year(s) / Male	Report On
Туре	: OP	Printed On
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.68	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.25	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.43	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	21.25	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	25.40	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	17.58	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	81.8	U/L	53 - 128
Total Protein (Serum/Biuret)	7.52	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.67	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.85	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.64		1.1 - 2.2

: 06/08/2022 8:03 AM
: 06/08/2022 8:12 AM
: 06/08/2022 1:58 PM
: 06/08/2022 7:45 PM



VERIFIED BY



APPROVED BY

Name	: Mr. Kiran kumar	
PID No.	: MED111234468	Register On : 06/08/2022 8:03 AM
SID No.	: 422059136	Collection On : 06/08/2022 8:12 AM
Age / Sex	: 31 Year(s) / Male	Report On : 06/08/2022 1:58 PM
Туре	: OP	Printed On : 06/08/2022 7:45 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	170.64	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	140.22	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	32.88	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/ <i>Calculated</i>)	109.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/ <i>Calculated</i>)	28	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	137.8	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



VERIFIED BY



APPROVED BY

Name	: Mr. Kiran kumar	
PID No.	: MED111234468	Register On : 06/08/2022 8:03 AM
SID No.	: 422059136	Collection On : 06/08/2022 8:12 AM
Age / Sex	: 31 Year(s) / Male	Report On : 06/08/2022 1:58 PM
Туре	: OP	Printed On : 06/08/2022 7:45 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
INTERPRETATION: 1.Non-HDL Cholesterol is now 2.It is the sum of all potentially atherogenic proteins inc co-primary target for cholesterol lowering therapy.			
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	5.2		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	4.3		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.3		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



VERIFIED BY

DR SHAMIM JAVED MD PATHOLOGY KMC 88902

APPROVED BY

Name	: Mr. Kiran kumar	
PID No.	: MED111234468	Register On : 06/08/2022 8:03 AM
SID No.	: 422059136	Collection On : 06/08/2022 8:12 AM
Age / Sex	: 31 Year(s) / Male	Report On : 06/08/2022 1:58 PM
Туре	: OP	Printed On : 06/08/2022 7:45 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/ <i>HPLC</i>)	5.8	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERDRETATION, IS Diskates Constants (1)		.71 000 Daama	= $=$ $=$ $=$ $=$ $=$ $=$ $=$ $=$ $=$

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose	119.76	mg/dL
---------------------------	--------	-------

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name	: Mr. Kiran kumar	
PID No.	: MED111234468	Register On : 06/08/2022 8:03 AM
SID No.	: 422059136	Collection On : 06/08/2022 8:12 AM
Age / Sex	: 31 Year(s) / Male	Report On : 06/08/2022 1:58 PM
Туре	: OP	Printed On : 06/08/2022 7:45 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
IMMUNOASSAY			
THYROID PROFILE / TFT			
T3 (Triiodothyronine) - Total (Serum/ECLIA)	1.40	ng/ml	0.7 - 2.04
INTERPRETATION: Comment : Total T3 variation can be seen in other condition like preg Metabolically active.	gnancy, drugs, neph	rosis etc. In such cas	es, Free T3 is recommended as it is
T4 (Tyroxine) - Total (Serum/ <i>ECLIA</i>)	11.30	µg/dl	4.2 - 12.0
INTERPRETATION: Comment : Total T4 variation can be seen in other condition like pres Metabolically active.	gnancy, drugs, neph	rosis etc. In such cas	es, Free T4 is recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	1.49	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodi	ne intake. TPO stat	us. Serum HCG cond	centration, race, Ethnicity and BMI.
2.TSH Levels are subject to circadian variation, reaching of the order of 50%, hence time of the day has influence of	peak levels between on the measured serve	n 2-4am and at a mir 1m TSH concentratio	imum between 6-10PM. The variation can be ons.

3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



Sr.Consultant Pathologist Reg No : 100674

VERIFIED BY



APPROVED BY

Name	: Mr. Kiran kumar	
PID No.	: MED111234468	Register On : 06/08/2022 8:03 AM
SID No.	: 422059136	Collection On : 06/08/2022 8:12 AM
Age / Sex	: 31 Year(s) / Male	Report On : 06/08/2022 1:58 PM
Туре	: OP	Printed On : 06/08/2022 7:45 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
CLINICAL PATHOLOGY			
<u>PHYSICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>			
Colour (Urine)	Pale yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	15		
<u>CHEMICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>			
pH (Urine)	6.5		4.5 - 8.0
Specific Gravity (Urine)	1.006		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 8 of 13

Name	: Mr. Kiran kumar	
PID No.	: MED111234468	Register On : 06/08/2022 8:03 AM
SID No.	: 422059136	Collection On : 06/08/2022 8:12 AM
Age / Sex	: 31 Year(s) / Male	Report On : 06/08/2022 1:58 PM
Туре	: OP	Printed On : 06/08/2022 7:45 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
<u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)			
Pus Cells (Urine)	2-3	/hpf	NIL
Epithelial Cells (Urine)	1-2	/hpf	NIL
RBCs (Urine)	Nil	/HPF	NIL
Others (Urine)	Nil		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts	Nil	/hpf	NIL
(Urine)			
Crystals	Nil	/hpf	NIL
(Urine)			



VERIFIED BY



APPROVED BY

Name	: Mr. Kiran kumar	
PID No.	: MED111234468	Register On : 06/08/2022 8:03 AM
SID No.	: 422059136	Collection On : 06/08/2022 8:12 AM
Age / Sex	: 31 Year(s) / Male	Report On : 06/08/2022 1:58 PM
Туре	: OP	Printed On : 06/08/2022 7:45 PM
Ref. Dr	: MediWheel	

Investigation <u>PHYSICAL EXAMINATION(STOOL</u> <u>COMPLETE)</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Mucus (Stool)	Absent		Absent
Consistency (Stool)	Semi Solid		Semi Solid to Solid
Colour (Stool)	Yellowish		Brown
Blood (Stool)	Absent		Absent
<u>MICROSCOPIC EXAMINATION(STOOL</u> <u>COMPLETE)</u>			
Ova (Stool)	NIL		NIL
Cysts (Stool)	NIL		NIL
Trophozoites (Stool)	NIL		NIL
RBCs (Stool)	NIL	/hpf	Nil
Pus Cells (Stool)	2-4	/hpf	NIL
Others (Stool)	NIL		

CHEMICAL EXAMINATION(STOOL

<u>ROUTINE)</u>



VERIFIED BY



APPROVED BY

Name	: Mr. Kiran kumar
PID No.	: MED111234468
SID No.	: 422059136
Age / Sex	: 31 Year(s) / Male
Туре	: OP
Ref. Dr	: MediWheel

Register On	:	06/08/2022 8:03 AM
Collection On	:	06/08/2022 8:12 AM
Report On	:	06/08/2022 1:58 PM
Printed On	:	06/08/2022 7:45 PM

Investigation

Reaction (Stool) Reducing Substances (Stool/Benedict's)



VERIFIED BY

Observed Value Acidic <u>Unit</u>

ļ

Biological Reference Interval Alkaline

Negative

Negative



APPROVED BY

Name	: Mr. Kiran kumar
PID No.	: MED111234468
SID No.	: 422059136
Age / Sex	: 31 Year(s) / Male
Туре	: OP
Ref. Dr	: MediWheel

Register On	:	06/08/2022 8:03 AM
Collection On	:	06/08/2022 8:12 AM
Report On	:	06/08/2022 1:58 PM
Printed On	:	06/08/2022 7:45 PM

Investigation

<u>Observed</u> <u>Value</u> <u>Unit</u>

Biological Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

'AB' 'Positive'



MD PATHOLOGY KMC 88902

APPROVED BY

ALLE

DR SHAMIM JAVED

VERIFIED BY

Name	: Mr. Kiran kumar	
PID No.	: MED111234468	Register On : 06/08/2022 8:03 AM
SID No.	: 422059136	Collection On : 06/08/2022 8:12 AM
Age / Sex	: 31 Year(s) / Male	Report On : 06/08/2022 1:58 PM
Туре	: OP	Printed On : 06/08/2022 7:45 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	10.4		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	102.99	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative	Negative
(Urine - F/GOD - POD)		
Glucose Postprandial (PPBS)	92.27 mg/dL	70 - 140
(Plasma - PP/GOD-PAP)		

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	9.5	mg/dL	7.0 - 21
Creatinine	0.91	mg/dL	0.9 - 1.3

(Serum/Modified Jaffe)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	5.47	mg/dL	3.5 - 7.2
(Serum/ <i>Enzymatic</i>)			



VERIFIED BY



APPROVED BY

-- End of Report --