

Rama Krishna Multispeciality Hospital

257-A, TALWANDI, KOTA (RAJ.) • Tel: 0744-3562955, M. 9414227325 www.ramakrishnahospital.com | Email: rxkota@gmail.com

Ban, Singh

23/1/23

Mob. 94143 93673 Dos 2/7/7

1-77/mt 11-120/86 At 1774 6+79 8M225

Chat I 100

AM 96L

1 170 Joindus

MACY हों. मोनिया आर्गव एम वो थे एम. श्री. रामाकृष्णा सीरियटल एजि. में. 006311 / 22544



मेरा आधार, मेरी पहचान

Bugu

िका भागवि स्माती,वी.एस., एम. डी. समाकृष्ण होसिटल एजि. में. 006311/22544

अस्तीय विद्याद पहचान प्राविकरण विद्याद पहचान न 1- S/O Ram Singh, House \$-26, सार्वामा बोग्डं No 1-E- 26, Housing कालोमी, कुन्सानी, जिल्लासम्बर्गः कोटा, जिल्लासम्बर्गः उठ०००८ इस्तिमाना ने उठ०००८ केड्रीडर्गाना - उठ००८८ केड्रीडर्गाना - उठ००८८ केड्रीडर्गाना - उठ००८८ केड्रीडर्गाना - उठ००८८ केड्रीडर्गाना - उठ००८८



RAMAKRISHNA HOSPITAL



(UNIT OF DR. L.K. BHARGAVA & SONS HUF)

1D =	BANI SINGH	43Y		
1D2 = SEQ = DATE=	9926 28/01/2023		3L000 0T	
LIME	11:56:51	7	Normal runges	
WBC = LYM = MID = GRAN= LYM%= MID%= GRA%=	8.4 2.7 0.8 4.9 33.1 8.1 50.8	10°/1 10°/1 10°/1 10°/1 %	3.5 — ° — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0	5.3 1.5 8.0 - 50.0
HGB = HCT = RBC = MCV = MCHC= RDW%= RDW%=	13.2 35.6 4.37 81.4 30.2 37.1 13.8 54.6	q/dl 10 //l fl pg g/dl 4	11.5 — 0 — 35.0 — 0 — 35.0 — 0 — 75.0 — 0 — 31.0 — 0 — 30.0 — 0 —	- 55.0 - 5.50 - 100.0 - 35.0 - 38.0 - 16.0
PLT F MEV = PDW = PCT = LPCR=	209 10.5 14.6 0.22 34.1	10°/1 f1 f1 %	1,00 0 8.0 0 0.1 0 0.1 0	- 400 - 11.0 - 99.9 - 9.99 - 99.9
	25 12 35	int and		



Conditions of Reporting:

We use best of the kits from international Market & the quality control is done by putting up Fresh standard/Control with each running. The reported result are for information and for interpretation of the Refering Doctor only

Results of tests may vary from laboratory to laboratory and also in some parameters time to time for the same patient.

This report is not valid for any medico-legal purposes.

Result of card test are limited by time of Reading the card.

257-A, Sheela Chaudhary Road, Talwandi, KOTA-5 (Raj.)

Tel 0744-3562955, Mob.: 9414227325, 9610209797 | E-mail : rxkota@gmail.com

Dr. Preeti Patriak MD (Path.) Reg. Reg. 24703/15880



RAMAKRISHNA HOSPITAL



(UNIT OF DR. L.K. BHARGAVA & SONS HUF)

PATIENT'S NAME: BANI SINGH

LAB NO.

: 0371

REF. BY

: Dr. YASH BHARGAVA

AGE/SEX: 47 Years/Male

DATE: 28/01/2023

HAEMATOLOGY

Test Name	Test Results	Normal Range	
ESR	12 MM in 1st hr.	0-20 MM in 1st hr.	

Blood Group Rh Factor

TEST

RESULT

BLOOD GROUP

0

Rh FACTOR

POSITIVE

BIO-CHEMISTRY

Test Name	Test Results	Normal Range
Blood Sugar Fasting	89.00 mg/dL	70.00-110.00 mg/dL
Aspartate-Aminotransferase (AST/SGOT)	19.00 IU/L	0.00-38.00 IU/L
Alanine-Aminotransferase (ALT/SGPT)	13.00 IU/L	0.00-40.00 IU/L
Serum for Gamma Glutamyl Transferase	30.00 U/L	9.00-52.00 U/L
Serum Alkaline Phosphatase	114.00 IU/L	0.00-270.00 IU/L
BUN	18.00 mg/dL	15.00-45.00 mg/dL
Creatinine	0.79 mg/dL	0.70-1.30 mg/dL
URIC ACID	4.9 mg/dl	2.3 - 6.1 (Female) 3.6 - 8.2 (Male)

Signature of Technician 2

Conditions of Reporting :

We use best of the kits from international Market & the quality control is done by putting up Fresh standard/Control with each running The reported result are for information and for interpretation of the Referring Doctor only

Results of tests may vary from laboratory to isboratory and also in some parameters time to time for the same patient. This report is not valid for any medico-legal purposes

Result of card test are limited by time of Reading the card.

257-A, Sheela Chaudhary Road, Talwandi, KOTA-5 (Raj.)

Tel 0744-3562955. Mob.: 9414227325, 9610209797 | E-mail : rxkota@gmail.com

Dr. Preeti Pathak MD (Feth.) Reg. Reg. 24703/15880



RAMAKRISHNA HOSPITAL

(UNIT OF DR. L.K. BHARGAVA & SONS HUF)



PATIENT'S NAME: BANI SINGH

TILLIT S HATE, DAIN SHITE

: 0371

LAB NO. REF. BY

: Dr. YASH BHARGAVA

AGE/SEX: 47 Years/Male

DATE: 28/01/2023

OTHER

Glycosylated Hb (HbA1C)

TEST

VALUE

REFERENCE VALUE

HBA1C

5.5 %

Excellent Control < 5.5%

Good Control: 5.5 to 7.00% Fair Control: 7.00 to 8.00%

Poor Control : > 8.0 %

NOTE :-

HbA1C is done on the spot with the latest Nycocard Reader 2, a test based on specral reflectance. The assay used here is boronate affinity. Remember, the HbA1C is not the same as the glucose level. It is far superior to the blood glucose reading & it gives an average reading for the past 8-12 weeks.

Signature of Technician

Conditions of Reporting:

We use best of the kits from international Market 8 the quality control is done by putting up Fresh standard/Control with each running. The reported result are for information and for interpretation of the Refering Doctor only.

Results of tests may vary from laboratory to laboratory and also in some parameters time to time for the same patient. This report is not valid for any medico-legal purposes.

Result of card test are limited by time of Reading the card.

257-A, Sheela Chaudhary Road, Talwandi, KOTA-5 (Raj.)

Tel 0744-3562955, Mob.: 9414227325, 9610209797 | E-mail : rxkota@gmail.com

Dr. Preeti Pathek MD (Path.)
Reg Reg. 24703/15880



RAMAKRISHNA HOSPITAL





PATIENT'S NAME: BANI SINGH

LAB NO.

: 0371

REF. BY

: Dr. VASH BHARGAVA

AGE/SEX: 47 Vears/Male

DATE : 28/01/2023

CHEMILUMINECSENCE BY CENTAUR CP

1- 30 days : 0.52 - 16.00 1mo - 5yrs: 0.46 - 8.10

6 - 18 yrs : 0.36 - 6.00

SUMMARY:

T3 & T4 : Primary malfunction of the thyroid gland may result in excessive (hyper) or below normal (hypo) release of

——— T3 &T4. Disease in any portion of the thyroid - pituitary-hypothalamus system may influence the levels of

T3 & T4

T4 levels are sensitive and superior indicator of hypothyroidism.

T3 levels better define hyperthyroidism , is an excellent indicator of the ability of thyroid to respond to both

stimulatory and suppresive tests.

TSH : Circulating TSH levels are important in evaluating thyroid function. TSH is used in the differential diagnosis

of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary

hypothyroidism, TSH levels are elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

In primary hyperthyroidism, T3 & T4 levels are elevated and low or undetctable TSH.

Signature of Technician

Conditions of Reporting:

We use best of the kits from international Market & the quality control is done by putting up Fresh standard/Control with each running. The reported result are for information and for interpretation of the Refering Doctor only.

Results of tests may very from laboratory to laboratory and also in some parameters time to time for the same patient. This report is not valid for any medico-legal purposes.

Result of card test are limited by time of Reeding the card.

257-A, Sheela Chaudhary Road, Talwandi, KOTA-5 (Raj.)

Tel 0744-3562955, Mob.: 9414227325, 9610209797 | E-mail : rxkota@gmail.com

Dr. Presti Pathak

Dr. Presti Pathak

Pathology

Dr. Presti Patfiak, MD. (Path.) Reg. 24703/15880



RAMAKRISHNA HOSPITAL





PATIENT'S NAME: BANLSINGH

LAB NO.

: 0371

REF. BY

: Dr. YASH BHARGAVA

AGE/SEX: 47 Years/Male

DATE: 28/01/2023

DIA	622	5 T. T. A.	2500	78.57
BIO		I BUIVE	151	RV

	DIO GII	EMISINI	
Test Name	Test Results	N	ormal Range
Serum Total Protein A/G F Tatal Proteins Albumin Globulin	7.30 g 4.20 g	/dL /dL	6.0-8.5 3.4-5.0 2.3-3.5
A/G Ratio Serum Bilirubin	1.35:1		1.0-2.3
Test nterval	TestValue	Unit	Typical Reference
Fotal Bilirubin Direct Bilirubin ndirect Bilirubin	0.80 0.10 0.70	mg/dL mg/dL mg/dL	0.0 - 1.0 0.0 - 0.25 0.2 - 1.0

ORGAN PANEL

Lipid Profile

TEST	TEST VALUE	UNIT	NORMAL VALUE
Serum Cholesterol	181.0	mg/dL	130-200 mg%
Triglyceride	103.0	mg/dL	Up to 150 mg%
HDL Cholesterol	42.0	mg/dL	30-70 mg%
LDL Cholesterol	118.0	mg/dL	Up to 150 mg%
VLDL Cholesterol	21.0	mg/dL	Up to 80 mg %
Total Cholesterol/HDL Ratio	4.30		0.0-4.97
LDL/HDL Cholesterol Ratio	2.80		0.0-3.55

Signature of Technician

Conditions of Reporting:

We use best of the kits from international Market 5 the quality control is done by putting up Fresh standard/Control with each nurring. The reported result are for information and for interpretation of the Refering Doctor only Results of tests may vary from laboratory to laboratory and also in some parameters time to time for the same patient.

This report is not valid for any medico-legal ourcoses. Result of card test are limited by time of Reading the card.

257-A, Sheela Chaudhary Road, Talwandi, KOTA-5 (Raj.)

Tel 0744-3562955, Mob.: 9414227325, 9610209797 | E-mail : rxkota@gmail.com

Regon Preeti Pathak, MD. (Path.)

Reg. 24703/15880



RAMAKRISHNA HOSPITAL



(UNIT OF DR. L.K. BHARGAVA & SONS HUF)

Name BANI SINGH

LAB.N 07

Doctors Name: DR YASH BHARGAVA

Date: 28/01/2023

BIO-CHEMISTRY

TEST

RESULT

BUN/CREATININE.. Ratio

22.78

Signature of Technician

Conditions of Reporting:

We use best of the kits from infernational Murket & the quality control is done by putting up Fresh standard/Control with each running. The reported result are for information and for interpretation of the Refering Doctor only.

Results of tests may vary from laboratory to laboratory and also in some parameters time to time for the same patient.

This report is not valid for any medico-legal purposes.

Result of card test are limited by time of Reading the card.

257-A, Sheela Chaudhary Road, Talwandi, KOTA-5 (Raj.)

Tel 0744-3562955, Mob.: 9414227325, 9610209797 | E-mail : rxkota@gmail.com

Dr. Predector attrak

Pr. Preeti Pathak, MD. (Path.) Reg. 24703/15880



RAMAKRISHNA HOSPITAL

(UNIT OF DR. L.K. BRARGAVA & SONS HUF)



PATIENT'S NAME: BANI SINGH

LAB NO.

: 0371

REF. BY

: Dr. YASH BHARGAVA

AGE/SEX: 47 Years/Male

DATE: 28/01/2023

RADIO-DIAGNOSIS

X-RAY CHEST PA VIEW

- 1. Both the lung fields are clear. Bronchovascular markings are within normal limits
- Both the hilar shadows are of normal size and shape, density.
- 3. Heart shadows appears central, normal in size and shape.
- 4. Trachea is in midline.
- Both the domes of diaphragm are clear and sharp.
- Both the C.P. angles are clear.
- 7. Bony cage and soft tissue shadows are normal.

IMPRESSION: Normal chest radiograph. ------

Signature of Technician

Conditions of Reporting:

We use best of the kits from international Market & the quality control is done by putting up Fresh standard/Control with each running. The reported result are for information and for interpretation of the Refering Diodor only Results of tests may vary from laboratory to laboratory and also in some parameters time to time for the same patient.

This report is not valid for any medica-legal ourposes.

Result of card test are limited by time of Reading the card.

257-A, Sheela Chaudhary Road, Talwandi, KOTA-5 (Raj.)

Tel 0744-3562955, Mob.: 9414227325, 9610209797 | E-mail : rxkota@gmail.com

Dr. Preeti Pathak, MD. (Path.) Reg. 24703/15880



RAMAKRISHNA HOSPITAL

JUNIT OF DR. L.K. BHARSAVA & SONE HUF!



PATIENT'S NAME: BANI SINGH

AGE/SEX: 47 Years/Male

LAB NO.

: 0371

DATE: 28/01/2023

REF. BY

: Dr. YASH BHARGAVA

ULTRA SONOGRAPHY

SONOGRAPHY FOR WHOLE ABDOMEN

LIVER: Appear normal in size, Non-tender with smooth & regular contour.P arenchymal echopattern appears homegeneous. The IHBR & hepatic vein radicals are not dilated. No evidence of focal echopoor / echorich lesion. Portal vein diameter is normal 10 mm. CBD diameter normal 03 mm.

GALL BLADDER: Gall bladder is physiologically distended & normal in size, shape & contour. Walls are smooth & regular with normal thickeness. There is no evidence of cholelithiasis.

The Murphy's sign is negative.

PANCREAS: Normal in size, shape, contour. There is no evidence of focal lesion. Pancreatic duct is not dilated. Pancreatic substance show homogeneous parenchymal echopattern. Paraortic lymph nodes & SMA appear normal.

SPLEEN: Normal in size & echopattern. Vessels seen in splenic hilum are not dilated.

KIDNEYS: Appear normal in size, shape, position, contour, cotical echogenicity & pelvicalyceal system. The corticomedullary demarkation is fair & ratio appears normal. There is no evidence of hydronephrosis, Nephrolithiasis.

Size right kidney 102 mm. X 77 mm. Size left kidney 103 mm. X 79 mm.

Signature of Technician

Conditions of Reporting:

We use best of the kits from international Market & the quality control is done by putting up Fresh standard/Control with each running. The reported result are for information and for interpretation of the Referring Dodnir only. Results of tests may vary from laboratory to isboratory and also in some parameters time to time for the same patient. Thus report is not valid for any medico-legal outposes. Result of card test are limited by time of Reading the card.

257-A, Sheela Chaudhary Road, Talwandi, KOTA-5 (Raj.)

Tel 0744-3562955, Mob.: 9414227325, 9610209797 | E-mail : rxkota@gmail.com

Dr. Preeti Pathak, MD. (Path.) Reg. 24703/15880



RAMAKRISHNA HOSPITAL





PATIENT'S NAME: BANISINGH

LAB NO.

: 0371

REF. BY

: Dr. YASH BHARGAVA

AGE/SEX: 47 Years/Male

DATE: 28/01/2023

URI.BLADDER: Bladder walls are smooth & normal in thickness. There is No evidence of mass / stone in the lumen. Bladder capacity appears normal & postvoid Residual volume not significant.

PROSTATE: Normal in shape, contour & parenchymal echogenicity. Its capsule is intact and there is no evidence of focal lesion. Size 23 X 26 X 23 mm. Volume 11 gms.

SPECIFIC: No evidence of retroperitoneal mass/free fluid in peritoneal cavity.

IMPRESSION: Ultrasonographic findings are s/o of normal study.

स्मिनिको आर्गव एम वी बीरफे एम. बी समाकृष्णा अतिगढल पति न. ००६३५१/ २२५४४

Signature of Technician

Conditions of Reporting:

We use best of the kits from international Market & the quality control is done by putting up Fresh standard/Control with each running. The reported result are for information and for interpretation of the Retening Doctor only.


Results of tests may vary from laboratory to laboratory and also in some parameters time to time for the same patient. This report is not valid for any medico-legal purposes.

Result of card test are limited by time of Reading the card.

257-A, Sheela Chaudhary Road, Talwandi, KOTA-5 (Raj.)

Tel 0744-3562955, Mob.: 9414227325, 9610209797 | E-mail : rxkota@gmail.com

Dr. Preeti Pathak, MD. (Path.) Reg. 24703/15880



Recovery	Recovery	Recovery	Recovery	Recovery	Recovery	PeakEx	BRUCE Stage 2	BRUCE Stage 1	ExStart	Warm Up	Ž	Standing	Supine	Stage
14:21	13:37	12:37	11,37	10:37	09:37	08:37	08:15	0515	02/15	01:52	07.18	00:44	00:10	Time
on A	5:00	4.00	3.00	200	1.05	022	3,00	3:00	0:23	034	0.34	0:34	010	Duration
000	00.0	00.0	00.0	00.0	91.1	03.4	02.5	7.10	01.0	00.0	00.0	000	00.0	Speedimp
8	95.0	90.0	00:0	00.0	00.0	14.0	12.0	0.0	0,00	00.0	000	00.0	90.0	ti) Elevation
01.0	01.0	0.10	0.0	0.0	01.2	07.5	07.1	04.7	0.0	01.0	01.0	0.10	01:0	METS
‡	787	717	149	127	ā	<u>2</u>	<u> </u>	š	093	093	980	190	092	Z)
56 %	68 %	68 %	69 %	73 %	38	95 %	94 %	20 20 20	54%	54 %	57%	58.%	53 %	# 11-R
128/84	130/88	130/86	136/90	136/90	132/88	132/88	132/88	128/84	120/80	120/80	120/80	129/89	120/80	CO 70
143	152	55	68	172	200	10 60	13 5	195	4	3	71.7	22	5	Rep
8	8	98	60	00	8	8	90	8	8	98	8	8	8	PVC
	ſ	'nį	Je	7	25		6 A S		€ ***	á 30. 31. 31. 31.	s.a.			Comments


Max WorkLoad Attained

Test End Reasons



BRUCE:Supine(0:10)


212323 / BANI SINGH / 47 Yrs / M / 177 Cms / 78 Kg / HR . 92






212323 / BANI SINGH / 47 Yrs / M / 177 Cms / 78 Kg / HR 100 Extino 00.00 0.0 mply 0.00%

212323 / BANI SINGH / 47 Y/s / M / 177 Cms / 78 Kg / HR 98












ExTime 00:00 1.0 mph, 0.0%


Date: 98-Jan 2023-92 (E-42 PW - MC S. 4.0/93 55m 54% of THR - 8 212323 / BANI SINGH / 47 Yrs / M / 177 Cms / 78 Kg / HR . 93 avR avF V2

212323 / BANI SINGH / 47 Yrs / M / 177 Cms / 78 Kg / HR 153




212323 / BANI SINGH / 47 Yrs / M / 177 Cms / 78 Kg / HR : 163

d 38, an-2)23 12 18 42 PM HVR HVF V2 ¥ WE IS 7 17 163 by š



212323 / BANI SINGH / 47 Yrs / M / 177 Cms / 78 Kg / HR. 164









212323 / BANI SINGH / 47 Yrs / M / 177 Cms / 78 kg / HR : 127 to: 28-Jan-2023 52 58 AZ PM V4











212323 / BANI SINGH / 47 Yrs / M / 177 Cms / 78 Kg / HR 117



212323 / BANI SINGH / 47 Yrs / M / 177 Cms / 78 Kg / HR . 117







212323 / BANI SINGH / 47 Yrs / M / 177 Cms / 78 Kg / HR : 114 WR WF V2 ¥ METS: 1.0/114 bpm 66% of THR ExTINE 06:22 0.0 mph. 0.0%

	Stage 1	Exstant B to B	Warm Up	5 0 0 ₹ 9 8 8	Standing 00.00	Supine 13 030	Date: 28-Ja
	2 1 1 2 2 3 4 F 3	10 mph	12080 12080 12080	1000 1000 1000 1000 1000 1000 1000 100	20 Pr	0000000 57L D.4	Date: 28-Jan-2023 12-16-42 PM
					192	2014 2014	42 PM 1
		, XI		1 2010 5	jet S		-
	£8	, , ,	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;)::: }	500 5700 5700		-
) II	\ \frac{1}{2}	138	7		/ it	Rve
) 003 3) (28 2 2 1	100	111	126	126	JAE
	/## {	ξ.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	128	} }	\ \frac{1}{5}	avFi
		\(\frac{1}{2}\)\$	132	} = = = = = = = = = = = = = = = = = = =)::: -{	V
) #: 	102	 		\$	 	s
				- 32 - 32 - 32	*	- E	5
CAMBIE XON	<u> </u>	- (#1	- (88		.:: 	<u> </u>	- 4
15201125)(9,0414	4		 	 		/ (/st	<u></u> √s
9	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1 1	/ /38 }	/ /22 *		/ /** **	- V6





Average

Recovery (3) 6.23 (2) 150	Recovery (I) 3.16 111 apm	Recovery	Recovery	PeakEx	Stage 2
3456 4000 1000 1000 1000 1000 1000 1000 100	000 mg/m 000 mg/m	136 CO (100 CO)	30 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1375 × 10	520 to 1
) } }) 22 }	120	F) } }	
) \$		5			
\frac{1}{5}	- Carlo	, , , , , , , , , , , , , , , , , , ,		¥26	₹°°
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\dis	7 7	}**	\frac{100}{7}	}**
(00) (10)	(0 is) } }	(************************************	\029 }	198
2"" 5	\$	\frac{\frac{1}{3}}{2}	\$	\$ 12 m	\$
_1 [±] *	/ ∓ ₹ 7	725	∮ \$\$	\$	V.
\$	## P		\$	\$"	*
\$	\$	\$	\$ 5	\$	4
285 5	- 2** 5	- }	- 😽	\$ = = = = = = = = = = = = = = = = = = =	· 🗧
\$	- <u>281</u> 5	5	- \$		- 🗧
1:8 7	2º8 5	- <u>}</u> ** 	5	<u> </u>	\$ -



212323 / BANI SINGH / 47 Yrs / M / 177 Cms / 78 Kg / HR : 99

THE RESERVE OF THE PARTY OF THE		
1 55 72 79	1 22 4	KZ
Recove	Recey.	2
(ecov	PAMO	1 10
8 5 6 5	15 4 2 9	00
Recovery (1) 6.13 (2) 6.44	Receve 11 623 21 439	Date: 28-Jan-2023 12-16-42 PM
. 2	2	1 5
		Si
000mg	13366 13366	13
1888	130 0 0 11 0 0 11 0 0 11 0 0 11 0 0 11 0 0 11	(3)
2 0	8 7 7	N.
	10 11 P	1112
		100
(82		70
106	V-1	- 4
4	4	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	77	1440
Section 1	1400 (Ki	
€	6	
45-54	477	
14	1 1	
7	2	
T Y T		
71170	127	
	1 4	
5	3	
1		
1 D	5	
(C)	T T	
4 33		
	6 2 2	
## \$ # #		
	7	製板
7	7	ec.
# H H H H H H H H H H H H H H H H H H H		
- X		
(25	(20	
L	<u> </u>	
2	3	av.
<u> </u>	2	
	V. 3	
257	- 2" T	
	75	HAR
	(T)	11115
	3	
-	Y	
3 20 02	1 1	
	- <u>-</u>	11111211
		115
X	N	
	7	
500	120	
1366	1.00	
4	14	
		- 4
N. I	100	183
7		
	The state of the s	
	- XC 2	
/	7	
	75	
- X		66
7		
	100	
) x0;94	320	
4	4	
4	2 11 1	(C)
×	3	
7		
140 50	347	
4		
	e e e e e	- <
T	7	9
У	9	
7 I		
	1 1 1 1 1 1 1	
190		
) in it		
126	€	
) () () +		- 5
Jojo John L	£	- 8
) ping +	\$	- 8
} = 00 	\$	- 8
) oc	1	\$

