



Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.KHASHTI GOSWAMI Registered On : 23/Sep/2023 11:57:58 : 35 Y O M O D /F Age/Gender Collected : 23/Sep/2023 12:16:11 UHID/MR NO : 23/Sep/2023 12:43:54 : CHLD.0000096592 Received Visit ID : CHLD0094732324 Reported : 23/Sep/2023 20:27:46

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blood				
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole Blood	d			
Haemoglobin	13.90	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) DLC	4,700.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	64.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	30.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	1.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	16.00	Mm for 1st hr.		
Corrected	10.00	Mm for 1st hr.	< 20	
PCV (HCT)	43.00	%	40-54	
Platelet count				
Platelet Count	1.20	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
GIANT PLATELETS SEEN.				
PDW (Platelet Distribution width)	16.50	fL	9-17	ELECTRONIC IMPEDANCE









Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.KHASHTI GOSWAMI Registered On : 23/Sep/2023 11:57:58 Age/Gender : 35 Y O M O D /F Collected : 23/Sep/2023 12:16:11 UHID/MR NO : 23/Sep/2023 12:43:54 : CHLD.0000096592 Received Visit ID : CHLD0094732324 Reported : 23/Sep/2023 20:27:46

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
P-LCR (Platelet Large Cell Ratio)	60.20	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.17	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	15.20	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.49	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)		¥		
MCV	93.90	fl	80-100	CALCULATED PARAMETER
MCH	31.00	pg	28-35	CALCULATED PARAMETER
MCHC	33.00	%	30-38	CALCULATED PARAMETER
RDW-CV	13.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	44.80	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,008.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	47.00	/cu mm	40-440	

Dr.Pankaj Punetha DNB(Pathology)









Ph: ,9235400975

CIN: U85110DL2003PLC308206



 Patient Name
 : Mrs.KHASHTI GOSWAMI
 Registered On
 : 23/Sep/2023 11:58:01

 Age/Gender
 : 35 Y 0 M 0 D /F
 Collected
 : 23/Sep/2023 12:16:10

 UHID/MR NO
 : CHLD.0000096592
 Received
 : 23/Sep/2023 12:43:54

Visit ID : CHLD0094732324 Reported : 23/Sep/2023 13:54:48

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report CARE LTD HLD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

GLUCOSE FASTING, Plasma

Glucose Fasting 92.20 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP 105.30 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.10	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	32.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	100	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.KHASHTI GOSWAMI Registered On : 23/Sep/2023 11:58:01 Collected Age/Gender : 35 Y O M O D /F : 23/Sep/2023 12:16:10 UHID/MR NO : CHLD.0000096592 Received : 23/Sep/2023 12:43:54 Visit ID : CHLD0094732324 Reported : 23/Sep/2023 13:54:48 : Dr.MEDIWHEEL ARCOFEMI HEALTH

Ref Doctor CARE LTD HLD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	13.54	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.68	mg/dl	0.5-1.30 Spot Urine-Mal Female-20-320	
Uric Acid Sample:Serum	6.20	mg/dl	2.5-6.0	URICASE





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

^{*}Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

^{*}With optimal control, the HbA 1c moves toward normal levels.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:





Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.KHASHTI GOSWAMI Registered On : 23/Sep/2023 11:58:01 Age/Gender Collected : 23/Sep/2023 12:16:10 : 35 Y O M O D /F UHID/MR NO : 23/Sep/2023 12:43:54 : CHLD.0000096592 Received Visit ID : CHLD0094732324 Reported : 23/Sep/2023 13:54:48

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Uı	nit Bio. Ref. Interva	al Method
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	26.84	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	19.80	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	17.50	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.03	gm/dl	6.2-8.0	BIURET
Albumin	3.95	gm/dl	3.4-5.4	B.C.G.
Globulin	3.08	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.28	9	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	60.31	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.55	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.23	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.32	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) , Serum				
Cholesterol (Total)	169.48	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	58.60	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	98	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED
VLDL Triglycerides	12.80 64.00	mg/dl mg/dl	Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High 10-33 < 150 Normal 150-199 Borderline High 200-499 High >500 Very High	CALCULATED GPO-PAP











T

Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110DL2003PLC308206



 Patient Name
 : Mrs.KHASHTI GOSWAMI
 Registered On
 : 23/Sep/2023 11:58:00

 Age/Gender
 : 35 Y 0 M 0 D /F
 Collected
 : 23/Sep/2023 13:37:17

 UHID/MR NO
 : CHLD.0000096592
 Received
 : 23/Sep/2023 13:41:56

Visit ID : CHLD0094732324 Reported : 23/Sep/2023 20:06:45

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD - Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
RINE EXAMINATION, ROUTINE *	, Urine			
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (6.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		,	10-40 (+)	
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
agai	ADJENT	9111370	0.5-1.0 (++)	DII STICK
			1-2 (+++)	
			> 2 (++++)	
Cetone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile P <mark>igment</mark> s	ABSENT			
Jrobili <mark>nogen(1:20 dilution)</mark>	ABSENT			
Microscopic Examination:				
pithelial cells	3-4/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	4-5/h.p.f			
RBCs	6-8/h.p.f			MICROSCOPIC
ant.	ADCENT			EXAMINATION
Cast Crystals	ABSENT ABSENT			MICROSCOPIC
o ystais	ADSEINI			EXAMINATION
Others	ABSENT			L/V (IVIII V/ TITOTY
JGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		

Interpretation:

 $\begin{array}{ll} (+) & < 0.5 \\ (++) & 0.5\text{-}1.0 \\ (+++) & 1\text{-}2 \end{array}$

(++++) > 2

Dr Vinod Ojha MD Pathologist









Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.KHASHTI GOSWAMI : 23/Sep/2023 11:58:01 Registered On Age/Gender Collected : 35 Y O M O D /F : 23/Sep/2023 12:16:10 UHID/MR NO : CHLD.0000096592 Received : 24/Sep/2023 14:34:13 Visit ID : 24/Sep/2023 16:18:52 : CHLD0094732324 Reported : Dr.MEDIWHEEL ARCOFEMI HEALTH

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	l Method
THYROID PROFILE - TOTAL **, Serum				
T3, Total (tri-iodothyronine)	115.36	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.40	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.560	μIŪ/mL	0.27 - 5.5	CLIA
Interpretation:		•		
, •		0.3-4.5 μIU/n	nL First Trimes	ster
		0.5-4.6 μIU/n	nL Second Trir	mester
		0.8-5.2 μIU/m	nL Third Trime	ester
		0.5-8.9 μIU/n	nL Adults	55-87 Years
		0.7-27 μIU/n	nL Premature	28-36 Week
		2.3-13.2 μIU/m	nL Cord Blood	> 37Week
		0.7-64 μIU/n	nL Child(21 wk	x - 20 Yrs.)
		1-39 μIU	mL Child	0-4 Days
		1.7-9.1 μIU/n	nL Child	2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Bring

Dr. Anupam Singh (MBBS MD Pathology)









Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.KHASHTI GOSWAMI Registered On : 23/Sep/2023 11:58:02

 Age/Gender
 : 35 Y 0 M 0 D /F
 Collected
 : N/A

 UHID/MR NO
 : CHLD.0000096592
 Received
 : N/A

Visit ID : CHLD0094732324 Reported : 23/Sep/2023 14:46:38

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report CARE LTD HLD -

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW:-

- Bilateral lung fields appear grossly unremarkable.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Bilateral hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

IMPRESSION:-

No significant abnormality is seen.

Adv:-Clinico-pathological correlation.

Dr Sushil Pandey(MD Radiodignosis)









Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.KHASHTI GOSWAMI

Age/Gender : 35 Y 0 M 0 D /F UHID/MR NO : CHLD.0000096

: CHLD.0000096592

Visit ID : CHLD0094732324 : Dr.MEDIWHEEL ARCOFEMI HEALTH

Ref Doctor : Dr.MEDIWHEEL CARE LTD HLD -

Registered On : 23/Sep/2023 11:58:02

Collected : N/A

Received : N/A Reported : 23/Sep/2023 13:21:57

Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

ULTRASOUND WHOLE ABDOMEN

LIVER: Is normal in size (~12.7cms) and echotexture. No SOL seen. No dilatation of IHBR seen. Hepatic vessels are normal. Portal vein is patent.

GALL BLADDER: Lumen anechoic, wall is normal in thickness (~3 mm). No pericholecystic fluid seen.

<u>CBD:</u> Normal in caliber and smoothly tapering towards its lower end.

PANCREAS: Normal in size and echotexture.

SPLEEN: Normal in size and echotexture.

KIDNEYS:-

Right kidney is normal in size, shape and echotexture with maintained CM differentiation. No dilatation of PC system is seen.

No calculus seen.

Left kidney is normal in size, shape and echotexture with maintained CM differentiation.

No dilatation of PC system is seen.

No calculus seen.

<u>URINARY BLADDER:</u> Is partially distended, grossly appears normal. UTERUS & CERVIX:

- Visualized part of uterus appears normal.
- Endometrial and myometrial echoes are normal. (ET ~5.4 mm). No focal lesion seen.
- Cervix appears normal.

ADNEXA:

- No adnexal mass/ cyst seen.
- No free fluid is seen in POD.



Home Sample Collection 1800-419-0002





Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mrs.KHASHTI GOSWAMI Registered On : 23/Sep/2023 11:58:02

 Age/Gender
 : 35 Y 0 M 0 D /F
 Collected
 : N/A

 UHID/MR NO
 : CHLD.0000096592
 Received
 : N/A

Visit ID : CHLD0094732324 Reported : 23/Sep/2023 13:21:57

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report CARE LTD HLD -

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

No evidence of any free fluid/retroperitoneal lymphadenopathy.

IMPRESSION:- Essentially a normal scan.

(Adv:- Clinico-pathological correlation and further evaluation).

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, ECG / EKG



Dr Sushil Pandey(MD Radiodignosis)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





