





CLIENT CODE: CA00010147 - MEDIWHEEL

CLIENT'S NAME AND ADDRESS : MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED

F701A, LADO SARAI, NEW DELHI,

SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR,

MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA

Tel: 93334 93334, Fax: CIN - U85190MH2006PTC161480

Email: customercare.ddrc@srl.in

PATIENT NAME: MR ANOOP G T PATIENT ID: MRANM291287418

ACCESSION NO: 4182VL012282 AGE: 35 Years SEX: Male ABHA NO:

29/12/2022 12:36 DRAWN: RECEIVED: 29/12/2022 07:50 REPORTED:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Preliminary Results **Biological Reference Interval Units**

MEDIWHEEL HEALTH CHECKUP BELOW 40(M)2DECHO

OPTHAL

OPTHAL REPORT ATTACHED

* PHYSICAL EXAMINATION

REPORT ATTACHED PHYSICAL EXAMINATION











CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS :

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED

F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 **DELHI INDIA** 8800465156

DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O

TRIVANDRUM, 695011 KERALA, INDIA

Tel: 93334 93334, Fax: CIN - U85190MH2006PTC161480

Email: customercare.ddrc@srl.in

PATIENT NAME: MR ANOOP G T PATIENT ID: MRANM291287418

ACCESSION NO: 4182VL012282 AGE: 35 Years SEX: Male ABHA NO:

DRAWN: RECEIVED: 29/12/2022 07:50 REPORTED: 29/12/2022 12:36

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Results Units **Preliminary**

MEDIWHEEL HEALTH CHECKUP BELOW 40(M)2DECHO

*	BUN	/CREAT	RATIO
---	-----	--------	--------------

BUN/CREAT RATIO	13.98
CREATININE, SERUM	

CDEATINITALE	0.00	10 60 400 100 12	ma/dl
CREATININE	0.88	18 - 60 yrs : 0.9 - 1.3	mg/dL

* GLUCOSE, POST-PRANDIAL, PLASMA

Diabetes Mellitus : > or = 200. mg/dL GLUCOSE, POST-PRANDIAL, PLASMA 110

Impaired Glucose tolerance/ Prediabetes: 140 - 199. Hypoglycemia: < 55.

GLUCOSE FASTING, FLUORIDE PLASMA

Diabetes Mellitus : > or = 126. GLUCOSE, FASTING, PLASMA 112 mg/dL

Impaired fasting Glucose/ Prediabetes: 101 - 125. Hypoglycemia

* GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE

Normal : 4.0 - 5.6%. % GLYCOSYLATED HEMOGLOBIN (HBA1C) 5.6

Non-diabetic level : < 5.7%. Diabetic : >6.5%

Glycemic control goal

More stringent goal : < 6.5 %. General goal : < 7%. Less stringent goal : < 8%.

Glycemic targets in CKD :-If eGFR > 60 : < 7%. If eGFR < 60: 7 - 8.5%.

MEAN PLASMA GLUCOSE mg/dL 114.0

* LIPID PROFILE, SERUM

Desirable: < 200 mg/dL **CHOLESTEROL** 210

Borderline: 200-239 High : >or= 240

Normal : < 150 mg/dL **TRIGLYCERIDES** 80

High : 150-199

Hypertriglyceridemia: 200-499 Very High: > 499

HDL CHOLESTEROL 58 General range: 40-60 mg/dL











CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS :

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED

F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS

ASTER SQUARE BUILDING, ULLOOR,

MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA

Tel: 93334 93334, Fax: CIN - U85190MH2006PTC161480

Email: customercare.ddrc@srl.in

PATIENT NAME: MR ANOOP G T PATIENT ID: MRANM291287418

ACCESSION NO: 4182VL012282 AGE: 35 Years SEX: Male ABHA NO:

RECEIVED: 29/12/2022 07:50 REPORTED: 29/12/2022 12:36 DRAWN:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Preliminary</u>	Results		Units
DIRECT LDL CHOLESTEROL	144	Optimum : < 100 Above Optimum : 100-13 Borderline High : 130-15 High : 160-18 Very High : >or= 1	9 9
NON HDL CHOLESTEROL	152	High Desirable: Less than 130 Above Desirable: 130 - 15 Borderline High: 160 - 18 High: 190 - 219 Very high: > or = 220	mg/dL 59
CHOL/HDL RATIO	3.6	3.3-4.4 Low Risk 4.5-7.0 Average Risk 7.1-11.0 Moderate Risk > 11.0 High Risk	
LDL/HDL RATIO	2.5	0.5 - 3.0 Desirable/Low R 3.1 - 6.0 Borderline/Mode >6.0 High Risk	
VERY LOW DENSITY LIPOPROTEIN	16.0	Desirable value : 10 - 35	mg/dL
* LIVER FUNCTION TEST WITH GGT			
BILIRUBIN, TOTAL	0.49	General Range : < 1.1	mg/dL
BILIRUBIN, DIRECT	0.18	General Range : < 0.3	mg/dL
BILIRUBIN, INDIRECT	0.31	0.00 - 0.60	mg/dL
TOTAL PROTEIN	7.2	Ambulatory: 6.4 - 8.3 Recumbant: 6 - 7.8	g/dL
ALBUMIN	4.4	20-60yrs : 3.5 - 5.2	g/dL
GLOBULIN	2.8	2.0 - 4.0 Neonates - Pre Mature: 0.29 - 1.04	g/dL
ALBUMIN/GLOBULIN RATIO	1.6	General Range: 1.1 - 2.5	RATIO
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	15	Adults: < 40	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT)	22	Adults: < 45	U/L
ALKALINE PHOSPHATASE	50	Adult(<60yrs): 40 -130	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT) TOTAL PROTEIN, SERUM	12	Adult (Male) : < 60	U/L
TOTAL PROTEIN	7.2	Ambulatory: 6.4 - 8.3 Recumbant: 6 - 7.8	g/dL
URIC ACID, SERUM			
URIC ACID	6.6	Adults: 3.4-7	mg/dL











CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS :

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED

F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O

TRIVANDRUM, 695011 KERALA, INDIA

Tel: 93334 93334, Fax: CIN - U85190MH2006PTC161480

Email: customercare.ddrc@srl.in

PATIENT NAME: MR ANOOP G T PATIENT ID: MRANM291287418

ACCESSION NO: 4182VL012282 AGE: 35 Years SEX: Male ABHA NO:

RECEIVED: 29/12/2022 07:50 29/12/2022 12:36 DRAWN: REPORTED:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Preliminary</u>	Results		Units
ABO GROUP & RH TYPE, EDTA WHOLE BLOOD			
ABO GROUP	TYPE A		
RH TYPE	POSITIVE		
METHOD : COLUMN AGGLUTINATION TECHOLOGY BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN	16.0	13.0 - 17.0	g/dL
METHOD : SPECTROPHOTOMETRIC			
RED BLOOD CELL COUNT METHOD: IMPEDANCE VARIATION	5.53 High	4.5 - 5.5	mil/μL
WHITE BLOOD CELL COUNT	5.77	4.0 - 10.0	thou/µL
PLATELET COUNT	202	150 - 410	thou/µL
METHOD: IMPEDANCE VARIATION			
RBC AND PLATELET INDICES			
HEMATOCRIT	46.7	40 - 50	%
METHOD: CALCULATED PARAMETER		02 101	
MEAN CORPUSCULAR VOL	84.4	83 - 101	fL
MEAN CORPUSCULAR HGB. METHOD: CALCULATED PARAMETER	29.0	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN	34.4	31.5 - 34.5	g/dL
CONCENTRATION			
RED CELL DISTRIBUTION WIDTH		12.0 - 18.0	%
MENTZER INDEX	15.3		
MEAN PLATELET VOLUME	8.5	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
SEGMENTED NEUTROPHILS	53	40 - 80	%
LYMPHOCYTES	35	20 - 40	%
MONOCYTES	7	2 - 10	%
EOSINOPHILS	5	1 - 6	%
BASOPHILS	0	0 - 2	%
ABSOLUTE NEUTROPHIL COUNT	3.06	2.0 - 7.0	thou/µL
ABSOLUTE LYMPHOCYTE COUNT	2.02	1 - 3	thou/µL
ABSOLUTE MONOCYTE COUNT	0.40	0.20 - 1.00	thou/µL
ABSOLUTE EOSINOPHIL COUNT	0.29	0.02 - 0.50	thou/µL
ABSOLUTE BASOPHIL COUNT	0.00		thou/µL
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.5		











CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS :

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED

PATIENT NAME: MR ANOOP G T

F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030

DELHI INDIA 8800465156

DDRC SRL DIAGNOSTICS

ASTER SQUARE BUILDING, ULLOOR,

MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA

Tel: 93334 93334, Fax: CIN - U85190MH2006PTC161480

Email: customercare.ddrc@srl.in

PATIENT ID: MRANM291287418

ACCESSION NO: 4182VL012282 AGE: 35 Years SEX: Male ABHA NO:

RECEIVED: 29/12/2022 07:50 REPORTED: 29/12/2022 12:36 DRAWN:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status	<u>Preliminary</u>	Results		Units
ERYTHROCYTE SEDIM	MENTATION RATE (ESF	R),WHOLE		
SEDIMENTATION F STOOL: OVA & PARAS * SUGAR URINE - PO	SITE	13 RESULT PENDING	0 - 14	mm at 1 hr
SUGAR URINE - PO		NOT DETECTED	NOT DETECTED	
T3		132.00	80 - 200	ng/dL
T4		8.82	5.1 - 14.1	μg/dl
TSH 3RD GENERAT	TION	2.220	21-50 yrs : 0.4 - 4.2	μIU/mL











CLIENT CODE: CA00010147 - MEDIWHEEL

CLIENT'S NAME AND ADDRESS:
MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED

F701A, LADO SARAI, NEW DELHI,

PATIENT NAME: MR ANOOP G T

SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156 DDRC SRL DIAGNOSTICS

ASTER SQUARE BUILDING, ULLOOR,

MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA

Tel: 93334 93334, Fax: CIN - U85190MH2006PTC161480

Email: customercare.ddrc@srl.in

PATIENT ID: MRANM291287418

2

ACCESSION NO: 4182VL012282 AGE: 35 Years SEX: Male ABHA NO:

DRAWN: RECEIVED: 29/12/2022 07:50 REPORTED: 29/12/2022 12:36

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Preliminary Results Units

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

PHYSICAL EXAMINATION, URINE

COLOR YELLOWISH APPEARANCE CLEAR

CHEMICAL EXAMINATION, URINE

PH 6.0 4.7 - 7.5 SPECIFIC GRAVITY 1.024 1.003 - 1.035











CLIENT CODE: CA00010147 - MEDIWHEEL

CLIENT'S NAME AND ADDRESS: MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED

F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 **DELHI INDIA** 8800465156

DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA

Tel: 93334 93334, Fax: CIN - U85190MH2006PTC161480

Email: customercare.ddrc@srl.in

PATIENT NAME: MR ANOOP G T PATIENT ID: MRANM291287418

ACCESSION NO: 4182VL012282 AGE: 35 Years SEX: Male ABHA NO:

RECEIVED: 29/12/2022 07:50 REPORTED: 29/12/2022 12:36 DRAWN:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Preliminary</u>	Results		Units
PROTEIN	NEGATIVE	NOT DETECTED	
GLUCOSE	NEGATIVE	NOT DETECTED	
KETONES	NEGATIVE	NOT DETECTED	
BLOOD	NEGATIVE	NOT DETECTED	
BILIRUBIN	NOT DETECTED	NOT DETECTED	
UROBILINOGEN	NORMAL	NORMAL	
NITRITE	NEGATIVE	NOT DETECTED	
MICROSCOPIC EXAMINATION, URINE			
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
WBC	0-1	0-5	/HPF
EPITHELIAL CELLS	0-1	0-5	/HPF
CASTS	NEGATIVE		
CRYSTALS	NEGATIVE		
REMARKS	NIL		
* SUGAR URINE - FASTING			
SUGAR URINE - FASTING	NOT DETECTED	NOT DETECTED	

Interpretation(s)

- CREATININE, SERUM-Higher than normal level may be due to:

 Blockage in the urinary tract

 Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
- Loss of body fluid (dehydration)Muscle problems, such as breakdown of muscle fibers
- Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia GravisMuscular dystrophy

GLUCOSE, POST-PRANDIAL, PLASMAADA Guidelines for 2hr post prandial glucose levels is only after ingestion of 75grams of glucose in 300 ml water, over a period of 5 minutes.
GLUCOSE FASTING, FLUORIDE PLASMA-**TEST DESCRIPTION**

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

Increased in

Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs:corticosteroids, phenytoin, estrogen, thiazides.

Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency, hypopituitarism,diffuse liver disease, malignancy (adrenocortical, stomach,fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g., galactosemia),Drugs- insulin, ethanol, propranolol; sulfonylureas,tolbutamide, and other oral hypoglycemic agents

NOTE:

while random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus,

While landon setting glucose levels are favored to monitor glycomic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:











CLIENT CODE: CA00010147 - MEDIWHEEL

CLIENT'S NAME AND ADDRESS: MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED

F701A, LADO SARAI, NEW DELHI,

SOUTH DELHI, DELHI, SOUTH DELHI 110030 **DELHI INDIA** 8800465156

ACCESSION NO:

DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR,

MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA

Tel: 93334 93334, Fax: CIN - U85190MH2006PTC161480

Email: customercare.ddrc@srl.in

ABHA NO:

PATIENT NAME: MR ANOOP G T PATIENT ID: MRANM291287418 SEX: Male

RECEIVED: 29/12/2022 07:50 REPORTED: 29/12/2022 12:36 DRAWN:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

35 Years

AGE:

Test Report Status Results Units **Preliminary**

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

Diagnosing diabetes.

3.Identifying patients at increased risk for diabetes (prediabetes).

4182VL012282

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range. 1.eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

2. eAG gives an evaluation of blood glucose levels for the last couple of months. 3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

I.Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

II.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin. III.Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

IV.Interference of hemoglobinopathies in HbA1c estimation is seen in a.Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c. b.Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

C.HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy
LIPID PROFILE, SERUM-Serum cholesterol is a blood test that can provide valuable information for the risk of coronary artery disease This test can help determine your risk

of the build up of plaques in your arteries that can lead to narrowed or blocked arteries throughout your body (atherosclerosis). High cholesterol levels usually don"""t cause any signs or symptoms, so a cholesterol test is an important tool. High cholesterol levels often are a significant risk factor for heart disease and important for diagnosis of hyperlipoproteinemia, atherosclerosis, hepatic and thyroid diseases.

Serum Triglyceride are a type of fat in the blood. When you eat, your body converts any calories it doesn''''''t need into triglycerides, which are stored in fat settlin High triglyceride levels are associated with several factors, including being overweight, eating too many sweets or drinking too much alcohol, smoking, being sedentary, or having diabetes with elevated blood sugar levels. Analysis has proven useful in the diagnosis and treatment of patients with diabetes mellitus, nephrosis, liver obstruction, other diseases involving lipid metabolism, and various endocrine disorders. In conjunction with high density lipoprotein and total serum cholesterol, a triglyceride determination provides valuable information for the assessment of coronary heart disease risk. It is done in fasting state.

High-density lipoprotein (HDL) cholesterol. This is sometimes called the ""good"" cholesterol because it helps carry away LDL cholesterol, thus keeping arteries open and blood flowing more freely. HDL cholesterol is inversely related to the risk for cardiovascular disease. It increases following regular exercise, moderate alcohol consumption and with oral estrogen therapy. Decreased levels are associated with obesity, stress, cigarette smoking and diabetes mellitus.

SERUM LDL The small dense LDL test can be used to determine cardiovascular risk in individuals with metabolic syndrome or established/progressing coronary artery disease, individuals with triglyceride levels between 70 and 140 mg/dL, as well as individuals with a diet high in trans-fat or carbohydrates. Elevated sdLDL levels are associated with metabolic syndrome and an 'atherogenic lipoprotein profile', and are a strong, independent predictor of cardiovascular disease. Elevated levels of LDL arise from multiple sources. A major factor is sedentary lifestyle with a diet high in saturated fat. Insulin-resistance and pre-diabetes have also been implicated, as has genetic predisposition. Measurement of sdLDL allows the clinician to get a more comprehensive picture of lipid risk factors and tailor treatment accordingly. Reducing LDL levels will reduce the risk of CVD and MI.

Non HDL Cholesterol - Adult treatment panel ATP III suggested the addition of Non-HDL Cholesterol as an indicator of all atherogenic lipoproteins (mainly LDL and VLDL). NICE guidelines recommend Non-HDL Cholesterol measurement before initiating lipid lowering therapy. It has also been shown to be a better marker of risk in both primary and secondary prevention studies.

Recommendations:

Results of Lipids should always be interpreted in conjunction with the patient's medical history, clinical presentation and other findings.

NON FASTING LIPID PROFILE includes Total Cholesterol, HDL Cholesterol and calculated non-HDL Cholesterol. It does not include triglycerides and may be best used in

patients for whom fasting is difficult.

TOTAL PROTEIN, SERUM-Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom''''''' disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome

Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

ABO GROUP & RH TYPE, EDTA WHOLE BLOODBlood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for





Page 8 Of 10







CLIENT CODE: CA00010147 - MEDIWHEEL

CLIENT'S NAME AND ADDRESS : MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED

F701A, LADO SARAI, NEW DELHI,

SOUTH DELHI, DELHI, SOUTH DELHI 110030 **DELHI INDIA** 8800465156

DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA

Tel: 93334 93334, Fax: CIN - U85190MH2006PTC161480

Email: customercare.ddrc@srl.in

PATIENT NAME: MR ANOOP G T PATIENT ID: MRANM291287418

4182VL012282 AGE: 35 Years SEX: Male ACCESSION NO: ABHA NO:

RECEIVED: 29/12/2022 07:50 REPORTED: 29/12/2022 12:36 DRAWN:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Results Units **Preliminary**

availability of the same."

The test is performed by both forward as well as reverse grouping methods

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope.

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-**TEST DESCRIPTION**:

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall

(sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine,

salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. SUGAR URINE - POST PRANDIAL-METHOD: DIPSTICK/BENEDICT"S TEST

SUGAR URINE - FASTING-METHOD: DIPSTICK/BENEDICT'S TEST



Page 9 Of 10 Scan to View Report







CLIENT CODE: CA00010147 - MEDIWHEEL

CLIENT'S NAME AND ADDRESS : MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED

F701A, LADO SARAI, NEW DELHI,

SOUTH DELHI, DELHI, SOUTH DELHI 110030 **DELHI INDIA** 8800465156

DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O

TRIVANDRUM, 695011 KERALA, INDIA

Tel: 93334 93334, Fax: CIN - U85190MH2006PTC161480

Email: customercare.ddrc@srl.in

PATIENT NAME: MR ANOOP G T PATIENT ID: MRANM291287418

ACCESSION NO: 4182VL012282 AGE: 35 Years SEX: Male ABHA NO:

RECEIVED: 29/12/2022 07:50 REPORTED: 29/12/2022 12:36 DRAWN:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Results Units **Preliminary**

MEDIWHEEL HEALTH CHECKUP BELOW 40(M)2DECHO

* ECG WITH REPORT

REPORT

REPORT GIVEN

* 2D - ECHO WITH COLOR DOPPLER

REPORT

REPORT GIVEN

* USG ABDOMEN AND PELVIS

REPORT

REPORT GIVEN

* CHEST X-RAY WITH REPORT

REPORT

REPORT GIVEN

End Of Report

Please visit www.srlworld.com for related Test Information for this accession TEST MARKED WITH '*' ARE OUTSIDE THE NABL ACCREDITED SCOPE OF THE LABORATORY.

BABU K MATHEW HOD-BIOCHEMISTRY

DR. VAISHALI RAJAN, MBBS DCP(Pathology) (Reg No - TCC 27150) **HOD - HAEMATOLOGY**

DR. SRI SRUTHY, MD Microbiology (Reg No - TCMC 44886)

CONSULTANT MICROBIOLOGIST

DR. ASTHA YADAV, MD **Biochemistry** (Reg No - DMC/R/20690) **CONSULTANT BIOCHEMIST**





NAME: MRS: ANOOP G T

AGE:35/M

DATE: 21/2022

CHEST X-RAY REPORT

CHEST X-RAY PA VIEW

: Trachea central

No cardiomegaly Normal vascularity

No parenchymal lesion.

Costophrenic and cardiophrenic angles clear

IMPRESSION

: Normal Chest Xray

ELECTRO CARDIOGRAM

: NSR :80/minute

No evidence of ischaemia.


IMPRESSION

: Normal Ecg.

Dr. SERIN LOPEZ. MBBS MEDICA OFFICER DDRC SRL Diagnostics Ltd. Aster Square, Medical College P.O., TVM Reg. No. 77656

DR SERIN LOPEZ MBBS Reg No 77656 DDRC SRL DIAGNOSTICS Services

Diagnosis Info	V1
PIT STATE OF THE PARTY OF THE P	V2
Standard	V3
	V4



Rv's Arcade, Near Ulloor Bridge, Medical College (P.O), Thiruvananthapuram 695011

Thiruvananthapuram

29/12/12


MEDICAL REPORT

This is to certify that Mr/MsAnoop. 61.9.	
(MRNO9.29.7.6) has been examined by us on. 2.9.112.122	On examination,
his/herBCVA/VXis 616.004) 1. N.6 (04)	Anteriorsegment S NORMAL
vision. Noumal	Both Eye Colour

Consultant Ophthalmologist

Ahalia Foundation Eye Hospital

Dr. VAISHU ANNMARIE VARGHESE Mags, MS, FCAS (Corned and A ternor Segment) Consultant Ophthal aclogist Ahalia Foundation Eng Hospital Reg No: 133361 TCMC





Acc no:4182L012282

Name: Mr. Anoop G T

Age: 35 y

RADIOLO
Sex: Male

Date: 29.12.22

US SCAN WHOLE ABDOMEN

LIVER is normal in size (14.6 cm). Margins are regular. Hepatic parenchyma shows mildly increased echogenicity. No focal lesions seen. No dilatation of intrahepatic biliary radicles. CBD is not dilated. Portal yein is normal in caliber (11.1 mm).

GALL BLADDER is partially distended and grossly normal. No pericholecystic fluid seen.

SPLEEN is normal in size (9 cm) and parenchymal echotexture. No focal lesion seen.

PANCREAS Head and body visualized, appears normal in size and parenchymal echotexture. Pancreatic duct is not dilated.

RIGHT KIDNEY is normal in size (11.7 x 4.6 cm) and shows normal parenchymal echotexture. Cortico medullary differentiation is maintained. Parenchymal thickness is normal. No echogenic focus with shadowing suggestive of renal calculi seen. No dilatation of pelvicalyceal system seen. Ureter is not dilated. Perinephric spaces are normal.

LEFT KIDNEY is normal in size (11.8 x 5.1 cm) and shows normal parenchymal echotexture. Cortico medullary differentiation is maintained. Parenchymal thickness is normal. No echogenic focus with shadowing suggestive of renal calculi seen. No dilatation of pelvicalyceal system seen. Ureter is not dilated. Perinephric spaces are normal.

PARAAORTIC AREA No retroperitoneal lymphadenopathy or mass seen.

URINARY BLADDER is distended, normal in wall thickness, lumen clear.

PROSTATE is normal in size (vol - 18.2 cc) and shows normal echotexture. No focal lesion seen. No ascites or pleural effusion.

CONCLUSION:-

Grade I fatty liver.

Dr. Nisha Unni MD , DNB (RD) Consultant radiologist.

Thanks, your feedback will be appreciated.
(Please bring relevant investigation reports during all visits).
Because of technical and technological limitations complete accuracy cannot be assured on imaging.
Suggested correlation with clinical findings and other relevant investigations consultations, and if required repeat imaging recommended in the event of controversities. AR















ECHO REPORT

Name: ANOOP.G.T	1 10 251124	
Name. ANOOF.G.1	Age/Sex:35Y/M	Date:29/12/2022

Left Ventricle:-

	Diastole	Systole
IVS	1.06cm	1.20cm
LV	5.10cm	3.03cm
LVPW	1.13cm	1.20cm

EF - 64% FS - 34%

AO	LA
3.17cm	3.67cm

PV - 1.06m/s AV - 1.23m/s MVE - 0.72m/s MVA - 0.40m/s E/A - 1.79

IMPRESSION:-


- > LV mildly dilated
- > No RWMA
- ➤ Good LV systolic function
- No diastolic dysfunction
- ➤ No AS,AR,MR,MS,TR,PAH
- No Vegetation/clot/effusion
- ➤ IAS/IVS intact



Consultant Cardiologist

DR. J. PRABAKARAN Consulting Cardiologist TCMC Reg No: 72354
















MEDICAL EXAMINATION REPORT (MER)

If the examinee is suffering from an acute life threatening situation, you may be obliged to disclose the result of the medical examination to the examinee.

1. Name of the examinee	- 2	Mr./Mrs./Ms. Anoop at	
2. Mark of Identification		(Mole/Scar/any other (specify location)):	
3. Age/Date of Birth		35/m · Gender:	F/M
4. Photo ID Checked	1	(Passport/Election Card/PAN Card/Drivi	ng Licence/Company ID)

PHYSICAL DETAILS:

a. Height	b. Weight(Kgs)	c. Girth of Ab	domen90 (cms)
d. Pulse Rate93 (/Min)	Min) e. Blood Pressure:	Systolic Diastolic	
	1st Reading	120	80
	2 nd Reading		

FAMILY HISTORY:

Relation	Age if Living	Health Status	If deceased, age at the time and cause
Father	1965		U.
Mother			
Brother(s)			
Sister(s)		LEMBER ST.	and an addresses on red

HABITS & ADDICTIONS: Does the examinee consume ary of the following?

Tobacco in any form	Sedative	Alcohol
	For the Concession	9
·		

PERSONAL HISTORY

- a. Are you presently in good health and entirely free from any mental or Physical impairment or deformity.
 If No, please attach details.
- b. Have you undergone/been advised any surgical procedure?
- c. During the last 5 years have you been medically examined, received any advice or treatment or admitted to any hospital?
- d. Have you lost or gained weight in past 12 months?

Have you ever suffered from any of the following?

- Psychological Disorders or any kind of disorders of the Nervous System?
- · Any disorders of Respiratory system?
- · Any Cardiac or Circulatory Disorders?
- · Enlarged glands or any form of Cancer/Tumour?
- · Any Musculoskeletal disorder?

- · Any disorder of Gastrointestinal System?
- Unexplained recurrent or persistent fever, and/or weight loss
- Have you been tested for H
 HBsAg / HCV
 before? If yes attach reports
- Are you presently taking medication of any kind?

YAN



Corp. Office: DDRC SRL Tower, G- 131, Panampilly Nagar, Ernakulam - 682 036 Ph No. 0484-2318223, 2318222, e-mail: info@ddrcsrl.com, web: www.ddrcsrl.com

Corp. Office: DDRC SRL Tower, G-131, Panampilly Nagar, Ernakulam - 682 036. Ph No. 2310688, 2318222. web: www.ddrcsrl.com

Any disorders of Urinary System?



Any disorder of the Eyes, Ears, Nose, Throat or Mouth & Skin


FOR FEMALE CANDIDATES ONLY

a. Is there any history of diseases of breast/genital organs?



Y/N

b. Is there any history of abnormal PAP Smear/Mammogram/USG of Pelvis or any other tests? (If yes attach reports) Y/N



Y/N

c. Do you suspect any disease of Uterus, Cervix or

e. For Parous Women, were there any complication during pregnancy such as gestational diabetes, hypertension etc

Y/N

f. Are you now pregnant? If yes, how many months?

CONFIDENTAIL COMMENTS FROM MEDICAL EXAMINER

➤ Was the examinee co-operative?

Ovaries?



> Is there anything about the examine's health, lifestyle that might affect him/her in the near future with regard to his/her job?

Are there any points on which you suggest further information be obtained?

Based on your clinical impression, please provide your suggestions and recommendations below;



Do you think he/she is MEDICALLY FIT or UNFIT for employment.

MEDICAL EXAMINER'S DECLARATION

I hereby confirm that I have examined the above individual after verification of his/her identity and the findings stated above are true and correct to the best of my k owledge.

Name & Signature of the Medical Examiner

Seal of Medical Examiner

DDRC SRL Flagnostics Ltd. ster Square, Manual College P.O., TVM Reg

Name & Seal of DDRC SRL Branch

Date & Time

DDRC SRL Diagnostics Private Limited

Corp. Office: DDRC SRL Tower, G- 131, Panampilly Nagar, Ernakulam - 682 036 Ph No. 0484-2318223, 2318222, e-mail: info@ddrcsrl.com, web: www.ddrcsrl.com

Regd. Office: 4th Floor, Prime Square, Plot No.1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (West), Mumbai – 400062.